

[View on GitHub](#)

Button group

Group a series of buttons together on a single line with the button group, and super-power them with JavaScript.



Get 10 Free Images From
Adobe Stock. Start Now.
ads via Carbon

Basic example

Wrap a series of buttons with `.btn` in `.btn-group`. Add on optional JavaScript radio and checkbox style behavior with [our buttons plugin](#).

Left Middle Right

[Copy](#)

```
<div class="btn-group" role="group" aria-label="Basic example">
  <button type="button" class="btn btn-secondary">Left</button>
  <button type="button" class="btn btn-secondary">Middle</button>
  <button type="button" class="btn btn-secondary">Right</button>
</div>
```

Ensure correct `role` and provide a label

In order for assistive technologies (such as screen readers) to convey that a series of buttons is grouped, an appropriate `role` attribute needs to be provided. For button groups, this would be `role="group"`, while toolbars should have a `role="toolbar"`.

In addition, groups and toolbars should be given an explicit label, as most assistive technologies will otherwise not announce them, despite the presence of the correct role attribute. In the examples provided here, we use `aria-label`, but alternatives such as `aria-labelledby` can also be used.

Button toolbar

Combine sets of button groups into button toolbars for more complex components. Use utility classes as needed to space out groups, buttons, and more.

1 2 3 4 5 6 7 8

[Copy](#)[Getting started](#)[Layout](#)[Content](#)[Components](#)[Alerts](#)[Badge](#)[Breadcrumb](#)[Buttons](#)[Button group](#)[Card](#)[Carousel](#)[Collapse](#)[Dropdowns](#)[Forms](#)[Input group](#)[Jumbotron](#)[List group](#)[Media object](#)[Modal](#)[Navs](#)[Navbar](#)[Pagination](#)[Popovers](#)[Progress](#)[Scrollspy](#)[Spinners](#)[Toasts](#)[Tooltips](#)[Utilities](#)[Extend](#)[Migration](#)[About](#)

```

<div class="btn-toolbar" role="toolbar" aria-label="Toolbar with button groups">
  <div class="btn-group mr-2" role="group" aria-label="First group">
    <button type="button" class="btn btn-secondary">1</button>
    <button type="button" class="btn btn-secondary">2</button>
    <button type="button" class="btn btn-secondary">3</button>
    <button type="button" class="btn btn-secondary">4</button>
  </div>
  <div class="btn-group mr-2" role="group" aria-label="Second group">
    <button type="button" class="btn btn-secondary">5</button>
    <button type="button" class="btn btn-secondary">6</button>
    <button type="button" class="btn btn-secondary">7</button>
  </div>
  <div class="btn-group" role="group" aria-label="Third group">
    <button type="button" class="btn btn-secondary">8</button>
  </div>
</div>

```

Feel free to mix input groups with button groups in your toolbars. Similar to the example above, you'll likely need some utilities though to space things properly.

1 2 3 4

@ Input group example

1 2 3 4

@ Input group example

Copy

```


<div class="btn-toolbar mb-3" role="toolbar" aria-label="Toolbar with button groups">
  <div class="btn-group mr-2" role="group" aria-label="First group">
    <button type="button" class="btn btn-secondary">1</button>
    <button type="button" class="btn btn-secondary">2</button>
    <button type="button" class="btn btn-secondary">3</button>
    <button type="button" class="btn btn-secondary">4</button>
  </div>
  <div class="input-group">
    <div class="input-group-prepend">
      <div class="input-group-text" id="btnGroupAddon">@</div>
    </div>
    <input type="text" class="form-control" placeholder="Input group example" aria-label="Input group example" aria-describedby="btnGroupAddon">
  </div>
</div>

<div class="btn-toolbar justify-content-between" role="toolbar" aria-label="Toolbar with button groups">
  <div class="btn-group" role="group" aria-label="First group">
    <button type="button" class="btn btn-secondary">1</button>
    <button type="button" class="btn btn-secondary">2</button>
    <button type="button" class="btn btn-secondary">3</button>
    <button type="button" class="btn btn-secondary">4</button>
  </div>
  <div class="input-group">
    <div class="input-group-prepend">
      <div class="input-group-text" id="btnGroupAddon2">@</div>
    </div>
    <input type="text" class="form-control" placeholder="Input group example" aria-label="Input group example" aria-describedby="btnGroupAddon2">
  </div>
</div>

```

Sizing

Instead of applying button sizing classes to every button in a group, just add `.btn-group-*` to each `.btn-group`, including each one when nesting multiple groups.

[Copy](#)

```
<div class="btn-group btn-group-lg" role="group" aria-label="...">...</div>
<div class="btn-group" role="group" aria-label="...">...</div>
<div class="btn-group btn-group-sm" role="group" aria-label="...">...</div>
```

Nesting

Place a `.btn-group` within another `.btn-group` when you want dropdown menus mixed with a series of buttons.

[Copy](#)

```
<div class="btn-group" role="group" aria-label="Button group with nested dropdown">
  <button type="button" class="btn btn-secondary">1</button>
  <button type="button" class="btn btn-secondary">2</button>

  <div class="btn-group" role="group">
    <button type="button" class="btn btn-secondary dropdown-toggle" data-
toggle="dropdown" aria-expanded="false">
      Dropdown
    </button>
    <div class="dropdown-menu">
      <a class="dropdown-item" href="#">Dropdown link</a>
      <a class="dropdown-item" href="#">Dropdown link</a>
    </div>
  </div>
</div>
```

Vertical variation

Make a set of buttons appear vertically stacked rather than horizontally. **Split button dropdowns are not supported here.**



Button
Button
Dropdown
Button
Button
Dropdown
Dropdown
Dropdown

Copy

```
<div class="btn-group-vertical">  
  ...  
</div>
```