

## **Practical: 10**

**AIM-** Create an application to create JSON URL for Contact which have field(id, Name(First Name, Last Name), Phone No, Address) and should be minimum five contact details & display received contact data in RecyclerView. Add Google Map Activity which displays location which is received in JSON Data in google Maps activity and set the zoom level to 10.

Submitted By: Saumil Patel

Enrollment number: 20012011124

Github Link :[https://github.com/Saumil6354/MADPractical-9\\_20012011124](https://github.com/Saumil6354/MADPractical-9_20012011124)



**Department of Computer  
Engineering/Information Technology**

Name : Saumil Patel  
Enrollment Number : 20012011124  
Batch : AB8

## Activity\_main.xml :

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
xmlns:app="http://schemas.android.com/apk/res-auto"
xmlns:tools="http://schemas.android.com/tools"
android:layout_width="match_parent"
android:layout_height="match_parent"
tools:context=".MainActivity">
<androidx.recyclerview.widget.RecyclerView
    android:id="@+id/listView1"
    android:layout_width="match_parent"
    android:layout_height="0dp"
    app:layoutManager="androidx.recyclerview.widget.LinearLayoutManager"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent"
    android:layout_marginHorizontal="10dp"
    android:layout_marginBottom="60dp"
    android:layout_marginTop="75dp"
    app:layout_constraintBottom_toBottomOf="parent"
    >
</androidx.recyclerview.widget.RecyclerView>
<com.google.android.material.floatingactionbutton.FloatingActionButton
    android:id="@+id/fab"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginBottom="60dp"
    android:layout_marginEnd="20dp"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    android:src="@drawable/ic_baseline_sync_24"/>

</androidx.constraintlayout.widget.ConstraintLayout>
```

## Activity\_maps.xml :

```
<?xml version="1.0" encoding="utf-8"?>
<fragment xmlns:android="http://schemas.android.com/apk/res/android"
xmlns:map="http://schemas.android.com/apk/res-auto"
xmlns:tools="http://schemas.android.com/tools"
android:id="@+id/map"
android:name="com.google.android.gms.maps.SupportMapFragment"
android:layout_width="match_parent"
android:layout_height="match_parent"
tools:context=".MapsActivity" />
```

Name : Saumil Patel

Enrollment Number : 20012011124

Batch : AB8

## Person\_item\_view.xml :

```
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    xmlns:app="http://schemas.android.com/apk/res-auto">
    <com.google.android.material.card.MaterialCardView
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        style="?attr/materialCardViewElevatedStyle"
    >
    <androidx.constraintlayout.widget.ConstraintLayout
        android:layout_width="match_parent"
        android:layout_height="match_parent">
        <LinearLayout
            android:layout_width="match_parent"
            android:layout_height="match_parent">

        </LinearLayout>
        <ImageView
            android:id="@+id/imageView"
            android:layout_gravity="center"
            android:layout_width="48dp"
            android:layout_height="48dp"
            android:padding="10dp"
            android:src="@drawable/ic_round_person_24"
            app:layout_constraintStart_toStartOf="parent"
            app:layout_constraintEnd_toStartOf="@id/imageView"
            app:layout_constraintTop_toTopOf="parent"
            app:layout_constraintBottom_toBottomOf="parent"
        />

        <LinearLayout
            android:id="@+id/linear_content"
            android:layout_margin="10dp"
            android:layout_width="0dp"
            android:layout_height="wrap_content"
            app:layout_constraintStart_toEndOf="@id/imageView"
            app:layout_constraintTop_toTopOf="parent"
            app:layout_constraintBottom_toBottomOf="parent"
            app:layout_constraintEnd_toStartOf="@id/button_map"
            android:orientation="vertical">

            <TextView
                android:id="@+id/textView_name"
                android:layout_width="match_parent"
                android:layout_height="wrap_content"
                android:textSize="18sp"
```

Name : Saumil Patel

Enrollment Number : 20012011124

Batch : AB8

```

        android:textStyle="bold"
        android:text="Guerra Rodgers"/>
    <TextView
        android:id="@+id/textView_phone_no"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:text="+919289635723" />
    <TextView
        android:id="@+id/textView_email"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:text="guerra_rodgers@gnu.ac.in" />
    <TextView
        android:id="@+id/textView_address"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:text="88 College Place, Umapine, Oregon" />

</LinearLayout>
<ImageButton
    android:id="@+id/button_map"
    android:layout_gravity="center"
    android:layout_width="60dp"
    android:layout_height="60dp"
    app:layout_constraintTop_toTopOf="parent"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintStart_toEndOf="@id/linear_content"
    app:layout_constraintEnd_toEndOf="parent"
    style="?attr/materialIconButtonFilledStyle"
    android:src="@drawable/ic_baseline_location_on_24"
    android:layout_marginEnd="10dp"
/>
</androidx.constraintlayout.widget.ConstraintLayout>
</com.google.android.material.card.MaterialCardView>
</LinearLayout>

```

## MainActivity.kt:

```
package com.example.madpractical_10_20012011124
```

```

import androidx.appcompat.app.AppCompatActivity
import android.os.Bundle
import androidx.core.view.WindowCompat
import
com.example.madpractical_10_20012011124.databinding.ActivityMainBinding
import kotlinx.coroutines.CoroutineScope
import kotlinx.coroutines.Dispatchers
import kotlinx.coroutines.launch
import kotlinx.coroutines.withContext

```

Name : Saumil Patel

Enrollment Number : 20012011124

Batch : AB8

```

import org.json.JSONArray
import org.json.JSONException
import org.json.JSONObject
import java.util.ArrayList

class MainActivity : AppCompatActivity() {
    private lateinit var binding: ActivityMainBinding

    override fun onCreate(savedInstanceState: Bundle?) {
        WindowCompat.setDecorFitsSystemWindows(window, false)
        super.onCreate(savedInstanceState)
        binding = ActivityMainBinding.inflate(layoutInflater)
        setContentView(binding.root)
        binding.fab.setOnClickListener {
            CoroutineScope(Dispatchers.IO).launch {
                try {
                    val data = HttpRequest().makeServiceCall(
                        "https://api.json-generator.com/templates/qjeKFdjKXCdK/data",
                        "dchj8v1b6qqdjzqbqood1jgpachyfzlw58r540gru")
                    withContext(Dispatchers.Main) {
                        try {
                            if(data != null)
                                runOnUiThread{getPersonDetailsFromJson(data)}
                        } catch (e: Exception) {
                            e.printStackTrace()
                        }
                    }
                } catch (e: Exception) {
                    e.printStackTrace()
                }
            }
        }
    }

    private fun getPersonDetailsFromJson(sJson: String?) {
        val personList = ArrayList<Person>()
        try {
            val jsonArray = JSONArray(sJson)
            for (i in 0 until jsonArray.length()) {
                val jsonObject = jsonArray[i] as JSONObject
                val person = Person(jsonObject)
                personList.add(person)
            }
            binding.listView1.adapter = PersonAdapter(this, personList)
        } catch (ee: JSONException) {
            ee.printStackTrace()
        }
    }
}

```

Name : Saumil Patel  
 Enrollment Number : 20012011124  
 Batch : AB8

## HttpRequest.kt

```
package com.example.madpractical_10_20012011124

import android.util.Log
import java.io.*
import java.net.HttpURLConnection
import java.net.MalformedURLException
import java.net.ProtocolException
import java.net.URL

class HttpRequest {
    private val TAG = "HttpRequest"
    fun makeServiceCall(reqUrl: String?, token: String? = null): String? {
        var response: String? = null
        try {
            val url = URL(reqUrl)
            val conn = url.openConnection() as HttpURLConnection
            if(token != null){
                conn.setRequestProperty("Authorization", "Bearer $token");
                conn.setRequestProperty("Content-Type", "application/json");
            }
            conn.requestMethod = "GET"
            response = convertStreamToString(BufferedInputStream(conn.inputStream))
        } catch (e: MalformedURLException) {
            Log.e(TAG, "MalformedURLException: " + e.message)
        } catch (e: ProtocolException) {
            Log.e(TAG, "ProtocolException: " + e.message)
        } catch (e: IOException) {
            Log.e(TAG, "IOException: " + e.message)
        } catch (e: Exception) {
            Log.e(TAG, "Exception: " + e.message)
        }
        return response
    }

    private fun convertStreamToString(`is`: InputStream): String {
        val reader = BufferedReader(InputStreamReader(`is`))
        val sb = StringBuilder()
        var line: String?
        try {
            while (reader.readLine().also { line = it } != null) {
                sb.append(line).append("\n")
            }
        } catch (e: IOException) {
            e.printStackTrace()
        } finally {
            try {
                `is`.close()
            }
        }
    }
}
```

Name : Saumil Patel

Enrollment Number : 20012011124

Batch : AB8

```

        } catch (e: IOException) {
            e.printStackTrace()
        }
    }
    return sb.toString()
}
}

```

## MapsActivity.kt :

```

package com.example.madpractical_10_20012011124
import androidx.appcompat.app.AppCompatActivity
import android.os.Bundle
import android.util.Log
import
com.example.madpractical_10_20012011124.databinding.ActivityMapsBinding
import com.google.android.gms.maps.CameraUpdateFactory
import com.google.android.gms.maps.GoogleMap
import com.google.android.gms.maps.OnMapReadyCallback
import com.google.android.gms.maps.SupportMapFragment
import com.google.android.gms.maps.model.LatLng
import com.google.android.gms.maps.model.MarkerOptions

class MapsActivity : AppCompatActivity(), OnMapReadyCallback {

    private val TAG = "MapsActivity"
    private lateinit var mMap: GoogleMap
    private lateinit var binding: ActivityMapsBinding
    private var lat = -34.0
    private var log = 151.0
    private var title = "Marker in Sydney"

    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)
        val obj = intent.getSerializableExtra("Object") as Person
        Log.i(TAG, "onCreate: Object:$obj")
        lat = obj.Latitude
        log = obj.Longitude
        title = obj.Name
        binding = ActivityMapsBinding.inflate(layoutInflater)
        setContentView(binding.root)
        val mapFragment = supportFragmentManager
            .findFragmentById(R.id.map) as SupportMapFragment
        mapFragment.getMapAsync(this)
    }

    override fun onMapReady(googleMap: GoogleMap) {
        mMap = googleMap
        val sydney = LatLng(lat, log)
        mMap.addMarker(MarkerOptions().position(sydney).title("Marker in Sydney"))
    }
}

```

Name : Saumil Patel

Enrollment Number : 20012011124

Batch : AB8

```

        mMap.moveCamera(CameraUpdateFactory.newLatLng(sydney))
    }
}

```

### **Person.kt :**

```

package com.example.madpractical_10_20012011124

import org.json.JSONObject
import java.io.Serializable
class Person (jsonObject: JSONObject) :Serializable {
    var id:String
    var Name: String
    var EmailId: String
    var PhoneNo: String
    var Address: String
    var Latitude: Double
    var Longitude:Double
    init {
        id = jsonObject.getString("id")
        EmailId = jsonObject.getString("email")
        PhoneNo = jsonObject.getString("phone")
        val profileJson = jsonObject.getJSONObject("profile")
        Name = profileJson.getString("name")
        Address = profileJson.getString("address")
        val locationJson = profileJson.getJSONObject("location")
        Latitude = locationJson.getDouble("lat")
        Longitude = locationJson.getDouble("long")
    }
    override fun toString(): String {
        return
"$Name\n$PhoneNo\n$EmailId\n$Address\nlat:$Latitude\nlog:$Longitude"
    }
}

```

### **PersonAdapter.kt :**

```

package com.example.madpractical_10_20012011124

import android.content.Context
import android.content.Intent
import android.view.LayoutInflater
import android.view.ViewGroup
import androidx.recyclerview.widget.RecyclerView
import
com.example.madpractical_10_20012011124.databinding.PersonItemViewBinding
import java.io.Serializable

class PersonAdapter (private val context: Context, private val
Name : Saumil Patel
Enrollment Number : 20012011124
Batch : AB8

```



```

array:ArrayList<Person>):
    RecyclerView.Adapter<PersonAdapter.PersonViewHolder>() {
        inner class PersonViewHolder(val binding: PersonItemViewBinding):
            RecyclerView.ViewHolder(binding.root)
            override fun onCreateViewHolder(parent: ViewGroup, viewType: Int):
                PersonViewHolder {
                    val binding =
                        PersonItemViewBinding.inflate(LayoutInflater.from(parent.context), parent, false)
                    return PersonViewHolder(binding)
                }
            override fun onBindViewHolder(holder: PersonViewHolder, position: Int) {
                with(holder){
                    with(array[position]){
                        binding.textViewPhoneNo.text = this.PhoneNo
                        binding.textViewName.text = this.Name
                        binding.textViewEmail.text = this.EmailId
                        binding.textViewAddress.text = this.Address
                        val obj = this as Serializable
                        binding.buttonMap.setOnClickListener {
                            Intent(this@PersonAdapter.context, MapsActivity::class.java).apply {
                                putExtra("Object",obj)
                                this@PersonAdapter.context.startActivity(this)
                            }
                        }
                    }
                }
            }
        }
    }
    override fun getItemCount(): Int {
        return array.size
    }
}

```

### **AndroidManifest.xml :**

```

<?xml version="1.0" encoding="utf-8"?>
<manifest xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:tools="http://schemas.android.com/tools"
    package="com.example.madpractical_10_20012011124">

    <application
        android:allowBackup="true"
        android:dataExtractionRules="@xml/data_extraction_rules"
        android:fullBackupContent="@xml/backup_rules"
        android:icon="@mipmap/ic_launcher"
        android:label="@string/app_name"
        android:roundIcon="@mipmap/ic_launcher_round"
        android:supportRtl="true"
        android:theme="@style/Theme.MADPractical10_20012011124"
        tools:targetApi="31">

```

Name : Saumil Patel

Enrollment Number : 20012011124

Batch : AB8

```
<meta-data
    android:name="com.google.android.geo.API_KEY"
    android:value="AlzaSyC3T6FnhyHOhZ_vcrT2EtaqFwf0MSc7hh4" />

<activity
    android:name=".MapsActivity"
    android:exported="false"
    android:label="@string/title_activity_maps" />
<activity
    android:name=".MainActivity"
    android:exported="true">
    <intent-filter>
        <action android:name="android.intent.action.MAIN" />


        <category android:name="android.intent.category.LAUNCHER" />
    </intent-filter>

    <meta-data
        android:name="android.app.lib_name"
        android:value="" />
    </activity>
</application>


</manifest>
```

Name : Saumil Patel  
Enrollment Number : 20012011124  
Batch : AB8

Output :



Name : Saumil Patel  
Enrollment Number : 20012011124  
Batch : AB8



Name : Saumil Patel

Enrollment Number : 20012011124

Batch : AB8

## MADPractical-10\_20012011124

### Yesenia Yang

+917983385148

yesenia\_yang@gnu.ac.in

16 Sackett Street, Courtland,  
Michigan



### Penelope Cooper

+916836390000

penelope\_cooper@gnu.ac.in

35 Aitken Place, Orovada,  
Maryland




### Roberts Gill

+919241276734

roberts\_gill@gnu.ac.in

39 Tompkins Place, Bartonsville,  
Oklahoma




### Deloris Lawson

+918379880401

deloris\_lawson@gnu.ac.in

72 Troutman Street,  
Mooresburg, South Dakota





### Conley Hickman

+918258363534

conley\_hickman@gnu.ac.in

38 Bath Avenue, Coalmont,  
Florida





Name : Saumil Patel  
Enrollment Number : 20012011124  
Batch : AB8