

# UPDATE API

The purpose of this API is to enable websites to settle, cancel or refund transactions.

- Request Type : POST
- Request URL (Staging): <http://zaakpaystaging.centralindia.cloudapp.azure.com:8080/updateTxn>
- Request URL (Live): <https://api.zaakpay.com/updateTxn>

## 1. Request

### 1.1 Request Parameters:

Table 1: Update-API Request

Parameter	Optional O, Mandatory M	Validation	Allowed Values
merchantIdentifier	M	alphanumeric	Zaakpay unique merchant identifier for your website
orderId	M	Max 20 alphanumeric, must be unique per website, we do not accept duplicate value	Your unique transaction identifier
mode	M	1 digit only, numeric	0
updateDesired	M	Numeric max1digit, values predefined by Zaakpay	7="Captured", 8="Canceled", 14="Refunded", 22="Partial Refund. Note:If you request a state update to "Refunded", we will issue the full amount refund to the user.
updateReason	M	Description of the reason for update. Min 5, max 50 alphanumeric characters. No special characters or dashes.	Examples: you want to cancel a transaction, your user wants a refund, you want to settle a transaction.
amount	O(for Full Refund), M(for	Amount in paisa. Enter	example Rs. 1 is 100

	Partial Refund)	amount which needs to be refunded, in case of partial refunds. In case of full refund this can be omitted.	paisa, Rs. 777.50 is 77750 paisa. Pass this parameter if merchant wants partial refund.
checksum	M	Checksum calculated on all above request parameters.	
merchantRefId	O	Unique refund transaction id sent by merchant	

The parameters may be posted to the Update Transaction API using HTTP(POST).

### 1.1.2 Request Format:

```
data={
  "merchantIdentifier": "b19e8f103bce406cbd",
  "updateReason": "Test Reason",
  "merchantRefId": "Uber12345678",
  " mode ": "0",
  " updateDesired": "14",
  " orderDetail ": {
    " orderId ": "ZPK12345",
    " amount ": "100"
  }
}&checksum =skeoshuu3nsm4kswoksj
```

## 1.2 Response :

### 1.2.1 Response Parameters:

**Table 2: Update-API**

#### Response

Parameters	Description
merchantIdentifier	Zaakpay's unique identifier for your website
orderId	Your unique transaction identifier
responseCode	Numeric, max 3 digits example 100 for success
responseDescription	Alphanumeric max 30 description of the response
checksum	Checksum calculated by Zaakpay on all above response parameters
merchantRefId	Unique refund transaction id sent by merchant

### 1.2.2 Response Format:

```
data={
  " merchantIdentifier ": "b19e8f103bce406 cbd3476431b6b7973",
  "merchantRefId": "Uber12345678",
  " orderDetail ": {
    " orderId ": "1472456383207"
  },
  " responseCode ": "224",
  " responseDescription ": "Txn can not be updated ."
}&checksum = dfsafdsfdfsfbhgfbfvgdbgbhfvvgvcjkui
```