

Transact D

(Dummy Data)

As you are sending payment information to Zaakpay, you need to pre-fill mandatory form parameters with dummy values(values which you want to pass to Zaakpay) as hidden fields as a part of a form as per mentioned in TransactD integration document. You need to pass buyer phone number or buyer email in buyerEmail field. Here is an example of what a form sending information to Zaakpay looks like:

```
<form action = " https://api.zaakpay.com/transactD?v=8 "method= " post ">
<input type="hidden" name="merchantIdentifier"
value="b19e8f103bce406cbd3476431b6b7973">
<input type="hidden" name="orderId" value="444221414">
<input type="hidden" name="returnUrl" value="">
<input type="hidden" name="buyerEmail" value="9881526378">
<input type="hidden" name="buyerFirstName" value="DummyData">
<input type="hidden" name="buyerLastName" value="DummyData">
<input type="hidden" name="buyerAddress" value="DummyData">
<input type="hidden" name="buyerCity" value="DummyData">
<input type="hidden" name="buyerState" value="DummyData">
<input type="hidden" name="buyerCountry" value="India">
<input type="hidden" name="buyerPincode" value="DummyData">
<input type="hidden" name="buyerPhoneNumber" value="DummyData">
<input type="hidden" name="txnType" value="1">
<input type="hidden" name="zpPayOption" value="1">
<input type="hidden" name="mode" value="1">
<input type="hidden" name="currency" value="rupee">
<input type="hidden" name="amount" value="200000">
<input type="hidden" name="merchantIpAddress" value="127.0.0.1">
<input type="hidden" name="purpose" value="1">
<input type="hidden" name="productDescription" value="testproduct">
<input type="hidden" name="product1Description" value="">
<input type="hidden" name="product2Description" value="">
<input type="hidden" name="product3Description" value="">
<input type="hidden" name="product4Description" value="">
<input type="hidden" name="shipToAddress" value="">
<input type="hidden" name="shipToCity" value="">
<input type="hidden" name="shipToState" value="">
<input type="hidden" name="shipToCountry" value="">
<input type="hidden" name="shipToPincode" value="">
```

```
<input type="hidden" name="shipToPhoneNumber" value="">
<input type="hidden" name="shipToFirstname" value="">
<input type="hidden" name="shipToLastname" value="">
<input type="hidden" name="txnDate" value="2011-08-30">
<input type="hidden" name="debitorcredit" value="wallet"/>
<input type="hidden" name="encrypted_pan" value=""/>
<input type="hidden" name="card" value=""/>
<input type="hidden" name="nameoncard" value=""/>
<input type="hidden" name="encryptedcvv" value=""/>
<input type="hidden" name="encrypted_expiry_month" value=""/>
<input type="hidden" name="encrypted_expiry_year" value=""/>
<input type="hidden" name="checksum" value="Desired Checksum">
< / form>
```

Here DummyData value can be any value as per Merchant preference. For example: "DD".
Process of calculating Checksum will be same as per TransactD integration document.

For buyerPincode, DummyData value should be of 6 digits.

Optional values as per TransactD integration document can be avoided but Dummy Data needs to be passed in Mandatory fields. Please refer to the TransactD Request Table in the integration document.