

# All Tutorials

fork and edit tutorial (<https://github.ibm.com/MFPSamples/DevCenter/tree/master/tutorials/en/foundation/6.3/all-tutorials.md>) | report issue (<https://github.ibm.com/MFPSamples/DevCenter/issues/new>)

Below are all available tutorials for IBM MobileFirst Platform Foundation 7.1

## Setting up your development environment (../setting-up-your-development-environment/)

Set up your development environment to work with IBM MobileFirst Platform Foundation.

- Setting up your MobileFirst development environment (../setting-up-your-development-environment/setting-mobilefirst-development-environment/)
- Setting up your iOS development environment (../setting-up-your-development-environment/setting-ios-development-environment/)
- Setting up your Android development environment (../setting-up-your-development-environment/setting-android-development-environment/)
- Setting up your BlackBerry 6 and 7 development environment (../setting-up-your-development-environment/setting-blackberry-6-7-development-environment/)
- Setting up your BlackBerry 10 development environment (../setting-up-your-development-environment/setting-blackberry-10-development-environment/)
- Setting up your Windows Phone 8 development environment (../setting-up-your-development-environment/setting-windows-phone-8-development-environment/)

## Hello World (../hello-world/)

Create your first MobileFirst app and preview it in different mobile operating systems.

- Creating your first hybrid application (../hello-world/creating-your-first-hybrid-application/)
- Creating your first native iOS MobileFirst application (../hello-world/creating-first-native-ios-mobilefirst-application/)
- Creating your first native Android MobileFirst application (../hello-world/creating-first-native-android-mobilefirst-application/)
- Creating your first native Windows Phone 8 MobileFirst application (../hello-world/creating-first-native-windows-phone-8-mobilefirst-application/)
- Previewing your application's web resources (../hello-world/previewing-applications-web-resources/)
- Previewing your application on iOS (../hello-world/previewing-application-ios/)
- Previewing your application on Android (../hello-world/previewing-application-android/)
- Previewing your application on BlackBerry 6 and 7 (../hello-world/previewing-application-blackberry-6-7/)
- Previewing your application on BlackBerry 10 (../hello-world/previewing-application-blackberry-10)
- Previewing your application on Windows Phone 8 (../hello-world/previewing-application-windows-phone-8/)
- Previewing your application in Windows 8 (../hello-world/previewing-application-windows-8/)
- Previewing your application on Mobile Web and Desktop Browser (../hello-world/previewing-

## Client-side development (../client-side-development-basics/)

Use basic MobileFirst APIs to develop your apps, build a multi-page application, work with the user interface framework, and debug and optimize your apps.

- Learning MobileFirst hybrid client-side API (../client-side-development-basics/learning-mobilefirst-hybrid-client-side-api/)
- Building a multi-page application (../client-side-development-basics/building-multi-page-application/)
- Working with UI frameworks (../client-side-development-basics/working-ui-frameworks/)
- Debugging applications (../client-side-development-basics/debugging-applications/)
- Optimizing your application for various environments (../client-side-development-basics/optimizing-application-various-environments/)
- General information when developing for iOS (../client-side-development-basics/general-information-developing-ios/)
- General information when developing for Android (../client-side-development-basics/general-information-developing-android/)
- General information when developing for BlackBerry 6 and 7 (../client-side-development-basics/general-information-developing-blackberry-6-7/)
- General information when developing for BlackBerry 10 (../client-side-development-basics/general-information-developing-blackberry-10/)
- General information when developing for Windows Phone 8 (../client-side-development-basics/general-information-developing-windows-phone-8/)
- General information when developing Mobile Web applications (../client-side-development-basics/general-information-developing-mobile-web-applications/)
- General information when developing desktop applications (../client-side-development-basics/general-information-developing-desktop-applications/)

## Server-side development (../server-side-development/)

Develop the server code (adapters) that your mobile app requires to integrate with enterprise back-end applications and cloud services.

- Adapters overview (../server-side-development/adapters-framework-overview/)
- HTTP adapter – Communicating with HTTP back-end systems (../server-side-development/http-adapters-communicating-http-back-end-systems/)
- SQL adapter – Communicating with SQL database (../server-side-development/sql-adapters-communicating-sql-database/)
- Cast Iron adapter – Communicating with Cast Iron (../server-side-development/cast-iron-adapters-communicating-cast-iron/)
- JMS adapter – Communicating with JMS (../server-side-development/jms-adapters-communicating-jms/)
- Invoking adapter procedures from hybrid client applications (../server-side-development/invoking-adapters-procedures-hybrid-client-applications/)
- Invoking adapter procedures from native iOS Swift applications (../server-side-development/invoking-adapters-procedures-native-ios-swift-applications/)

- Invoking adapter procedures from native iOS applications ([../server-side-development/invoking-adapter-procedures-native-ios-applications/](#))
- Invoking adapter procedures from native Android applications ([../server-side-development/invoking-adapter-procedures-native-android-applications/](#))
- Invoking adapter procedures from native Windows Phone 8 applications ([../server-side-development/invoking-adapter-procedures-native-windows-phone-8-applications/](#))
- Invoking adapter procedures from native Java Platform, Micro Editions (Java ME) applications ([../server-side-development/invoking-adapter-procedures-native-java-platform-micro-editions-java-applications/](#))
- Advanced adapter usage and mashup ([../server-side-development/advanced-adapter-usage-mashup/](#))
- Using Java in adapters ([../server-side-development/using-java-adapters/](#))

## **Advanced client-side development ([../advanced-client-side-development/](#))**

Implement different features in your mobile app, such as controls, skins, offline access, translation, and encryption of sensitive data. Develop your client application by using native APIs.

- Overview of client technologies ([../advanced-client-side-development/overview-client-technologies/](#))
- Common UI controls ([../advanced-client-side-development/common-ui-controls/](#))
- Supporting multiple form-factors using skins ([../advanced-client-side-development/supporting-multiple-form-factors-using-skins/](#))
- Enabling translation ([../advanced-client-side-development/enabling-translation/](#))
- Using Direct Update to quickly update your application ([../advanced-client-side-development/using-direct-update-quickly-update-application/](#))
- Using CLI to create, build, and manage MobileFirst project artifacts ([../advanced-client-side-development/using-cli-create-build-manage-project-artifacts/](#))
- Remote controlled client-side log collection ([../advanced-client-side-development/remote-controlled-client-side-log-collection/](#))

## **Working offline ([../working-offline/](#))**

Create apps that can run offline.

- Working offline ([../working-offline/working-offline/](#))
- Storing sensitive data in encrypted cache ([../working-offline/storing-sensitive-data-encrypted-cache/](#))
- JSONStore ([../working-offline/jsonstore/](#))

## **Adding native functionality to hybrid applications with Apache Cordova ([../adding-native-functionality/](#))**

Use Apache Cordova with IBM MobileFirst Platform Foundation, and use native pages in hybrid applications.

- Apache Cordova overview ([../adding-native-functionality/apache-cordova-overview/](#))
- iOS – Using native pages in hybrid applications ([../adding-native-functionality/ios-using-native-pages-hybrid-applications/](#))
- iOS – Adding native functionality to hybrid application with Apache Cordova plugin ([../adding-native-](#)

[functionality/ios-adding-native-functionality-hybrid-application-apache-cordova-plugin/](#)

- [Android – Using native pages in hybrid applications \(../adding-native-functionality/android-using-native-pages-hybrid-applications/\)](#)
- [Android – Adding native functionality to hybrid application with Apache Cordova plugin \(../adding-native-functionality/android-adding-native-functionality-hybrid-application-apache-cordova-plugin/\)](#)
- [Windows Phone 8 – Using native pages in hybrid applications \(../adding-native-functionality/windows-phone-8-using-native-pages-hybrid-applications/\)](#)
- [Windows Phone 8 – Adding native functionality to hybrid application with Apache Cordova plugin \(../adding-native-functionality/windows-phone-8-adding-native-functionality-hybrid-application-apache-cordova-plugin/\)](#)
- [iOS – Adding native UI elements to hybrid applications \(../adding-native-functionality/ios-adding-native-ui-elements-hybrid-applications/\)](#)
- [Android – Adding native UI elements to hybrid applications \(../adding-native-functionality/android-adding-native-ui-elements-hybrid-applications/\)](#)
- [Windows Phone 8 – Adding native UI elements to hybrid applications \(../adding-native-functionality/windows-phone-8-adding-native-ui-elements-hybrid-applications/\)](#)

## **Notifications (../notifications/)**

Send notifications to your mobile apps with IBM MobileFirst Platform Foundation

- [Push notifications in hybrid applications \(../notifications/push-notifications-hybrid-applications/\)](#)
- [Push notifications in native iOS applications \(../notifications/push-notifications-native-ios-applications/\)](#)
- [Push notifications in native Android applications \(../notifications/push-notification-native-android-applications/\)](#)
- [Push notifications in native Windows Phone 8 applications \(../notifications/push-notification-native-windows-phone-8-applications/\)](#)
- [SMS Notifications \(../notifications/sms-notifications/\)](#)
- [Two-way SMS communication \(../notifications/two-way-sms-communication/\)](#)

## **Authentication and security (../authentication-security/)**

Protect your applications and adapter procedures against unauthorized access by using authentication, login modules, and device provisioning.

- [Authentication concepts \(../authentication-security/authentication-concepts/\)](#)
- [Form-based authentication \(../authentication-security/form-based-authentication/\)](#)
- [Adapter-based authentication \(../authentication-security/adapter-based-authentication/\)](#)
- [Custom Authenticator and Login Module \(../authentication-security/custom-authenticator-login-module/\)](#)
- [Using LDAP Login Module to authenticate users with LDAP server in hybrid applications \(../authentication-security/using-ldap-login-module-authenticate-users-ldap-server-hybrid-applications/\)](#)
- [WebSphere LTPA-based authentication \(../authentication-security/websphere-ltpa-based-authentication/\)](#)
- [Device provisioning concepts \(../authentication-security/device-provisioning-concepts/\)](#)
- [Custom device provisioning \(../authentication-security/custom-device-provisioning/\)](#)

- [Application Authenticity Protection \(../authentication-security/application-authenticity-protection/\)](#)
- [Offline Authentication \(../authentication-security/offline-authentication/\)](#)
- [Client X.509 Certificate Authentication and User Enrollment \(../authentication-security/client-x-509-certificate-authentication-user-enrollment/\)](#)
- [Using the MobileFirst Server to authenticate external resources \(../authentication-security/using-mobilefirst-server-authenticate-external-resources/\)](#)

## Advanced topics (../advanced-topics/)

Develop by using shells, use geo-location services, remotely load dynamic content, test your apps with the Mobile Test Workbench, and more.

- [Shell development concepts \(../advanced-topics/shell-development-concepts/\)](#)
- [Location services in hybrid applications \(../advanced-topics/location-services-hybrid-applications/\)](#)
- [Location services in native Android applications \(../advanced-topics/location-services-native-android-applications/\)](#)
- [Location services in native iOS applications \(../advanced-topics/location-services-native-ios-applications/\)](#)
- [Integrating server-generated pages in hybrid applications \(../advanced-topics/integrating-server-generated-pages-hybrid-applications/\)](#)
- [Using MobileFirst application as a container for server-generated pages \(../advanced-topics/using-mobilefirst-application-container-server-generated-pages/\)](#)
- [Container for advanced pages \(../advanced-topics/container-advanced-pages/\)](#)
- [Accelerating application development by reusing resources \(../advanced-topics/accelerating-application-development-reusing-resources/\)](#)
- [Testing MobileFirst Platform applications with IBM MobileFirst Platform Test Workbench \(../advanced-topics/testing-mobilefirst-mobile-applications-mobile-test-workbench/\)](#)
- [Device Enrollment \(../advanced-topics/device-enrollment/\)](#)
- [Working with iBeacons \(../advanced-topics/working-with-ibeacons/\)](#)

## Moving to production (../moving-production/)

Move the apps that you create from your development environment to the production environment.

- [Moving from development environment to stand-alone QA and production servers \(../moving-production/moving-development-environment-stand-alone-qa-production-servers/\)](#)
- [Operational Analytics \(../moving-production/operational-analytics/\)](#)
- [Reports and analytics \(../moving-production/reports-analytics/\)](#)
- [Distributing mobile applications with Application Center \(../moving-production/distributing-mobile-applications-application-center/\)](#)

## Starter Application samples (../starter-application-sample/)

- [Starter Application sample application \(../starter-application-sample/\)](#)
- [Dojo Showcase sample application \(../starter-application-sample/running-dojo-based-sample\)](#)