Adding the MobileFirst Platform Foundation SDK to Windows 10 UWP Applications

Overview

The MobileFirst Platform Foundation SDK provides a set of API methods enabling a developer to implement various MobileFirst features, such as: authentication and security mechanisms, notifications, resource requests, collecting analytics data and more.

For a complete list of MobileFirst SDK abilities visit the user documentation (http://www-01.ibm.com/support/knowledgecenter/SSHS8R_8.0.0/wl_welcome.html).

In this tutorial you will learn how to add the MobileFirst Native SDK using Nuget to either a new or existing Windows 8 Universal application. You will also learn how to configure the MobileFirst Server to recognize the application, as well as find information about the MobileFirst configuration files that are added to the project.

Pre-requisites:

- Microsoft Visual Studio 2015 running on Windows 10 and MobileFirst CLI installed on the developer workstation.
- Optional MobileFirst Server to run a locally.
- Make sure you have read the Setting up your MobileFirst development environment (../../setting-up-the-mobilefirst-development-environment) tutorial.

Jump to:

- Adding the MobileFirst Native SDK
- Generated MobileFirst Native SDK artifacts
- Tutorials to follow next

Adding the MobileFirst Native SDK

Follow the below instructions to manually add the MobileFirst Native SDK to either a new or existing Visual Studio project, and registering the application in the MobileFirst Server.

Before starting, make sure the MobileFirst Server is running.

If using a locally installed server: From a **Command-line** window, navigate to the server's **scripts** folder and run the command: ./start.sh in Mac and Linux or start.cmd in Windows.

- 1. Create a Windows 8 Universal project using Visual Studio 2013/2015 or use an existing project.
- 2. Open the **Command-line** and navigate to the root of the Visual Studio project.
- 3. Run the command:

mtna	ev	ann	register	1

The mfpdev app register CLI command first connects to the MobileFirst Server to register the application, followed by generating the mfpclient.resw file at the root of the Visual Studio project, and adding to it the metadata that identifies the MobileFirst Server.

Tip: The application registration can also be performed from the MobileFirst Operations Console:

- 1. Open your browser of choice and load the MobileFirst Operations Console using the address http://localhost:9080/mfpconsole/. You can also open the console from the **Command-line** using the CLI command mfpdev server console.
- 2. Click on the "Create new" button next to "Applications" to create a new application and follow the on-screen instructions.
- 3. After successfully registering your application you can optionally download a "skeleton" Visual Studio project pre-bundled with the MobileFirst Native SDK.
- 4. Run the command:


mfpdev app pull

The mfpdev app pull CLI command creates the **mobilefirst** folder at the root of the Visual Studio project and downloads into it the application-descriptor.json file, containing application configuration data.

These files are further explained in the Generated MobileFirst Native SDK artifacts section below.


Tip: Learn more about the various CLI commands in the Using CLI to manage MobileFirst artifacts (../../client-side-development/using-cli-to-manage-mobilefirst-artifacts/) tutorial.


- 5. To import worklight studio packages, NuGet package manager is used. NuGet is the package manager for the Microsoft development platform including .NET. The NuGet client tools provide the ability to produce and consume packages. The NuGet Gallery is the central package repository used by all package authors and consumers.
- 6. Open the Windows 8 Universal project in Visual studio 2013/2015. Right click the project solution and navigate -> Manage Nuget packages for solution.





7. In the search option, search for IBM MobileFirst Platform. Choose IBM.MobileFirstPlatform.8.0.0.0.





8. Click Install. This installs the IBM MobileFirstPlatform Native SDK and its dependencies.

Generated MobileFirst Native SDK artifacts

Two MobileFirst-related artifacts are available in the Android Studio project after it has been integrated with the MobileFirst Native SDK: the mfpclient.resw and the application-descriptor.json file.

mfpclient.resw

Located at the root of the project, this file contains server connectivity properties and is user-editable:

- protocol The communication protocol to MobileFirst Server. Either HTTP or HTPS.
- host The hostname of the MobileFirst Server instance.
- port The port of the MobileFirst Server instance.
- wlServerContext The context root path of the application on the MobileFirst Server instance.
- languagePreference Sets the default language for client sdk system messages

In Visual Studio, open the **Properties** window of the mfpclient.resw file and set the **Copy to Output Directory** option to **Copy always**.

Add the following capabilities to the Package.appxmanifest:

- Internet (Client & Server)
- Private Networks (Client & Server)

application-descriptor.json

Located in the **<visual-studio-project-root-directory>/mobilefirst** folder, this file contains application configuration settings such as its bundleId and version and is user-editable.

The file can be edited either locally or via the MobileFirst Operations Console.

If edited locally, the MobileFirst Server can be updated by running the CLI command: mfpdev app push.

The file can also be updated by pulling from the server its latest revision by running the CLI command: mfpdev app pull.

```
{
  "applicationKey": {
     "packageName": "com.samplePackage",
     "version": "1.0",
     "clientPlatform":"visualstudio"
}
...
...
...
}
```

Tutorials to follow next

Now that your application contains the Native API library, you can follow the tutorials in the Native Windows 8 Development (../../native/windows10/) section to learn more about authentication and security, server-side development, advanced client-side development, notifications and more.