Android end-to-end demonstration

Overview

The purpose of this demonstration is to experience an end-to-end flow where an application and an adapter are registered using the MobileFirst Operations Console, an "skeleton" Android Studio project is downloaded and edited to call the adapter, and the result is printed to the log - verifying a successful connection with the MobileFirst Server.

Prerequisites:

- Android Studio
- MobileFirst Developer CLI (download (file:///home/travis/build/MFPSamples/DevCenter/_site/downloads))
- Optional Stand-alone MobileFirst Server (download (file:///home/travis/build/MFPSamples/DevCenter/_site/downloads))

1. Starting the MobileFirst Server


If a remote server was already set-up, skip this step.

From a **Command-line** window, navigate to the server's **scripts** folder and run the command: ./start.sh in Mac and Linux or start.cmd in Windows.

2. Creating an application


In a browser window, open the MobileFirst Operations Console by loading the URL: http://your-server-host:server-port/mfpconsole. If running locally, use: http://localhost:9080/mfpconsole (http://localhost:9080/mfpconsole). The username/password are admin/admin.

1. Click on the "Create new" button next to **Applications** and select the desired *platform*, *identifier* and *version* values.



2. Click on the **Get Starter Code** tile and select to download the Android Starter Code.





3. Editing application logic

- 1. Open the Android Studio project.
- 2. Select the app/java/com/mfp/sample/MainActivity.java file and:
- Add the following imports:

```
import com.worklight.wlclient.api.*;
import java.net.URI;
import android.util.Log;
```


• Paste the following code snippet, inside the protected void onCreate() function:


```
WLClient client = WLClient.createInstance(this);
URI adapterPath = null;
try {
  adapterPath = new URI("/adapters/javaAdapter/users/world");
} catch (URISyntaxException e) {
  e.printStackTrace();
}
WLResourceRequest request = new WLResourceRequest(adapterPath, WLResourceRequest.GET);
request.send(new WLResponseListener() {
  @Override
   public void onSuccess(WLResponse wlResponse) {
    // Will print "Hello world" in LogCat.
    Log.i("MobileFirst Quick Start", "Success: " + wlResponse.getResponseText());
  }
  @Override
  public void onFailure(WLFailResponse wlFailResponse) {
     Log.i("MobileFirst Quick Start", "Failure: " + wlFailResponse.getErrorMsg());
  }
});
```

4. Creating an adapter

1. Click on the "Create new" button next to Adapters and download the Java adapter sample.

If Maven and the MobileFirst Developer CLI are not installed, follow the on-screen **Setting up your environment** instructions to install.





2. From a **Command-line** window, navigate to the adapter's Maven project root folder and run the command:

mfpdev adapter build

3. When the build finishes, run the command:

mfpdev adapter deploy


If using a remote MobileFirst Server, run the command:

mfpdev adapter deploy Replace-with-remote-server-name

5. Testing the application

- 1. In Android Studio, select the [project]/app/src/main/assets/mfpclient.properties file and edit the host property with the IP address of the MobileFirst Server.
- 2. Click on the Run App button.

The adapter response is then printed in Android Studio's LogCat view.



Learn more on using adapters in applications, and how to integrate additional services such as Push Notifications, using the MobileFirst security framework and more:

- Review the Server-side development tutorials (../../server-side-development/)
- Review the Authentication and security tutorials (../../authentication-and-security/)
- Review the Notifications tutorials (../../notifications/)
- Review All Tutorials (../../all-tutorials)