

# Quick Start demonstration

The purpose of this demonstration is to make you experience an end-to-end flow where the MobileFirst Platform Foundation SDK for Windows Phone 8 (Silverlight) is integrated into a Visual Studio project and used to retrieve data by using a MobileFirst adapter.

To learn more about creating projects and applications, using adapters, and lots more, visit the [Native Windows Phone 8 Development \(../\)](#) landing page.

**Prerequisite:** Make sure that you have installed the following software:

- MobileFirst Platform command line tool (download  
([file:///home/travis/build/MFPSamples/DevCenter/\\_site/downloads](file:///home/travis/build/MFPSamples/DevCenter/_site/downloads)))
  - Visual Studio 2013
- 

## 1. Create a MobileFirst project and adapter.

- Create a new project and Windows Phone 8 framework/server-side application entity.

```
mfp create MyProject
cd MyProject
mfp add api MyWindowsPhone8 -e windowsphone8
```

- Add an HTTP adapter to the project.

```
mfp add adapter MyAdapter -t http
```

## 2. Deploy artifacts to the MobileFirst Server.

- Start the MobileFirst Server and deploy the server-side application entity and adapter.

```
mfp start
mfp push
```

## 3. Create a Visual Studio Windows Phone 8 Silverlight project.

## 4. Add a reference to the following libraries in your project.

- worklight-windowsphone8.dll
- Newtonsoft.Json.dll

## 5. Implement the MobileFirst adapter invocation.

- The following code invokes an adapter:

```
WLProcedureInvocationData invocationData = new WLProcedureInvocationData("MyA
dapter", "getStories");
invocationData.setParameters(new Object[]{});
String myContextObject = "InvokingAdapterProceduresWP8";
WLRequestOptions options = new WLRequestOptions();
options.setInvocationContext(myContextObject);
WLClient.getInstance().invokeProcedure(invocationData, new MyInvokeListener(this)
, options);
```

## 6. Final configurations

- Copy the wlclient.properties file to the root of the native project.
- In Visual Studio, open the Properties window of wlclient.properties and set the **Copy to Output Directory** option to **Copy always**.
- Supply the server IP address to the wlServerHost property in wlclient.properties.
- Add the following capabilities to the WMApManifest.xml file:

```
ID_CAP_NETWORKING
ID_CAP_IDENTITY_DEVICE
```

## 7. Click Run.

Review the Visual Studio console for the data retrieved by the adapter request.

