





Quantity	Part	Comment	Label	Designator	Description	Footprint	Supplier	Supplier Nr
2	Motor		R1, B2	Motor	Motor, General Kind	RS5-10.5		
1	Battery		BAT1	Battery	Multicell Battery	BAT-3		
36	100nF		100nF[N] [0603] [0] [0] [0]	C20, C71	Capacitor	RESC1608X06L	Farnell	1286255
7	10uF		4.7uF[N] [0603] [0] [0] [0]	C2, C4, C32, C46, C51, C52, C72	Capacitor	RESC1608X06L	Farnell	1463375, 9227784
4	7nF		CAP7nF	C16, C17, C18, C19, C20, C21	Capacitor	CAPC1608N		
6	4.7uF		4.7uF[N] [0603] [0] [0] [0]	C80	Capacitor	RESC1608X06L	Farnell	9227784
1	10uF XSR		10uF[N] [0603] [0] [0] [0]	C34	Capacitor	RESC1608X06L	Farnell	1463375
2	18pF		18pF[N] [0603] [0] [0] [0]	C41, C42		RESC1608X06L	Farnell	8819815
2	1nF		1000pF[N] [0603] [0] [0] [0]	C63, C64	Capacitor	RESC1608X06L	Farnell	1286255
3	1uF		4.7uF[N] [0603] [0] [0] [0]	C66, C61, C63	Capacitor	RESC1608X06L	Farnell	823495, 9227784
1	1.8uF		1800pF[N] [0603] [0] [0] [0]	C67	Capacitor	RESC1608X06L	Farnell	9406182
3	47nF		100pF[N] [0603] [0] [0] [0]	C68, C69, C60	Capacitor	RESC1608X06L	Farnell	823494, 9406182
1	51pF		100pF[N] [0603] [0] [0] [0]	C64	Capacitor	RESC1608X06L	Farnell	9406182
4	18-21SURG SS30-A3 TR8		LED	D1, D3, D4, D5	SMD Red 0603 2V@20ma 56.mcd	DIODC1608X06N		
4	BT500R8BC-T180		LED RGB SMD	D2, D6, D27, D38	80.027/2000K	LED5M05		
12	27-21SURG SS30-A3		LED	D9, D8, D10, D11, D12, D17, D18, D25, D26, D32, D35, D36	SMD RGB led right angle mount 2V@20ma 57.mcd	27-21 Everlight		
3	27-21BHCANFP2-3C		LED	D6, D31, D37	SMD Blue led right angle mount 3.3V@20ma 29.mcd	27-21 Everlight Blue		
8	APT1608SYOK		LED	D13, D14, D15, D16, D21, D22, D23, D24	LED 562808T-CMS Weiss SMD Yellow 560nm 480mcd	DIODC1608X06N		
2	WPT104SRC/D		LED	D18, D20	Red led 2V@20ma 57.mcd	Led_1H_3mm_20mm		
3	APT1608CGQK		LED	D28, D29, D30	LED 562808T-CMS Weiss SMD Green 570nm 320mcd	DIODC1608X06N		
2	BAT54S		BAT54S	D33, D34	Schottky Barrier Double Diode	SOT23_N		
1	Speaker		LS1	LS1	Loudspeaker	PKN2		
1	TD4016BP1		Micro1	MC1	Condirectional Back Electret Condenser Microphone	MICRO_PANASONIC_WM-64PN		
46	BC17-40		BC17-40	D1, D2, D3, D4, D5, D6, D7, D8, D9, D10, D11, D12, D13, D14, D15, D16, D17, D18, D19, D20, D21, D22, D23, D24, D25, D26, D27, D28, D29, D30, D31, D32, D33, D34, D35, D36, D37, D38, D39, D40, D41, D42, D43, D44, D45, D46	NPN General-purpose Transistor	SOT23_N		
22	4.7K		4.7K[N] [0603] [0] [0] [0]	R1, R2, R3, R4, R5, R6, R7, R8, R9, R10, R11, R12, R13, R14, R15, R16, R17, R18, R19, R20, R21, R22, R23, R24, R25, R26, R27, R28, R29, R30, R31, R32, R33, R34, R35, R36, R37, R38, R39, R40, R41, R42, R43, R44, R45, R46	Resistor	RESC1608X06L	Distrotec	715504
16	33		33K[N] [0603] [0] [0] [0]	R4, R6, R8, R9, R10, R11, R42, R43, R130	120, Resistor	RESC1608X06L	Distrotec	715532
2	7K		7K [RES]	R4, R8	Resistor	RESC1608X06L		
8	22K		22K[N] [0603] [0] [0] [0]	R7, R8, R9, R10, R11, R42, R43, R130	120, Resistor	RESC1608X06L	Distrotec	715520
15	2.2K		2.2K[N] [0603] [0] [0] [0]	R12, R13, R14, R15, R16, R32, R33, R34, R35, R41, R44, R45, R52, R53, R128	120, Resistor	RESC1608X06L	Distrotec	715596
7	1.8K		1.8K [RES]	R17, R18, R19, R20, R26, R46, R47	120	RESC1608X06L		
8	1K		1K[N] [0603] [0] [0] [0]	R21, R22, R23, R24, R25, R48, R49, R108	120, Resistor	RESC1608X06L	Distrotec	715588
16	10K		10K[N] [0603] [0] [0] [0]	R27, R28, R29, R30, R31, R50, R51, R101, R102, R106, R110, R117, R118, R128, R129	120, Resistor	RESC1608X06L	Distrotec, Farnell	715612, 9330399, 9331565
7	6.2		6.2K [RES]	R36, R37, R38, R39, R40, R54, R55	120	RESC1608X06L		
14	56		56K[N] [0603] [0] [0] [0]	R66, R67, R68, R69, R70, R71, R72, R73, R74, R75, R76, R77, R78, R79, R80, R81, R90, R91	Resistor	RESC1608X06L	Distrotec	715532
14	39		39K[N] [0603] [0] [0] [0]	R66, R67, R68, R69, R70, R71, R72, R73, R74, R75, R76, R77, R78, R79, R80, R81, R90, R91	Resistor	RESC1608X06L	Distrotec	715532
2	100		100 [RES]	R105, R106	Resistance	RESC1608X06N		
2	180		180K[N] [0603] [0] [0] [0]	R107, R137	Resistor	RESC1608X06L	Distrotec	715570
2	6.8K		6.8K [RES]	R115, R116	Resistor	RESC1608X06L		
10	100K		100K[N] [0603] [0] [0] [0]	R119, R120, R121, R122, R123, R124, R138, R139, R141, R143	Resistor	RESC1608X06L	Distrotec	715612, 715636
1	680K		680K[N] [0603] [0] [0] [0]	R125	Resistor	RESC1608X06L	Distrotec	715652
1	6.8K		6.8K [RES]	R127	Resistor	RESC1608X06L	Distrotec	715612
1	820		820K[N] [0603] [0] [0] [0]	R131	Resistor	RESC1608X06L	Distrotec	715620
1	47K		47K[N] [0603] [0] [0] [0]	R132	Resistor	RESC1608X06L	Distrotec	715620
1	270K		270K[N] [0603] [0] [0] [0]	R140	Resistor	RESC1608X06L	Farnell	8330941
1	NC3150H103F02RC		Res Thermal	R11	Thermistors - NTC 10K Ohm 1% 0402	RESC1608X06L		
1	MicroSD Astron 5190008-XAA-R		MicroSD Astron 5190008-XAA-R	S1	MicroSD Card connector 5190008-XAA-R			
1	SW-PB		SW-PB	S2	Switch	F5MRALZH		
4	DMG1013T		DMG1013T	T1, T2, T3, T4	160808P MOSFET 1 X P-Pwrng - 150, 2x5, 3x3	SOT16P160X80-3N		
4	DMG1012T		DMG1012T	T6, T6, T7, T8	160808P MOSFET 1 X P-Pwrng - 150, 2x5, 3x3	SOT16P160X80-3N		
1	MMAX769FC		MMAX769FC	U17	MAX769FC-XYZ-XXHS ACCEL6RAME1 ER - at 5 g	SPIN68P390X050X100-12N		
2	ITR9909		ITR9909	U2, U3	Everlight Opto Interrupter	ITR9909_LONG		
2	MC7ML04T-6/ST		MC7ML04T-6/ST	U4, U5	118KHz 35 uA Quad Op Amp, 14-Pin TSSOP, Extended Temperature Range, Tape and Reel	TSSOP-ST 14, N		
7	ITR9909		ITR9909	U6, U7, U8, U9, U10, U11, U12	Everlight Opto Interrupter	ITR9909_EDGE		
6	MC74HC595ADTR2		MC74HC595ADTR2	U13, U14, U15, U16, U17	8-Bit Serial Input/Shift Register with Latched 3-State Outputs	848F-01_N		
2	AP131-33WQCT-ND		AP7331	U18, U26	300mA, Low Quiescent Current, Fast Transient LDO	SOT16P285X100-5N		
1	PC24FJ128GB106-I/PT		PC24FJ128GB	U19	Serial Purpose 128M Flash Microcontroller with USB On-The-Go, 128Kb Flash, 16Kb SRAM, 64-Pin TQFP, Industrial Temperature	TQFP-PT164_N		
1	IRM-3636T		TSPC32236	U20	4x160808P MOSFET 160X100 for Remote Control Systems			
1	MC73871-2AA/ML		MC73871-2AA/ML	U21	8800mAh System Load Switching and Li-Ion Li-Polymer Battery Charge Management Controller - 4.2V, 20-Pin QFN, Industrial Temperature	QFN-ML20_N		
2	AP7331-33W-G7		AP7331	U22, U24	300mA, Low Quiescent Current, Fast Transient LDO	SOT16P285X100-5N		
1	FAN3988		FAN3988	U23	Over-Charger and Over-Voltage Detection Device	NALP 1.45x1mm		
1	LM4819M		LM4819M	U25	550mW Audio Power Amplifier with Shutdown Mode	MO8A_N		
1	Con1x6		Con1x6	X2	1 x 6 pins connector	MH0R1X6		
1	Aston R3190005-021-R		USB_MN1AB	X3	USB connector Micro B	Aston 3190005-021-R		
1	B15-ARLS-8-B2		HC49-4H_SMX	Y1	Surface Mount Quartz Crystal 8MHz	HC49-4H_SMX		

Quantity	Comment	LibRef	Designator	Description	Footprint	Supplier	Supplier Nr	Layer
1	100	RES_AC ORT	R105	Resistance	RESC1608X06N			Bottom
1	1uF	10uF[(\A) 0603[(\A) J1	C63	Capacitor	RESC1608X06L	Distre ec	823495	Bottom
1	6.2	RES	R38	120	RESC1608X06L			Bottom
1	815-ABLS-8-B2	HC49/4 H_SMX	Y1	Surface Mount Quartz Crystal 8Mhz	HC49/4H_SMX			Bottom
1	AP131-33WGCT- 1 ND	AP7331	U26	300mA, Low Quiescent Current, Fast Transient LDO	SOT95P285X100- 5N			Bottom
1	MCP6L04T-E/ST	MCP6L0 4T-E/ST	U4	1 MHE, 85 µA Quad Op Amp, 14-Pin TSSOP, Extended Temperature Range, Tape and Reel	TSSOP-ST14_N			Bottom
12	4.7K	4.7K[(\A) 0603[(\A) J1	R1, R2, R57, R59, R61, R63, R64, R65, R111, R112, R113, R114	Resistor	RESC1608X06L	Distre ec	715604	Bottom
15	100nF	100nF[(\A) 0603[(\A) J1	C5, C7, C8, C9, C14, C22, C25, C26, C28, C30, C55, C68, C69, C70, C71	Capacitor	RESC1608X06L	Farnell	1288255	Bottom
18	BC817-40	BC817- 40	Q1, Q2, Q3, Q4, Q7, Q12, Q19, Q20, Q21, Q22, Q23, Q24, Q25, Q26, Q27, Q28, Q29, Q30	NPN General-purpose Transistor	SOT23_N			Bottom
2	18pF	10pF[(\A) 0603[(\A) J3	C41, C42		RESC1608X06L	Farnell	8819815	Bottom
2	2.7K	RES	R4, R6	Resistor	RESC1608X06L			Bottom
2	4.7uF	4.7uF[(\A) 0603[(\A) J1	C40, C43	Capacitor	RESC1608X06L	Farnell	9227784	Bottom
2	BT5050RGBC- 2 T180	LED RGB SMD 2	D2, D6	\$0.027/2000k	LEDSMD5			Bottom
2	ITR9909	ITR9909	U2, U3	Everlight Opto Interrupter	ITR9909_LONG			Bottom
2	WP7104SRC/D	LED	D19, D20	Red led 2V@20ma 57mcd	Led_TH_3mm_20m m			Bottom
3	10uF	4.7uF[(\A) 0603[(\A) J1 10uF[(\A) 0603[(\A) J1	C51, C52, C72	Capacitor	RESC1608X06L	Farnell	1463375, 9227784	Bottom
3	MC74HC595ADT R2	MC74HC 595ADT R2	U13, U15, U17	8-Bit Serial- Input/Serial or Parallel- Output Shift Register with Latched 3-State Outputs	948F-01_N			Bottom
4	1.5K	RES	R17, R18, R19, R20	120	RESC1608X06L			Bottom
4	1K	RES	R21, R22, R23, R24	120	RESC1608X06L			Bottom
4	22K	RES	R7, R8, R9, R10	120	RESC1608X06L			Bottom
4	DMG1012T	DMG101 2T	T5, T6, T7, T8	Transistor MOSFET 1 x N, Pining : 1=G, 2=S, 3=D	SOT50P160X80-3N			Bottom
4	DMG1013T	DMG101 3T	T1, T2, T3, T4	Transistor MOSFET 1 x P Pining : 1=G, 2=S, 3=D	SOT50P160X80-3N			Bottom
6	100K	100K[(\A) 0603[(\A) J1	R119, R120, R121, R122, R123, R124	Resistor	RESC1608X06L	Distre ec	715636	Bottom
6	56	68K[(\A) 0603[(\A) J1	R74, R75, R76, R77, R90, R91	Resistor	RESC1608X06L	Distre ec	715632	Bottom
7	10K	RES	R27, R28, R29, R30, R31, R50, R51	120	RESC1608X06L			Bottom
7	4.7nF	CAP-NP	C15, C16, C17, C18, C19, C20, C21	Capacitor	CAPC1608N			Bottom
8	2.2K	2.2K[(\A) 0603[(\A) J1, RES	R12, R13, R14, R15, R16, R33, R44, R45	120, Resistor	RESC1608X06L	Distre ec	715596	Bottom
8	33	RES	R3, R5, R68, R69, R70, R71, R72, R73	120, Resistor	RESC1608X06L			Bottom
8	39	68K[(\A) 0603[(\A) J1	R82, R83, R84, R85, R95, R96, R97, R133	Resistor	RESC1608X06L	Distre ec	715632	Bottom
9	27- 21SURC/ S630- 9 A3	LED	D9, D10, D11, D12, D17, D18, D25, D26, D35	SMD Red led right angle mount 2V@20ma 57mcd	27-21 Everlight			Bottom
1	100	RES_AC ORT	R106	Resistance	RESC1608X06N			None
1	100K	100K[(\A) 0603[(\A) J1	R143	Resistor	RESC1608X06L	Distre ec	715636	None
1	4.7K	4.7K[(\A) 0603[(\A) J1	R67	Resistor	RESC1608X06L	Distre ec	715604	None
1	47nF	470nF[(\A) 0603[(\A) J1	C60	Capacitor	RESC1608X06L	Distre ec	823494	None
1	PIC24FJ128GB1 06-I/PT	PIC24FJ 128GB1 06-I/PT	U19	General Purpose 16- Bit Flash Microcontroller with USB On-The-Go, 128KB Flash, 16KB SRAM, 64-Pin TQFP, Industrial Temperature	TQFP-PT64_N			None
2	27-21/BHC- 2 AN1P2/ 3C	LED	D8, D31	SMD Blue led right angle mount 3.3V@20ma 28mcd	27-21 Everlight Blue			None
3	APTD1608CGCK	LED	D28, D29, D30	LED standard - CMS Helios SMD Green 570nm 230mcd	DIOC1608X08N			None
1	1.5nF	10nF[(\A) 0603[(\A) J1	C57	Capacitor	RESC1608X06L	Farnell	9406182	Top
1	10uF X5R	10uF[(\A) 0603[(\A) J1	C34	Capacitor	RESC1608X06L	Farnell	1463375	Top
1	27-21/BHC- 1 AN1P2/ 3C	LED	D37	SMD Blue led right angle mount 3.3V@20ma 28mcd	27-21 Everlight Blue			Top
1	270K	270K[(\A) 0603[(\A) J2	R140	Resistor	RESC1608X06L	Farnell	9330941	Top
1	47K	22K[(\A) 0603[(\A) J1	R132	Resistor	RESC1608X06L	Distre ec	715620	Top
1	51pF	10nF[(\A) 0603[(\A) J1	C64	Capacitor	RESC1608X06L	Farnell	9406182	Top
1	6.8K	10K[(\A) 0603[(\A) J1	R127	Resistor	RESC1608X06L	Distre ec	715612	Top
1	680K	470K[(\A) 0603[(\A) J1	R125	Resistor	RESC1608X06L	Distre ec	715652	Top
1	820	22K[(\A) 0603[(\A) J1	R131	Resistor	RESC1608X06L	Distre ec	715620	Top
1	Aisiron R3190005-021-R	USB_MI NIAB	X3	USB connector Micro B	Aisiron 3190005-x21- r			Top
1	AP131-33WGCT- 1 ND	AP7331	U18	300mA, Low Quiescent Current, Fast Transient LDO	SOT95P285X100- 5N			Top
1	Battery	Battery	BT1	Multicell Battery	BAT-2			Top
1	Con1x6	Con1x6	X2	1 x 6 pins connector	MHDR1X6			Top
		FAN398		USB/ Charger and Over Voltage				

	AP131-33WGC-1 ND	AP7331	U18		Quiescent Current, Fast Transient LDO	SOT95P285X100-5N			Top
	1 Battery	Battery	BT1		Multicell Battery	BAT-2			Top
	1 Con1x6	Con1x6	X2		1 x 6 pins connector	MHDR1X6			Top
	1 FAN3988	FAN3988	U23		USB/ Charger and Over Voltage Detection Device	MLP 1.45x1mm			Top
	1 IIRM-3636T	TSOP32236	U20		IR Receiver Module (36 kHz) for Remote Control Systems	IR-receiver			Top
	1 LM4819M	LM4819M	U25		350mW Audio Power Amplifier with Shutdown Mode	M08A_N			Top
	1 MCP6L04T-E/ST	MCP6L04T-E/ST	U5		1 MHz, 85 µA Quad Op Amp, 14-Pin TSSOP, Extended Temperature Range, Tape and Reel	TSSOP-ST14_N			Top
	MCP73871-1	MCP73871-2AAI/ML	U21		Stand-Alone System Load Sharing and Li-Ion/ Li-Polymer Battery Charge Management Controller, 4.2V, 20-Pin QFN, Industrial Temperature	QFN-ML20_N			Top
	MicroSD-Astron 1	SD Card-Micro-ASLTRO N 5190008XA4-R	S1		MicroSD Card connector 5190008XA4-R	Astron 5190008-XA4R			Top
	1 MMA7660FC	MMA7660FC	U1		MMA7660FC XYZ-AXIS ACCELEROMETER ±1.5 g	DFN50P300X300X100-12N			Top
	1 NCP75XH103P0	Res Thermal	RT1		Thermistors - NTC 10K Ohm 1% 0402	RESC1005X04L			Top
	1 Speaker	Speaker	LS1		Loudspeaker	PIN2			Top
	1 SW-PB	SW-PB	S2		Switch	FSMRA2JH			Top
	1 TD4015BPN	Micro1	MC1		Omnidirectional Back Electret Condenser Microphone	MICRO_PANASONIC_WM-64PN			Top
	2 180	180R[[\A]]0603[[\A]]J1	R107, R137		Resistor	RESC1608X06L	Distrel ec	715570	Top
	2 1nF	100nF[[\A]]0603[[\A]]J1	C53, C54		Capacitor	RESC1608X06L	Farnell	1288255	Top
	2 1uF	10uF[[\A]]0603[[\A]]J1, 4.7uF[[\A]]0603[[\A]]J1	C56, C61		Capacitor	RESC1608X06L	Distrel ec, Farnell	823495, 9227784	Top
	2 47nF	10nF[[\A]]0603[[\A]]J1, 470nF[[\A]]0603[[\A]]J1	C58, C59		Capacitor	RESC1608X06L	Distrel ec, Farnell	823494, 9406182	Top
	2 5.6K	2.2K[[\A]]0603[[\A]]J1	R115, R116		Resistor	RESC1608X06L	Distrel ec	715596	Top
	2 AP7331-33WG-7	AP7331	U22, U24		300mA, Low Quiescent Current, Fast Transient LDO	SOT95P285X100-5N			Top
	2 BAT54S	BAT54S	D33, D34		Schottky Barrier Double Diode	SOT23_N			Top
	2 BT5050RGBCT180	LED RGB SMD 2	D27, D38		\$0.027/2000k	LEDSDM5			Top
	2 MC74HC595ADT R2	MC74HC595ADT R2	U14, U16		8-Bit Serial-Input/Serial or Parallel-Output Shift Register with Latched 3-State Outputs	948F01_N			Top
	2 Motor	Motor	B1, B2		Motor, General Kind	RB5-10.5			Top
	21 100nF	100nF[[\A]]0603[[\A]]J1	C1, C3, C6, C10, C11, C12, C13, C23, C24, C27, C29, C33, C35, C36, C37, C38, C39, C62, C65, C66, C67		Capacitor	RESC1608X06L	Farnell	1288255	Top
	28 BC817-40	BC817-40	C8, C8, C8, C10, C11, C13, C14, C15, C16, C17, C18, C31, C32, C33, C34, C35, C36, C37, C38, C39, C40, C41, C42, C43, C44, C45, C46		NPN General-purpose Transistor	SOT23_N			Top
	3 1.5K	RES	R26, R46, R47		120	RESC1608X06L			Top
	3 100K	10K[[\A]]0603[[\A]]J1, 100K[[\A]]0603[[\A]]J1	R138, R139, R141		Resistor	RESC1608X06L	Distrel ec	715612, 715636	Top
	3 27-21SURC/ S530-A3	LED	D7, D32, D36		SMD Red led right angle mount 2V@20ma 57mcd	27-21 Everlight			Top
	4 10uF	4.7uF[[\A]]0603[[\A]]J1, 10uF[[\A]]0603[[\A]]J1	C2, C4, C32, C46		Capacitor	RESC1608X06L	Farnell	1463375, 9227784	Top
	4 19-21SURC/ S530-A3/ TR8	LED	D1, D3, D4, D5		SMD Red 0603 2V@20ma 56 mcd	DIOC1608X08N			Top
	4 1K	1K[[\A]]0603[[\A]]J1, RES	R25, R48, R49, R108		120, Resistor	RESC1608X06L	Distrel ec	715588	Top
	4 22K	22K[[\A]]0603[[\A]]J1, RES	R11, R42, R43, R130		120, Resistor	RESC1608X06L	Distrel ec	715620	Top
	6 39	68K[[\A]]0603[[\A]]J1	R66, R86, R87, R88, R89, R134		Resistor	RESC1608X06L	Distrel ec	715632	Top
	6 6.2	RES	R36, R37, R39, R40, R54, R55		120	RESC1608X06L			Top
	7 2.2K	2.2K[[\A]]0603[[\A]]J1	R32, R34, R35, R41, R52, R53, R126		Resistor	RESC1608X06L	Distrel ec	715596	Top
	7 4.7uF	4.7uF[[\A]]0603[[\A]]J1	C31, C44, C45, C47, C48, C49, C50		Capacitor	RESC1608X06L	Farnell	9227784	Top
	7 ITR9909	ITR9909	U6, U7, U8, U9, U10, U11, U12		Everlight Opto Interrupter	ITR9909_EDGE			Top
	8 10K	8.2K[[\A]]0603[[\A]]J2, 10K[[\A]]0603[[\A]]J1, 10K[[\A]]0603[[\A]]J2	R101, R102, R109, R110, R117, R118, R128, R129		Resistor	RESC1608X06L	Distrel ec, Farnell	715612, 9330399, 9331565	Top
	8 33	68K[[\A]]0603[[\A]]J1, RES	R98, R99, R100, R135, R147, R148, R149, R150		120, Resistor	RESC1608X06L	Distrel ec	715632	Top
	8 56	68K[[\A]]0603[[\A]]J1	R56, R58, R60, R62, R78, R79, R80, R81		Resistor	RESC1608X06L	Distrel ec	715632	Top
	8 APTD1608SYCK	LED	D13, D14, D15, D16, D21, D22, D23, D24		LED standard - CMS Helios SMD Yellow 590nm 480mcd	DIOC1608X08N			Top
	9 4.7K	4.7K[[\A]]	R92, R93, R94, R103, R104, R142, R144, R145, R146		Resistor	RESC1608X06L	Distrel ec	715604	Top