VIBEBOOK

FROM INSPIRATION
TO EXPERIENCE

Product Strategy · Business Development · AI Engineering
Research Synthesis & Implementation Handoff



Version 1.0 | 30 October 2026 | Working product brief — not a verified production specification

Document purpose: single source of truth for the next working session; captures decisions, hypotheses, technical proposals, ownership, and proof points.

Executive Summary | อ่าน 3 นาที

Product: VibeBook — social-to-experience creation. คนเห็นรูป วิดีโอ โพสต์ หรือไอเดียใน Social Feed แล้วกด **Vibe** เพื่อสร้างสิ่งใหม่ที่เล่น ดู ใช้ และแชร์ได้ ไม่จำกัดว่า input/output ต้องเป็นสื่อชนิดเดียวกัน

Vision ที่เลือก: "From Inspiration to Experience." Mission: AI-powered creativity for everyone. Social tagline: "Don't just like it. Vibe it."

Signature hero: เห็นโพสต์ภาพ Mount Everest → กด Vibe → ขอเกม Snowboarding → เล่นได้บนเบราว์เซอร์ → แชร์ URL → ผู้ชมคนอื่นนำไป Remix ได้ต่อ

เหตุผลสำคัญ: เปลี่ยน Social Participation จาก passive scrolling เป็น participatory creation. ความแตกต่างอยู่ที่ context-driven creation และ viral remix loop ไม่ใช่แค่การสร้างโค้ดหรือภาพได้

Hackathon posture: เลือก VibeBook แทน Farm Sim แล้ว; ให้ความสำคัญกับ emotional demonstration และ shareability. การประชุมกล่าวถึงเดโม 3 นาที และเกณฑ์ Impact 30%, Meta tools 25%, Technical depth 20%, Demo 25% ซึ่งยังต้องตรวจสอบกับกติกาทางการ

Business Development ต้องเริ่ม	AI Engineering ต้องเริ่ม
นิยาม ICP, core value proposition และจริยธรรมของ Remix	พิสูจน์ Image-to-Playable-Game vertical slice ก่อน
ทำ storyboards และ user-test ความเข้าใจใน 10 วินาที	ออกแบบ Multimodal Intent → ExperienceSpec → Build → Preview
ตรวจคู่แข่ง Social Remix, Creator tools, conversion economics	ประเมิน Meta API / REA / game engines / sandbox และ license

Release principle: "See → Vibe → Experience → Share → Remix." ระบบ Facebook-native ยังไม่ใช่ข้อเท็จจริงด้านการ Integrate; ใช้ mock social feed / share-to-Vibe ก่อน และไม่ทำให้ผลิตภัณฑ์พึ่ง scraping

Document status legend

Status	ความหมาย
DECIDED	ตกลงจากบทสนทนาหรือบันทึกประชุม
PROPOSED	ข้อเสนอเชิงผลิตภัณฑ์/วิศวกรรม รอการตัดสินใจ
TO VALIDATE	ยังไม่มีผลทดลองหรือหลักฐานยืนยันเพียงพอ

01 | Product DNA & Narrative

Vision · Mission · Promise

Vision: A world where every piece of inspiration can become a new experience, and everyone has the power to create it.

Mission: Democratize experience creation through AI. ลดช่องว่างระหว่างสิ่งที่คนจินตนาการกับความสามารถในการสร้าง

Product promise: Turn what you see into something you can play, use, and share. เริ่มต้นจากสิ่งที่คนใจจริง แทนที่จะเริ่มจากช่อง Prompt ว่างเปล่า

Positioning

Category: Social-to-Experience Platform / Multimodal Experience Engine. **Not:** Facebook clone, pure app builder, image style cloning, social scraper, or a guaranteed one-click replication of copyrighted work.

Elevator pitch: Every day we see amazing ideas online. Most people can only like or share. VibeBook lets anyone tap Vibe and turn that inspiration into an original, interactive experience. A photo of Everest becomes a snowboarding game — playable, customizable and shareable. No coding required.

Experience design principles

• **Inspiration-first:** รับภาพ โพสต์ วิดีโอ URL ที่มีสิทธิ์เข้าถึง หรือ Screenshot จากผู้ใช้

• **Cross-modal:** ภาพ → เกม, วิดีโอ → แอป, โพสต์ → interactive story; ตัวแนะนำผลลัพธ์ไม่ถูกจำกัดโดย input type

• **Low friction:** ปุ่มเดียว + suggested actions + mini prompt; ไม่แสดง developer tooling เป็นหน้าหลัก

• **Play before code:** ได้ preview / playable experience ก่อนเลือก advanced edit

• **Born to share:** แชร์ URL, remix lineage, original credit, reusable creative intent

• **Respect rights:** ทำ original reinterpretation ไม่คัดลอก asset, trademark, private content โดยไม่ได้รับอนุญาต

Audience / jobs-to-be-done [PROPOSED]

Segment	Job-to-be-done
Curious scrollers	เห็นอะไรเจ๋งแล้วอยากมีเวอร์ชันของตัวเองในไม่กี่นาที
Casual creators	สร้างวิดีโอ เกม meme app โดยไม่ต้อง code/prompt ที่ซับซ้อนสูง
AI-showcase creators	ให้คนดูต่อยอดไอเดียได้ พร้อมเครดิตต้นทาง
Social communities	สร้าง challenge และ remix chain รอบเธรดเดียวกัน

02 | Canonical User Journey

Use case หลักสำหรับการสื่อสารและ MVP: **Everest photo → snowboarding game → social remix**. ภาพต้นทางเป็น reference เพื่อระบุ motif/location ไม่ใช่ terrain data ที่จะสร้างภูมิประเทศจริงได้อย่างแม่นยำ



01 DISCOVER
พบภาพ Everest ใน social-like feed

↓

02 VIBE
กดปุ่ม ✦ Vibe และเลือก “Turn into a Game”

↓

03 UNDERSTAND
AI สกัด visual context + intent + gameplay constraints

↓

04 CREATE
Generate assets/code, automated build/test, browser preview

↓

05 PERSONALIZE
เสริม boost/score/obstacles ด้วย mini prompt

↓

06 SHARE & REMIX
Publish unique URL + attribution + remix link

Example user utterances

- “Turn this into a snowboarding game.”
- “Make it faster, add rocket boost and mountain checkpoints.”
- “Share this game with my friends.”
- “Remix this into a night-mode multiplayer challenge.”

03 | Cross-modal Use-case Matrix

Input	Transform Intent	Output Experience	MVP
Mountain photograph	Snowboard / exploration	Playable browser game	Hero
Character illustration	Pet / boss battle	Tamagotchi / mini game	Later
Recipe video	Learn-by-doing	Cooking guide / mini app	Later
Travel photo	Explore / plan	Interactive map / story	Later
Fantasy artwork	Explore world	Interactive narrative	Later
AI-made mobile game post	Remix mechanics	Original playable variant	Hero alternate
Video / movie clip	Make a trailer / meme	New short video + edited captions	Prototype
Community post	Turn into challenge	Interactive group experience	Future
Poster / event post	Make interactive	Microsite or scheduler	Future

Critical correction: Social-to-Playable-App เป็นเพียงหนึ่ง route; ผลิตภัณฑ์ที่ดีกลงในภายหลังคือ Social-to-Experience และต้องไม่กลับไปจำกัดเป็น image-to-image หรือ app-to-app

Vibe Suggestion Engine [PROPOSED]

AI วิเคราะห์ source และเสนอ 3–5 intents พร้อมความเหมาะสม เช่น Mount Everest photo → Snowboard game, cinematic expedition, travel planning, interactive story. UI ควรมี suggestion cards + mini prompt; ไม่บังคับให้ผู้ใช้เขียน technical specification เอง

Example experience taxonomy

Family	Examples	Primary agent
Playable	Endless runner, snowboard, puzzle, pet	Game Agent
Watchable	Trailer, meme, cinematic clip	Video Agent + Editor
Usable	Planner, utility, interactive microsite	App Agent
Explorable	3D scenes, narratives, guided tours	World / Story Agent
Visual	Style reinterpretation, sticker, poster	Image Agent

04 | Functional Requirements (ranked)

ID	Requirement / Acceptance intent	Phase
FR-01	Input text, uploaded image, video, selected post/share URL (authorized)	P0
FR-02	Understand source modality and extract intent/ context	P0
FR-03	Offer cross-modal transformation suggestions	P0
FR-04	Create typed ExperienceSpec with assumptions	P0
FR-05	Produce original browser-playable game from reference image	P0
FR-06	Sandbox build + smoke test + preview	P0
FR-07	Natural-language refinement and regen version	P0
FR-08	Publish shareable URL and minimal public page	P0
FR-09	Creator attribution / remix permission metadata	P0
FR-10	Share-to-Vibe + social mock feed	P0
FR-11	Browser extension Vibe button on 3rd-party pages	P1 / Policy review
FR-12	Remix fork graph and version tree	P1
FR-13	Native feed, like/comments/discovery	P1
FR-14	Multimodal video generation + editing workflow	P1 / Access TBD
FR-15	2D/3D game complexity expansion, mobile export	P2

Non-functional requirements [PROPOSED]

• Sandbox must restrict filesystem, network, secrets, CPU/GPU budgets, runtime duration and artifact size.

• Trace each creation: source consent, prompt, model/version, spec, cost, test results, moderation, publish lineage.


• Support retry/resume for long-running asynchronous jobs, idempotency and meaningful progress UI.

• Minimum privacy: input selection consent, retention policy, deletion, abuse reporting, no public content by default.

• Guard against prompt injection from captions/comments/retrieved pages; social content is untrusted data.

05 | Platform Architecture

Recommended layering separates social acquisition from AI planning and the isolated creation runtimes; each output family may require different execution tools.



Suggested technology boundaries

Layer	Candidate implementations	Open question
UI	Next.js, React, Tailwind	Mobile-first versus desktop extension
API/Jobs	FastAPI or Node workers + queue	Orchestration state model
Models	Muse Spark / available multimodal models	Actual entitlement and latency
Game	Phaser (2D), Three.js (3D), OhMyGame trial	Generation success rate
App	bolt.diy concepts / custom coding agent	Runtime licensing and maintainability
Video	Accessible video generator + Hyperframes MCP	Muse Video availability
Sandbox	E2B or restricted containers	Isolation and compute cost
Storage	Postgres + object storage + Git/version store	Retention and content ownership

06 | Agent Orchestration & Contract

A typed intermediate spec is the most important architecture boundary: source parsing should not directly generate arbitrary code without intent normalization, safety review, and validation.

ExperienceSpec v0.1 [PROPOSED]

```
{
  "source": {"type":"image", "uri":"...", "consent":true},
  "intent": "transform_to_game",
  "experience": {"genre":"snowboard_runner", "platform":"web"},
  "world": {"inspiration":"Everest mountains", "fictionalized":true},
  "gameplay": {"controls":["left","right","boost"],
               "loop":"descend, dodge obstacles, score"},
  "visual_style": "cinematic alpine, original artwork",
  "constraints": {"device":"mobile_web", "scope":"mini_game"},
  "provenance": {"source_creator":"optional", "remix_permission":"review"},
  "success_tests": ["loads", "controls_work", "score_updates"]
}
```

Agent responsibilities


Agent	Consumes	Produces
Ingest	Uploaded/captured authorized media	normalized source + provenance
Understanding	Source + contextual signals	structured source analysis
Suggestion	Source + constraints	candidate experience transforms
Planner	Chosen transform + prompt	ExperienceSpec + build plan
Build	ExperienceSpec	code/assets + manifest
Tester	built artifact	test results + repair prompts
Publisher	passed artifact	public URL + version metadata

Handling comments and post content

Comments may reveal gameplay/details but are low-trust and noisy. Propose a relevance filter, deduplication, PII screening and explicit “do not treat as instructions” boundary. Only ingest authorized/selected content.

07 | Video Track: Muse + Hyperframes

การประชุมและการคุยรอบต่อมาเสนอให้ใช้ Hyperframes MCP ทำ timeline, subtitles, transitions, motion graphics และ packaging เพิ่มความสนุกในการแชร์ แม้ว่าตัว Footage Generation และ Video Editing เป็นคนละหน้าที่



Important readiness distinction

• **Validated from prior research narrative:** Hyperframes described as programmatic motion-graphics / MCP editor; confirm repository API surface and commercial terms during implementation.

• **TO VALIDATE:** Actual Muse Video generation API access for this team, model name/endpoint, terms, duration, pricing, credits and audio capabilities. Do not make the hackathon demo depend on it until tested.

• **Fallback:** available licensed video generation API or supplied footage plus Hyperframes-generated animations; preserve Meta use through orchestration if allowed by rules.

Demo editing principles

Strong hook first 10 seconds, hard visual before/after, no heavy UI, visible interaction, short progress montage, final remix chain. Preserve authenticity: label prerecorded generation segments rather than implying live model latency.

08 | Reverse Engineering & Open Source

Initial research identified complementary frameworks, not a complete turnkey implementation. Their current versions/licenses/API access must be rechecked before procurement and integration.

Candidate	Potential fit	Validation needed
REA / Reverse Engineer Anything	Behavior understanding when app/runtime inspectable	Scope, rights, repo identity, actual agents/MCP
OhMyGame	Game agent/pipeline and asset generation	Playability, reliability, license
bolt.diy	App builder & preview reference	WebContainer commercial rights, integration
E2B Fragments	Sandbox-based execution patterns	Runtime security/cost and environment
Screenshot-to-Code	Visual structure recreation reference	Only appearance; not gameplay
Phaser / Three.js	2D/3D runtime targets	Generated output quality / device FPS
Hyperframes MCP	Edited video composition, captions, render	Capabilities and endpoints
Open Lovable / Dyad	Additional app UI agent references	License segregation and maintenance

Key caveat on REA

REA ควรใช้กับระบบ/แอปที่เข้าถึงและวิเคราะห์พฤติกรรมได้อย่างได้รับอนุญาต ไม่ใช่สมมติว่า screenshot เดียวจะเผย source code, physics หรือ game mechanics จริง. ตัวโมเดลต้อง mark unknowns และสร้าง original approximation.

Reference repositories [working research list]

- github.com/WhiteTowerAI/ohmygame
- github.com/stackblitz-labs/bolt.diy
- github.com/e2b-dev/fragments
- github.com/abi/screenshot-to-code
- github.com/phaserjs/phaser
- github.com/VisualxIntelligence/hyperframes
- github.com/morluto/rea
- github.com/firecrawl/open-lovable
- github.com/dyad-sh/dyad

09 | Social Layer, Remix & Trust

Distribution approaches in preferred order

Option	Value	Risk / decision
Native mock social feed	Full control for hackathon demonstration	Must disclose as simulation
Share-to-Vibe from user	Explicit consent and simple acquisition	Friction and source limitations
Browser extension	Vibe button near social controls on web	Site DOM changes, permissions, policies
Facebook Graph API	Official scoped access where available	Review, permissions, eligible data constraints
Native Facebook app button	Desirable long-term vision	Not available without platform partnership

Remix lineage: proposed data graph

SourcePost (permission) → Experience A v1 → Experience A v2 → Remix B → Remix C. Every edge stores creator ID, source attribution, fork point, remix description, permission type, timestamp, and moderation status.

Rights and safety policy questions [BD + Legal]

• Which posts can be imported? Does clicking Vibe mean reproduction is licensed? No — authorization and transformation boundaries matter.

• Can a creator opt out of Remix? How does content provenance and takedown flow work?

• Do not copy character art, protected logos, music, footage, or distinctive proprietary code without permission.

• How will private posts and children's images be handled? Default to restrictive treatment.

• Can bad actors publish phishing apps/malware or steal tokens through generated code? Must sandbox and scan.

Growth mechanics [hypotheses, not results]

Observe: Post impression → Vibe click → successful creation → share → visit → second-generation Remix. Network effects depend on authentic share conversion and creator consent; not guaranteed by having a remix button alone.

10 | Competitive Landscape Reframed

Research 1.0 was app-builder centric; after meeting, scope includes social remix and cross-modal creation. These are candidate competitors/adjacent references rather than verified identical feature sets.

Cluster	Examples	What to study
Social AI creation	Websim, Astrocade, Rosebud AI	Discovery, playable result, fork/remix UX
AI App Builders	Lovable, Bolt, Replit, v0, Onlook	Prompt-to-app, testing, deploy, preview
Media Generation	Muse/other image-video products	Input-to-output editing and consistency
Social Remix Tools	Creator remix, meme/community tools	Attribution, share triggers, remix graph
Platform Entry	Social feeds, share sheets, extensions	Acquisition friction and integration rights

Research questions / evidence to collect

• What exact product already turns arbitrary social posts into a cross-modal experience? Record primary-site proof and working demos.

• Can a casual non-coder create and share a playable browser game without writing specifications?

• How often do proposed cross-modal transformations produce a meaningful result, rather than cosmetic media?

• Which providers have public API access and workable throughput/cost for image, video, code?

• How does provenance/creator credit affect creator willingness to let people Vibe their post?

Positioning evaluation

Core differentiation to defend: start from inspiration in the social context + intelligent output suggestion + frictionless creation + remix distribution. Pure generation quality is not a durable differentiator by itself. Avoid overclaiming a competitive white space before a new audit.

11 | Hackathon Demo: 3-minute narrative

Timing	Beat	What screen should show
0:00–0:20	HOOK	Someone shares Everest photo, viewer sees only Like / Share
0:20–0:35	MAGIC BUTTON	✦ Vibe appears; suggestion “Snowboard game”
0:35–1:15	TRANSFORM	Prompt → behind-the-scenes activity → playable game
1:15–1:45	INTERACT	Player moves/boosts/avoids obstacles; score changes
1:45–2:10	PERSONALIZE	Ask AI to change a mechanic; demonstrate meaningful delta
2:10–2:35	SHARE	Published link shown in feed; friend opens and remixes
2:35–3:00	CLOSE	Visual explosion of derivative experiences; mission

Key closing line: “The next social action isn’t Like. It’s Create.” Alternate: “One spark. A world of creators.”

Design direction locked in review

• 5-slide premium cinematic narrative; start almost black with extreme negative space.


• Build emotion gradually: mystery → spark → magic → social ripple → world of creators.

• Slide 3 Everest-to-Snowboard was particularly successful and should remain hero visual.

• Avoid crowded icon/feature grids, excessive explanatory text, and cartoonish UI.

• Slide 4 demonstrates one post branching into several experiences; slide 5 shows social propagation and impact.

Visual reference from approved deck



Reference deck artifact: VibeBook_Cinematic_5_Slides_v2.pptx and PDF. Visuals are conceptual mockups, not screenshots of a running product.

12 | MVP Test Plan & Acceptance

Vertical slice: Everest → playable game

Gate	Acceptance / evidence
A. Ingest	Upload image and retain source metadata + consent
B. Understand	Return source description and game transform suggestion
C. Plan	Valid ExperienceSpec with explicit mechanics and device constraints
D. Build	Generates assets/code and compiles in isolated runtime
E. Play	Loads in modern desktop/mobile browser; control + game loop functional
F. Customize	One user-requested mechanic change is reflected and retested
G. Share	Publish URL works for independent test visitor
H. Remix	Visitor can fork/version experience with source attribution
I. Safety	Sandbox isolation and moderation checks documented

Suggested quantitative targets — NOT measured results

Metric	Proposed first-run target
Game load and smoke test pass	≥ 70% of defined benchmark attempts
Correct source understanding	≥ 85% on annotated references
Prompt-based customization succeeds	≥ 80% of bounded edits
Publish success after build pass	≥ 95%
Median time to preview	Measure baseline first; set SLA after runs
Cost per successful experience	Measure all model + compute + storage charges

Design a small benchmark of 30 permissioned samples: 10 easy image-to-game, 10 intermediate game posts, 10 app/interactive posts. Review with clear scoring on mechanics, stability, originality, similarity limits, responsiveness, and share quality.

Important exclusions

No promise of realistic Everest terrain, accurate skiing physics, direct mobile app-store publishing, or faithful recreation from a single static image in the first MVP.

13 | Business Development Workstream

Deliverable	Owner role	Definition of done
Value proposition & one-page positioning	Product/BD lead	One sentence + elevator pitch + ICP + differentiation
Creator/user discovery	Research/BD	10–15 structured interviews, permission/ objection log
Competitor evidence matrix	Market analyst	Screenshots, URLs, dated proof, similarity ranking
Social go-to-market / viral hypotheses	Growth lead	Funnels, referral mechanics, attribution policy
Unit economics scenario	Finance/BD	Cost/image, cost/video, cost/game, paid conversion hypotheses
Rights / ToS review	Legal/product	Import, consent, remix, takedown, Meta integration
Pitch video & judges narrative	BD + design	3-minute cut, honest live/recorded annotation
Partnership readiness	BD	Meta API access and event rules independently verified

Recommended initial market hypotheses

• Primary: non-technical social users who want to do something with inspiring AI content.

• Secondary: creators whose posts become remixable entry points for audience engagement.

• Distribution: short demos and permissioned social challenges before pursuing direct Facebook app integration.

• Monetization candidates: credits by compute class, creator plans, branded remix challenges. None validated yet.

Stakeholder questions that cannot be assumed

• Who pays — creator, remixer or platform sponsor?

• Who owns the generated output, and which assets can be re-used?

• Does social remix grow creation or cannibalize original creators?

• How do unit costs scale with video generation and game-repair loops?

14 | AI Engineering Workstream

Work package	Expected output	Risk / dependency
Model access spike	Confirmed Muse endpoints, quotas, video access matrix	Access can block planned route
Source understanding	Typed context extraction with tests	Ambiguous images/video
Vibe suggestion router	Ranked transformations + user controls	Suggestion quality
ExperienceSpec schema	Versioned JSON + validator	Overly broad unconstrained scope
Game builder POC	Playable Phaser-based game from photo	Non-determinism / repair rate
Sandbox and tests	Isolated build + browser smoke tests	Security + infra cost
Version/edit loop	Editable experiences + version snapshots	Regression after prompt changes
Publish pipeline	Unique URL + safe static hosting	Generated code safety
Video experiments	Hyperframes proof + video model option	Model API availability
Observability	Per-stage latencies, costs, success/retry logs	Data retention

Proposed endpoints [contract draft]

Method	Path	Purpose
POST	/v1/sources	Upload/import authorized source
POST	/v1/vibes/suggestions	Get cross-modal suggestions
POST	/v1/experiences	Create generation job
GET	/v1/experiences/{id}	Read state, preview, errors
POST	/v1/experiences/{id}/edits	Apply natural-language change
POST	/v1/experiences/{id}/publish	Publish validated artifact
POST	/v1/experiences/{id}/remix	Create attributed fork

State machine [PROPOSED]

CREATED → INGESTED → UNDERSTOOD → PLANNED → GENERATING → TESTING → READY → PUBLISHED. Separate FAILED / BLOCKED / CANCELLED states with resume/retry policy. Each transition writes structured trace events.

15 | Sequenced Roadmap & Gates

Stage	Work / scope	Exit gate
0. Align	Lock experience taxonomy, pilot story, permissions	Design brief + risk register
1. Vertical slice	Upload Everest image → 2D snow game preview	Plays reliably and can change one mechanic
2. Social loop	Social mock feed → share URL → credited remix	Two users complete create-share-remix
3. Multimodal	Image and video experimentation; Hyperframes	Two distinct output media demoed
4. Extension	Chrome extension prototype under policy review	Usability + policy review passed
5. Platform	Community, lineage, creator controls, payments	Early retention and economics measured

Open decisions for next team meeting

Decision	Recommended default	Decision owner
First output	Playable browser 2D snowboard game	Product + AI lead
First input	User-supplied image in mock feed	Product
Primary source channel	Upload / share-to-Vibe	Legal + Growth
First runtime	Phaser + isolated sandbox	AI Engineering
First model stack	Use available multimodal planner; verify Meta access	AI Engineering
Video launch	Experimental only until API entitlement proven	AI Engineering + BD
Publish permission	Private draft before explicit public share	Product + Legal

16 | Risk Register

Risk	Impact	Mitigation / owner
Facebook integration is not available / against policy	High	Mock feed/share sheet first; legal/BD
Image cannot determine exact game mechanics	High	Original game design with explicit assumptions; AI lead
AI-generated games fail runtime tests	High	Templates + strict specs + smoke tests; Eng
Video model inaccessible or too slow/expensive	High	Fallback provider/prebuilt safe footage; Eng/BD
Rights / attribution dispute	High	Consent, provenance, opt-out, takedown; Legal
Prompt injection in social content/comments	High	Untrusted-data isolation, schema validation; Security
Generated code escapes sandbox	Critical	Restricted runtime and security review; Security
Remix loop weak even when build succeeds	Medium	Measure share-to-remix conversion; Growth
Pitch overstates working capability	High	Mark mock vs live; Demo owner
Open-source license conflict	High	License audit before fork/deploy; Legal/Eng

Success/failure interpretation

A build that produces impressive visuals but cannot be played is a failed game-generation test. A game that plays but never gets shared may validate engineering yet fail the growth thesis. Track both separately.

17 | Decisions, Assumptions & Evidence Ledger

Item	Status	Basis
Chosen product name VibeBook	DECIDED	Conversation
Vision “From Inspiration to Experience”	DECIDED	Explicit concept selection
Cross-modal image → game as signature	DECIDED	Everest use case
Shareable experience and remix chain	DECIDED	Product discussion / meeting
Premium, minimal dark-to-reveal deck style	DECIDED	Slide revisions
Meta tools should play central role	DECIDED / competition intent	Meeting note; formal rules TBD
REA as possible engine helper	PROPOSED	Meeting note
Hyperframes MCP video edit layer	PROPOSED	Later discussion
Muse Video API access for team	TO VALIDATE	Prior research discussion not entitlement proof
Public Facebook post ingestion/API	TO VALIDATE	Platform access and policy
Game-generation quality and cost	TO VALIDATE	No benchmark provided
Viral conversion/business model	TO VALIDATE	No customer experiment yet

Sources and project artifacts

• Current conversation: product decisions, requirements, competitor/open-source shortlist, technical ideas and slide review (Oct 2026).

• Meeting transcript: ข้อความที่ถูก (1)(20261030-054749).txt — original meeting source, prioritizes VibeBook over Farm Sim and mentions REA, Meta hackathon and demo constraints.

• Visual pitch deck: VibeBook_Cinematic_5_Slides_v2.pptx / .pdf — 5-slide narrative reference, not working app evidence.

• Research URLs (starting points, not new verified audit): websim.com; astrocade.com; play.rosebud.ai; github.com/WhiteTowerAI/ohmygame; github.com/stackblitz-labs/bolt.diy; github.com/VisualxIntelligence/hyperframes; github.com/morluto/rea.

Handoff checklist

• BD lead can explain product and hero demo in under 30 seconds.

• AI lead owns a reproducible source-image-to-game test harness.

• Team can separate confirmed features from vision/hypotheses in all public materials.

• Every output has creation status, test trace, user consent, and share/remix metadata.

• One designated owner validates model access, platform policy and external repositories before integration.

Final alignment: The product is not about copying media. It is about turning social inspiration into a new, meaningful, and shareable experience — and enabling the next person to build on it.