## Negative

#### **Execution Environment**

Host name 62812 - Chrome Local OS Windows 10 64bit

Katalon version 8.4.1.208 Browser null

#### Summary

ID Test Suites/Negative

Description

Total 9
Passed 1 Failed 8
Error 0 Incomplete 0

Skipped 0

Start 2022-12-04 20:03:07 End 2022-12-04 20:03:39

Elapsed 32.287s

| # | ID   | Description | Status |
|---|--|-------------|--------|
| 1 | Test Cases/List/Negative/TCN-037_Create list without name              |             | FAILED |
| 2 | Test Cases/Group chat/Negative/TCN-036_Create chat without word        |             | FAILED |
| 3 | Test Cases/Company/Negative/TCN-034_Create company without name        |             | FAILED |
| 4 | Test Cases/Company/Negative/TCN-035_Create company without description |             | FAILED |
| 5 | Test Cases/Card/Negative/Create card without name                      |             | FAILED |
| 6 | Test Cases/Blash/Negative/TCN-030_Create blash without title           |             | PASSED |
| 7 | Test Cases/Blash/Negative/TCN-031_Create blash without description     |             | FAILED |
| 8 | Test Cases/Blash/Negative/TCN-032_Edit blash without title             |             | FAILED |
| 9 | Test Cases/Blash/Negative/TCN-033_Edit blash without description       |             | FAILED |

### TCN-037\_Create list without name

#### Information

ID Test Cases/List/Negative/TCN-037\_Create list without name

Description

Tag

Start 2022-12-04 20:03:07 End 2022-12-04 20:03:11

Elapsed 3.493s Status FAILED

#### Details

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 1 | response = sendReguest(findTestObject("List/Create list without name")) | 3.026s  | PASSED |

## TCN-037\_Create list without name

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 2 | verifyResponseStatusCode(response, 400)  | 0.038s  | FAILED |
| _ |  | 3.0000  | . ,    |
|   | Unable to verify response status code (Root cause: com.kms.katalon.core.exception.  StepFailedException: Expected status code is '400' but actual status code is '200' |         |        |
|   | at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain. groovy:50)  |         |        |
|   | at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.verifyStatusCode(VerifyResponseStatusCodeKeyword.                                 |         |        |
|   | groovy:52)   |         |        |
|   | at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.access\$1(VerifyResponseStatusCodeKeyword.groovy)                                 |         |        |
|   | at com.kms.katalon.core.webservice.keyword.builtin.  |         |        |
|   | VerifyResponseStatusCodeKeyword\$_verifyResponseStatusCode_closure1.doCall (VerifyResponseStatusCodeKeyword.groovy:42)   |         |        |
|   | at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword\$_verifyResponseStatusCode_closure1.call  |         |        |
|   | (VerifyResponseStatusCodeKeyword.groovy)   |         |        |
|   | at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74)  |         |        |
|   | at com.kms.katalon.core.webservice.keyword.builtin.  |         |        |
|   | VerifyResponseStatusCodeKeyword.verifyResponseStatusCode   |         |        |
|   | (VerifyResponseStatusCodeKeyword.groovy:37) at com.kms.katalon.core.webservice.keyword.builtin.  |         |        |
|   | VerifyResponseStatusCodeKeyword.execute(VerifyResponseStatusCodeKeyword.groovy: 32)  |         |        |
|   | at com.kms.katalon.core.keyword.internal.KeywordExecutor.  |         |        |
|   | executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords.   |         |        |
|   | verifyResponseStatusCode(WSBuiltInKeywords.groovy:345)   |         |        |
|   | at com.kms.katalon.core.webservice.keyword. WSBuiltInKeywords\$verifyResponseStatusCode\$0.call(Unknown Source)  |         |        |
|   | at TCN-037_Create list without name.run(TCN-037_Create list without name:22)   |         |        |
|   | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)   |         |        |
|   | at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  |         |        |
|   | java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  |         |        |
|   | java:439)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  |         |        |
|   | (TestCaseExecutor.java:410)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)   |         |        |
|   | at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  |         |        |
|   | (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase   |         |        |
|   | (TestSuiteExecutor.java:144)   |         |        |
|   | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  |         |        |
|   | 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown   |         |        |
|   | Source)  |         |        |
|   | at TempTestSuite1670158972903.run(TempTestSuite1670158972903.groovy:36)  |         |        |
|   |  |         |        |

## TCN-037\_Create list without name

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
|   |             |         |        |
|   |             |         |        |
|   |             |         |        |

### TCN-036\_Create chat without word

#### Information

ID Test Cases/Group chat/Negative/TCN-036\_Create chat without word

Description

Tag

Start 2022-12-04 20:03:11 End 2022-12-04 20:03:12

Elapsed 0.879s Status FAILED

#### Details

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 1 | response = sendRequest(findTestObject("Group Chat/Create chat without word")) | 0.576s  | PASSED |

## TCN-036\_Create chat without word

| Descrip    | tion   | Elapsed | Status |
|------------|--|---------|--------|
| verifyRe   | sponseStatusCode(response, 400)  | 0.005s  | FAILE  |
| Unable     | o verify response status code (Root cause: com.kms.katalon.core.exception.         |         |        |
|            | edException: Expected status code is '400' but actual status code is '200'         |         |        |
| Otepi ali  | at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.       |         |        |
| groovy:5   |  |         |        |
| groovy.c   | at com.kms.katalon.core.webservice.keyword.builtin.                                |         |        |
| VerifvRe   | esponseStatusCodeKeyword.verifyStatusCode(VerifyResponseStatusCodeKeyword.         |         |        |
| groovy:5   |  |         |        |
| ,          | at com.kms.katalon.core.webservice.keyword.builtin.                                |         |        |
| VerifyRe   | esponseStatusCodeKeyword.access\$1(VerifyResponseStatusCodeKeyword.groovy)         |         |        |
|            | at com.kms.katalon.core.webservice.keyword.builtin.                                |         |        |
| VerifyRe   | sponseStatusCodeKeyword\$_verifyResponseStatusCode_closure1.doCall                 |         |        |
| (VerifyR   | esponseStatusCodeKeyword.groovy:42)  |         |        |
|            | at com.kms.katalon.core.webservice.keyword.builtin.                                |         |        |
|            | sponseStatusCodeKeyword\$_verifyResponseStatusCode_closure1.call                   |         |        |
| (VerifyR   | esponseStatusCodeKeyword.groovy)   |         |        |
|            | at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword                    |         |        |
| (Keywor    | dMain.groovy:74)   |         |        |
|            | at com.kms.katalon.core.webservice.keyword.builtin.                                |         |        |
|            | esponseStatusCodeKeyword.verifyResponseStatusCode                                  |         |        |
| (verifyR   | esponseStatusCodeKeyword.groovy:37)  |         |        |
| \/orify/Do | at com.kms.katalon.core.webservice.keyword.builtin.                                |         |        |
| 32)        | esponseStatusCodeKeyword.execute(VerifyResponseStatusCodeKeyword.groovy:           |         |        |
| 32)        | at com.kms.katalon.core.keyword.internal.KeywordExecutor.                          |         |        |
| execute    | KeywordForPlatform(KeywordExecutor.groovy:74)                                      |         |        |
| Onoouto    | at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords.                      |         |        |
| verifvRe   | sponseStatusCode(WSBuiltInKeywords.groovy:345)                                     |         |        |
|            | at com.kms.katalon.core.webservice.keyword.  |         |        |
| WSBuilt    | InKeywords\$verifyResponseStatusCode\$0.call(Unknown Source)                       |         |        |
|            | at TCN-036_Create chat without word.run(TCN-036_Create chat without word:22)       |         |        |
|            | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)               |         |        |
|            | at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.         |         |        |
| java:119   | •  |         |        |
|            | at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.          |         |        |
| java:448   |  |         |        |
|            | at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.          |         |        |
| java:439   |  |         |        |
| (TootCo    | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase                |         |        |
| (Testoa    | seExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase |         |        |
| (TestCa    | seExecutor.java:410)   |         |        |
| (100104    | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.            |         |        |
| java:285   |  |         |        |
| ,          | at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase              |         |        |
| (Commo     | nExecutor.java:65)   |         |        |
| ,          | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase            |         |        |
| (TestSu    | teExecutor.java:144)   |         |        |
|            | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:     |         |        |
| 106)       |  |         |        |
|            | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:        |         |        |
| 185)       |  |         |        |
|            | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown          |         |        |
| Source)    |  |         |        |
|            | at TempTestSuite1670158972903.run(TempTestSuite1670158972903.groovy:36)            |         |        |

## TCN-036\_Create chat without word

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
|   |             |         |        |
|   |             |         |        |
|   |             |         |        |

## TCN-034\_Create company without name

#### Information

ID Test Cases/Company/Negative/TCN-034\_Create company without name

Description

Tag

Start 2022-12-04 20:03:12 End 2022-12-04 20:03:19

Elapsed 7.616s Status FAILED

#### **Details**

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 1 | response = sendRequest(findTestObject("Company/Create company without name")) | 7.345s  | PASSED |

# TCN-034\_Create company without name

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 2 | verifyResponseStatusCode(response, 400)  | 0.005s  | FAILED |
|   | Unable to verify response status code (Root cause: com.kms.katalon.core.exception.   |         |        |
|   | StepFailedException: Expected status code is '400' but actual status code is '200'   |         |        |
|   | at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.   |         |        |
|   | groovy:50)   |         |        |
|   | at com.kms.katalon.core.webservice.keyword.builtin.  |         |        |
|   | Verify Response Status Code Keyword. verify Status Code (Verify Response Status Code Keyword.)                                       |         |        |
|   | groovy:52)   |         |        |
|   | at com.kms.katalon.core.webservice.keyword.builtin.  |         |        |
|   | VerifyResponseStatusCodeKeyword.access\$1(VerifyResponseStatusCodeKeyword.groovy)  |         |        |
|   | at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword\$_verifyResponseStatusCode_closure1.doCall      |         |        |
|   | (VerifyResponseStatusCodeKeyword.groovy:42)  |         |        |
|   | at com.kms.katalon.core.webservice.keyword.builtin.  |         |        |
|   | VerifyResponseStatusCodeKeyword\$_verifyResponseStatusCode_closure1.call   |         |        |
|   | (VerifyResponseStatusCodeKeyword.groovy)   |         |        |
|   | at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword  |         |        |
|   | (KeywordMain.groovy:74)  |         |        |
|   | at com.kms.katalon.core.webservice.keyword.builtin.  |         |        |
|   | VerifyResponseStatusCodeKeyword.verifyResponseStatusCode   |         |        |
|   | (VerifyResponseStatusCodeKeyword.groovy:37)  |         |        |
|   | at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.execute(VerifyResponseStatusCodeKeyword.groovy: |         |        |
|   | 32)  |         |        |
|   | at com.kms.katalon.core.keyword.internal.KeywordExecutor.  |         |        |
|   | executeKeywordForPlatform(KeywordExecutor.groovy:74)   |         |        |
|   | at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords.  |         |        |
|   | verifyResponseStatusCode(WSBuiltInKeywords.groovy:345)   |         |        |
|   | at com.kms.katalon.core.webservice.keyword.  |         |        |
|   | WSBuiltInKeywords\$verifyResponseStatusCode\$0.call(Unknown Source)  |         |        |
|   | at TCN-034_Create company without name.run(TCN-034_Create company without name:22)   |         |        |
|   | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)   |         |        |
|   | at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.   |         |        |
|   | java:119)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  |         |        |
|   | java:448)  |         |        |
|   | $at\ com. kms. katalon. core. main. Test Case Executor. do Execute (Test Case Executor.)$  |         |        |
|   | java:439)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  |         |        |
|   | (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  |         |        |
|   | (TestCaseExecutor.java:410)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  |         |        |
|   | java:285)  |         |        |
|   | at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  |         |        |
|   | (CommonExecutor.java:65)   |         |        |
|   | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  |         |        |
|   | (TestSuiteExecutor.java:144)   |         |        |
|   | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:   |         |        |
|   | 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:   |         |        |
|   | 185)   |         |        |
|   | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown  |         |        |
|   | Source)  |         |        |
|   | at TempTestSuite1670158972903.run(TempTestSuite1670158972903.groovy:36)  |         |        |
|   |  |         |        |

# TCN-034\_Create company without name

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
|   |             |         |        |
|   |             |         |        |
|   |             |         |        |

## TCN-035\_Create company without description

#### Information

ID Test Cases/Company/Negative/TCN-035\_Create company without description

Description

Tag

Start 2022-12-04 20:03:19 End 2022-12-04 20:03:34

Elapsed 14.287s Status FAILED

#### Details

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 1 | response = sendRequest(findTestObject("Company/Create company without description")) | 14.015s | PASSED |

# TCN-035\_Create company without description

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 2 | verifyResponseStatusCode(response, 400)  | 0.005s  | FAILED |
|   |  |         |        |
|   | Unable to verify response status code (Root cause: com.kms.katalon.core.exception.                       |         |        |
|   | StepFailedException: Expected status code is '400' but actual status code is '200'                       |         |        |
|   | at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.                             |         |        |
|   | groovy:50) at com.kms.katalon.core.webservice.keyword.builtin.   |         |        |
|   | VerifyResponseStatusCodeKeyword.verifyStatusCode(VerifyResponseStatusCodeKeyword.                        |         |        |
|   | groovy:52)   |         |        |
|   | at com.kms.katalon.core.webservice.keyword.builtin.  |         |        |
|   | VerifyResponseStatusCodeKeyword.access\$1(VerifyResponseStatusCodeKeyword.groovy)                        |         |        |
|   | at com.kms.katalon.core.webservice.keyword.builtin.  |         |        |
|   | VerifyResponseStatusCodeKeyword\$_verifyResponseStatusCode_closure1.doCall                               |         |        |
|   | (VerifyResponseStatusCodeKeyword.groovy:42)  |         |        |
|   | at com.kms.katalon.core.webservice.keyword.builtin.  |         |        |
|   | VerifyResponseStatusCodeKeyword\$_verifyResponseStatusCode_closure1.call                                 |         |        |
|   | (VerifyResponseStatusCodeKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword |         |        |
|   | (KeywordMain.groovy:74)  |         |        |
|   | at com.kms.katalon.core.webservice.keyword.builtin.  |         |        |
|   | VerifyResponseStatusCodeKeyword.verifyResponseStatusCode   |         |        |
|   | (VerifyResponseStatusCodeKeyword.groovy:37)  |         |        |
|   | at com.kms.katalon.core.webservice.keyword.builtin.  |         |        |
|   | VerifyResponseStatusCodeKeyword.execute(VerifyResponseStatusCodeKeyword.groovy:                          |         |        |
|   | 32)  |         |        |
|   | at com.kms.katalon.core.keyword.internal.KeywordExecutor.  |         |        |
|   | executeKeywordForPlatform(KeywordExecutor.groovy:74)   |         |        |
|   | at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords.  |         |        |
|   | verifyResponseStatusCode(WSBuiltInKeywords.groovy:345) at com.kms.katalon.core.webservice.keyword.       |         |        |
|   | WSBuiltInKeywords\$verifyResponseStatusCode\$0.call(Unknown Source)                                      |         |        |
|   | at TCN-035_Create company without description.run(TCN-035_Create company                                 |         |        |
|   | without description:22)  |         |        |
|   | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)                                     |         |        |
|   | $at\ com. kms. katalon. core. main. Script Engine. run Script As Raw Text (Script Engine.$               |         |        |
|   | java:119)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.                                |         |        |
|   | java:448)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.                                |         |        |
|   | java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase                            |         |        |
|   | (TestCaseExecutor.java:418)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  |         |        |
|   | (TestCaseExecutor.java:410)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.                                  |         |        |
|   | java:285)  |         |        |
|   | at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase                                    |         |        |
|   | (CommonExecutor.java:65)   |         |        |
|   | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase                                  |         |        |
|   | (TestSuiteExecutor.java:144)   |         |        |
|   | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:                           |         |        |
|   | 106)   |         |        |
|   | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)                         |         |        |
|   | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown                                |         |        |
|   | Source)  |         |        |
|   | at TempTestSuite1670158972903.run(TempTestSuite1670158972903.groovy:36)                                  |         |        |
|   |  |         |        |
|   |  |         |        |

# TCN-035\_Create company without description

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
|   |             |         |        |
|   |             |         |        |
|   |             |         |        |

### Create card without name

#### Information

ID Test Cases/Card/Negative/Create card without name

Description

Tag

Start 2022-12-04 20:03:34 End 2022-12-04 20:03:35

Elapsed 1.152s Status FAILED

#### Details

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 1 | response = sendRequest(findTestObject("Card/Create card without name")) | 0.875s  | PASSED |

### Create card without name

| Description  | Elapsed | Status |
|--|---------|--------|
| verifyResponseStatusCode(response, 400)  | 0.003s  | FAILED |
| Hankle to coefficient and the said (Doct assessment less lately and assessment)  |         |        |
| Unable to verify response status code (Root cause: com.kms.katalon.core.exception.   |         |        |
| StepFailedException: Expected status code is '400' but actual status code is '200'   |         |        |
| at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.   |         |        |
| groovy:50)   |         |        |
| at com.kms.katalon.core.webservice.keyword.builtin.  |         |        |
| VerifyResponseStatusCodeKeyword.verifyStatusCode(VerifyResponseStatusCodeKeyword.verifyStatusCode(VerifyResponseStatusCodeKeyword.verifyStatusCode(VerifyResponseStatusCodeKeyword.verifyStatusCode(VerifyResponseStatusCodeKeyword.verifyStatusCode(VerifyResponseStatusCodeKeyword.verifyStatusCode(VerifyResponseStatusCodeKeyword.verifyStatusCode(VerifyResponseStatusCodeKeyword.verifyStatusCode(VerifyResponseStatusCodeKeyword.verifyStatus |         |        |
| groovy:52)   |         |        |
| at com.kms.katalon.core.webservice.keyword.builtin.  |         |        |
| VerifyResponseStatusCodeKeyword.access\$1(VerifyResponseStatusCodeKeyword.groovy)  |         |        |
| at com.kms.katalon.core.webservice.keyword.builtin.  |         |        |
| VerifyResponseStatusCodeKeyword\$_verifyResponseStatusCode_closure1.doCall   |         |        |
| (VerifyResponseStatusCodeKeyword.groovy:42)  |         |        |
| at com.kms.katalon.core.webservice.keyword.builtin.  |         |        |
| VerifyResponseStatusCodeKeyword\$_verifyResponseStatusCode_closure1.call   |         |        |
| (VerifyResponseStatusCodeKeyword.groovy)   |         |        |
| at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword  |         |        |
| (KeywordMain.groovy:74)  |         |        |
| at com.kms.katalon.core.webservice.keyword.builtin.  |         |        |
| VerifyResponseStatusCodeKeyword.verifyResponseStatusCode   |         |        |
| (VerifyResponseStatusCodeKeyword.groovy:37)  |         |        |
| at com.kms.katalon.core.webservice.keyword.builtin.  |         |        |
| VerifyResponseStatusCodeKeyword.execute(VerifyResponseStatusCodeKeyword.groovy: 32)  |         |        |
| at com.kms.katalon.core.keyword.internal.KeywordExecutor.  |         |        |
| executeKeywordForPlatform(KeywordExecutor.groovy:74)   |         |        |
| at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords.  |         |        |
| verifyResponseStatusCode(WSBuiltInKeywords.groovy:345)   |         |        |
| at com.kms.katalon.core.webservice.keyword.  |         |        |
| WSBuiltInKeywords\$verifyResponseStatusCode\$0.call(Unknown Source)  |         |        |
| at Create card without name.run(Create card without name:22)   |         |        |
| at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)   |         |        |
| at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.   |         |        |
| java:119)  |         |        |
| at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  |         |        |
| java:448)  |         |        |
| at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  |         |        |
| java:439)  |         |        |
| at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  |         |        |
| (TestCaseExecutor.java:418)  |         |        |
| at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  |         |        |
| (TestCaseExecutor.java:410)  |         |        |
| at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  |         |        |
| java:285)  |         |        |
| at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  |         |        |
| (CommonExecutor.java:65)   |         |        |
| at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  |         |        |
| (TestSuiteExecutor.java:144)   |         |        |
| at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:   |         |        |
| 106)   |         |        |
| at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  |         |        |
| 185)   |         |        |
| at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown  |         |        |
| Source)  |         |        |
| at TempTestSuite1670158972903.run(TempTestSuite1670158972903.groovy:36)  |         |        |
| \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \  |         |        |

### Create card without name

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
|   |             |         |        |
|   |             |         |        |
|   |             |         |        |

## TCN-030\_Create blash without title

#### Information

ID Test Cases/Blash/Negative/TCN-030\_Create blash without title

Description

Tag

Start 2022-12-04 20:03:35 End 2022-12-04 20:03:36

Elapsed 1.062s Status PASSED

#### **Details**

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 1 | response = sendRequest(findTestObject("Blash/Create blash without title"))        | 0.721s  | PASSED |
|   | Send request successfully   |         |        |
| 2 | verifyResponseStatusCode(response, 400)  Verify response status code successfully | 0.002s  | PASSED |
|   |   |         |        |
| 3 | verifyElementPropertyValue(response, "message", "Field parameter not complete.")  | 0.057s  | PASSED |

Verify element property value successfully

## TCN-031\_Create blash without description

#### Information

ID Test Cases/Blash/Negative/TCN-031\_Create blash without description

Description

Tag

Start 2022-12-04 20:03:36 End 2022-12-04 20:03:37

Elapsed 1.104s Status FAILED

#### Details

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 1 | response = sendRequest(findTestObject("Blash/Create blash without description")) | 0.844s  | PASSED |

## TCN-031\_Create blash without description

| Unable to verify response status code (Root cause: com.kms.katalon.core.exception. StepFailedException: Expected status code is '400' but actual status code is '200' at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain. groovy:50) al com.kms.katalon.core.webservice.keyword.builtin. VerifyResponseStatusCodeKeyword.verifyStatusCode(VerifyResponseStatusCodeKeyword.groovy):52) at com.kms.katalon.core.webservice.keyword.builtin. VerifyResponseStatusCodeKeyword.access\$1(VerifyResponseStatusCodeKeyword.groovy) at com.kms.katalon.core.webservice.keyword.builtin. VerifyResponseStatusCodeKeyword.verifyResponseStatusCode closure1.doCall (VerifyResponseStatusCodeKeyword; verifyResponseStatusCode closure1.doCall (VerifyResponseStatusCodeKeyword; verifyResponseStatusCode closure1.call (VerifyResponseStatusCodeKeyword, groovy) at com.kms.katalon.core.keyword.internal.Keyword.builtin. VerifyResponseStatusCodeKeyword, groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.keyword.internal.Keyword.builtin. VerifyResponseStatusCodeKeyword.verifyResponseStatusCode (VerifyResponseStatusCodeKeyword.verifyResponseStatusCode (VerifyResponseStatusCodeKeyword.verifyResponseStatusCode (VerifyResponseStatusCodeKeyword.verifyResponseStatusCode (VerifyResponseStatusCodeKeyword.verifyResponseStatusCode (VerifyResponseStatusCodeKeyword.covy) at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.covy.37) at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.covy.37) at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.covy.37) at com.kms.katalon.core.webservice.keyword.builtin.verifyResponseStatusCodeKeyword.covy.37) at com.kms.katalon.core.main.scriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.scriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.scriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor | Unable to verify response status code (Root cause: com.kms.katalon.core.exception. StepFailedException: Expected status code is '400' but actual status code is '200' | 0.004s | FAILED |
|---|---|--------|--------|
| StepFalledException: Expected status code is '400' but actual status code is '200' at com.kms.katalon.core.keyword.internal.KeywordMain.stepFalled(KeywordMain.groovy:50)  at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.verifyStatusCode(VerifyResponseStatusCodeKeyword.groovy:52)  at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.access51(VerifyResponseStatusCodeKeyword.groovy)  at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.yerifyResponseStatusCode_closure1.doCall  (VerifyResponseStatusCodeKeyword, verifyResponseStatusCode_closure1.doCall  (VerifyResponseStatusCodeKeyword, verifyResponseStatusCode_closure1.doCall  (VerifyResponseStatusCodeKeyword, verifyResponseStatusCode_closure1.call  (VerifyResponseStatusCodeKeyword, verifyResponseStatusCode_closure1.call  (VerifyResponseStatusCodeKeyword, verifyResponseStatusCode(closure1.call  (VerifyResponseStatusCodeKeyword, verifyResponseStatusCode(closure1.call  (VerifyResponseStatusCodeKeyword, verifyResponseStatusCode(closure1.call  (VerifyResponseStatusCodeKeyword, verifyResponseStatusCode(closure1.call  (VerifyResponseStatusCodeKeyword, verifyResponseStatusCode(closure1.call  (VerifyResponseStatusCodeKeyword, verifyResponseStatusCodeKeyword.groovy:37)  at com.kms.katalon.core.keyword.witernal.KeywordExecutor.  verifyResponseStatusCodeKeyword, verifyResponseStatusCodeKeyword.groovy:32)  at com.kms.katalon.core.keyword.witernal.KeywordExecutor.  verifyResponseStatusCode(WSbuiltinKeywords.groovy:34)  at com.kms.katalon.core.webservice.keyword.WSBuiltinKeywords.  verifyResponseStatusCode(WSbuiltinKeywords.groovy:34)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:19)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:19)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMain.phase  (TestSuiteExecutor.java:140)  at com.kms.katalon.  | StepFailedException: Expected status code is '400' but actual status code is '200'  |        |        |
| StepFailedException: Expected status code is '400' but actual status code is '200' at com.kms. katalon.core.keyword.internal.Keywordbain.stepFailed(KeywordMain.groovy:50)  at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.verifyStatusCode(VerifyResponseStatusCodeKeyword.groovy:52) at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.access§1(VerifyResponseStatusCodeKeyword.groovy) at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.yerifyResponseStatusCode_closure1.doCall  (VerifyResponseStatusCodeKeyword; verifyResponseStatusCode_closure1.doCall  (VerifyResponseStatusCodeKeyword; verifyResponseStatusCode_closure1.doCall  (VerifyResponseStatusCodeKeyword; verifyResponseStatusCode_closure1.cell  (VerifyResponseStatusCodeKeyword; verifyResponseStatusCode_closure1.cell  (VerifyResponseStatusCodeKeyword; verifyResponseStatusCode_closure1.cell  (VerifyResponseStatusCodeKeyword; verifyResponseStatusCode(closure1.cell)  (VerifyResponseStatusCodeKeyword; verifyResponseStatusCode(closure1.cell)  (VerifyResponseStatusCodeKeyword; verifyResponseStatusCode(closure1.cell)  (VerifyResponseStatusCodeKeyword; verifyResponseStatusCode(closure1.cell)  (VerifyResponseStatusCodeKeyword; verifyResponseStatusCodeKeyword; verifyResponseStatusCode(closure1.ce)  verifyResponseStatusCodeKeyword; verifyResponseStatusCodeKeyw  | StepFailedException: Expected status code is '400' but actual status code is '200'  |        |        |
| at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.groovy:50) at com.kms.katalon.core.webservice.keyword.builtin. VerifyResponseStatusCodeKeyword.verifyStatusCode(VerifyResponseStatusCodeKeyword.groovy) at com.kms.katalon.core.webservice.keyword.builtin. VerifyResponseStatusCodeKeyword.spoovy) at com.kms.katalon.core.webservice.keyword.builtin. VerifyResponseStatusCodeKeyword.groovy/a2) at com.kms.katalon.core.webservice.keyword.builtin. VerifyResponseStatusCodeKeyword.groovy/a2) at com.kms.katalon.core.webservice.keyword.builtin. VerifyResponseStatusCodeKeyword.groovy/a2) at com.kms.katalon.core.webservice.keyword.builtin. VerifyResponseStatusCodeKeyword.groovy/a2) at com.kms.katalon.core.webservice.keyword.builtin. VerifyResponseStatusCodeKeyword.groovy/acy/acy/acy/acy/acy/acy/acy/acy/acy/ac   |   |        |        |
| groovy:50) at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.verifyStatusCode(VerifyResponseStatusCodeKeyword.groovy:52) at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.access\$1 (VerifyResponseStatusCodeKeyword.groovy) at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeywordS.verifyResponseStatusCode_closure1.doCail  (VerifyResponseStatusCodeKeywordS.verifyResponseStatusCode_closure1.doCail  (VerifyResponseStatusCodeKeywordS.verifyResponseStatusCode_closure1.cail  (VerifyResponseStatusCodeKeywordS.verifyResponseStatusCode_closure1.cail  (VerifyResponseStatusCodeKeywordS.verifyResponseStatusCode_closure1.cail  (VerifyResponseStatusCodeKeyword.groovy) at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.groovy.37) at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.groovy.37) at com.kms.katalon.core.webservice.keyword builtin.  VerifyResponseStatusCodeKeyword.execute(VerifyResponseStatusCodeKeyword.groovy.32) at com.kms.katalon.core.keyword.internal.KeywordExecutor.  verifyResponseStatusCodeKeyword.execute(VerifyResponseStatusCodeKeyword.groovy.32) at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.execute(VerifyResponseStatusCodeKeyword.groovy.32) at com.kms.katalon.core.webservice.keyword.webservice.keywordExecutor.  verifyResponseStatusCodeKeyword.groovy.34) at com.kms.katalon.core.webservice.keyword.webservice.keywordExecutor.groovy.34) at com.kms.katalon.core.mebservice.keyword.webservice.keywordExecutor.groovy.34) at com.kms.katalon.core.mebservice.keyword.webservice.keywordExecutor.groovy.34) at com.kms.katalon.core.mebservice.keyword.webservice.keywordExecutor.groovy.34) at com.kms.katalon.core.mebservice.keyword.webservice.keywordExecutor.groovy.34) at com.kms.katalon.core.mebservice.keyword.webservice.keywordExecutor.groovy.34) at com.kms.katalon.core.mein.TestCaseExecutor.avcsexExecutor.processExecutor.groo |   |        |        |
| at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.verifyStatusCode(VerifyResponseStatusCodeKeyword.groovy.52) at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.groovy.42) at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.groovy.42) at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.groovy.42) at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.groovy.42 at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.groovy.42 at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.groovy.42 at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.groovy.37 at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.groovy.37 at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.groovy.37 at com.kms.katalon.core.webservice.keyword.groovy.32 at com.kms.katalon.core.webservice.keyword.groovy.32 at com.kms.katalon.core.webservice.keyword.groovy.32 at com.kms.katalon.core.webservice.keyword.groovy.33 at com.kms.katalon.core.webservice.keyword.groovy.33 at com.kms.katalon.core.webservice.keyword.groovy.33 at com.kms.katalon.core.webservice.keyword.groovy.33 at com.kms.katalon.core.webservice.keyword.groovy.34 at com.kms.katalon.core.webservice.keyword.groovy.34 at com.kms.katalon.core.mebservice.keyword.groovy.34 at com.kms.katalon.core.mebservice.keyword.groovy.34 at com.kms.katalon.core.mebservice.keyword.groovy.34 at com.kms.katalon.core.main.TesiCaseExecutor.groovy.74 at com.kms.kata  |   |        |        |
| VerifyResponseStatusCodeKeyword.verifyStatusCode(VerifyResponseStatusCodeKeyword.groovy)52) at com.kms.katalon.core.webservice.keyword.builtin. VerifyResponseStatusCodeKeyword.access51(VerifyResponseStatusCodeKeyword.groovy) at com.kms.katalon.core.webservice.keyword.builtin. VerifyResponseStatusCodeKeyword.verifyResponseStatusCode.closure1.doCall (VerifyResponseStatusCodeKeyword.groovy-2) at com.kms.katalon.core.webservice.keyword.builtin. VerifyResponseStatusCodeKeyword.groovy-2) at com.kms.katalon.core.webservice.keyword.builtin. VerifyResponseStatusCodeKeyword.groovy-2) at com.kms.katalon.core.webservice.keyword.builtin. VerifyResponseStatusCodeKeyword.groovy-2) at com.kms.katalon.core.webservice.keyword.builtin. VerifyResponseStatusCodeKeyword.groovy-37) at com.kms.katalon.core.webservice.keyword.builtin. VerifyResponseStatusCodeKeyword.groovy-37) at com.kms.katalon.core.webservice.keyword.builtin. VerifyResponseStatusCodeKeyword.groovy-37) at com.kms.katalon.core.webservice.keyword.builtin. VerifyResponseStatusCodeKeyword.groovy-37) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordFortPlatform(KeywordExecutor.groovy-74) at com.kms.katalon.core.keyword.wecutor.groovy-74) at com.kms.katalon.core.webservice.keyword.wecutor.verifyResponseStatusCodeKeywordFortPlatform(KeywordExecutor.groovy-345) at com.kms.katalon.core.webservice.keyword.wecutor.groovy-345) at com.kms.katalon.core.means.griptEngine.run(ScriptEngine.java-194) at com.kms.katalon.core.means.griptEngine.run(ScriptEngine.java-194) at com.kms.katalon.core.means.griptEngine.run(ScriptEngine.java-194) at com.kms.katalon.core.means.griptEngine.runScriptAsRawText(ScriptEngine.java-194) at com.kms.katalon.core.means.TestCaseExecutor.processExecutor.phase (TestCaseExecutor.java-148) at com.kms.katalon.core.means.TestCaseExecutor.accessTestCaseMainPhase (TestCaseExecutor.java-149) at com.kms.katalon.core.means.TestCaseMain.startTestSuiteExecutor.java-140) at com.kms.katalon.core.means.TestCaseMain.startTestSuiteCaseMain.java-166) at   |   |        |        |
| groovy:52) at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.access\$1 (VerifyResponseStatusCodeKeyword.groovy) at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeywords.verifyResponseStatusCode_closure1.doCall  (VerifyResponseStatusCodeKeywords_verifyResponseStatusCode_closure1.call  (VerifyResponseStatusCodeKeywords_verifyResponseStatusCode_closure1.call  (VerifyResponseStatusCodeKeywords_verifyResponseStatusCode_closure1.call  (VerifyResponseStatusCodeKeywords_verifyResponseStatusCode_closure1.call  (VerifyResponseStatusCodeKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword  (KeywordMain.groovy:74) at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.verifyResponseStatusCode  (VerifyResponseStatusCodeKeyword.yeryordSideCode(VerifyResponseStatusCodeKeyword.groovy: 32) at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.groovy: 32) at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCode(Weyword.groovy: 32) at com.kms.katalon.core.webservice.keyword.WiSbuiltInKeywords.verifyResponseStatusCode(WSbuiltInKeywords.verifyResponseStatusCode( |   |        |        |
| VerifyResponseStatusCodeKeyword.access\$1 (VerifyResponseStatusCodeKeyword.groovy) at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeywords_verifyResponseStatusCode_closure1.doCall (VerifyResponseStatusCodeKeywords_verifyResponseStatusCode_closure1.call (VerifyResponseStatusCodeKeywords_verifyResponseStatusCode_closure1.call (VerifyResponseStatusCodeKeywords_verifyResponseStatusCode_closure1.call (VerifyResponseStatusCodeKeyword.groov)) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groov):74) at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.groov):37) at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.groov):37) at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.groov):37) at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.execute(VerifyResponseStatusCodeKeyword.groov):32) at com.kms.katalon.core.keyword.internal.KeywordExecutor.  rexecuteKeywordForPlatform(KeywordExecutor.groov):74) at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords.  verifyResponseStatusCode(WSBuiltInKeywords.groov):345) at com.kms.katalon.core.webservice.keyword.  WSBuiltInKeywordsSverifyResponseStatusCodeSt.call(Unknown Source) at TCN-031_Create biash without descripton.runfCN-031_Create biash without description.runfCN-031_create biash without description.ion.runfCN-031_create biash without description.ion.runfCN-031_create biash without description.ion.runfCN-031_create biash without description.runfCN-031_create biash without description.ion.runfCN-031_create biash without description.ion.runfCN-031_creat |   |        |        |
| at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.yevifyResponseStatusCode_closure1.doCall  (VerifyResponseStatusCodeKeyword.yevifyResponseStatusCode_closure1.call  (VerifyResponseStatusCodeKeyword.yevifyResponseStatusCode_closure1.call  (VerifyResponseStatusCodeKeyword.yevifyResponseStatusCode_closure1.call  (VerifyResponseStatusCodeKeyword.yevifyResponseStatusCode(keyword.yevifyResponseStatusCodeKeyword.ye  | at com.kms.katalon.core.webservice.keyword.builtin.   |        |        |
| VerifyResponseStatusCodeKeywords_verifyResponseStatusCode_closure1.doCall (VerifyResponseStatusCodeKeywords_verifyResponseStatusCode_closure1.call (VerifyResponseStatusCodeKeywords_verifyResponseStatusCode_closure1.call (VerifyResponseStatusCodeKeywords_verifyResponseStatusCode_closure1.call (VerifyResponseStatusCodeKeyword.groov))     at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy.74)     at com.kms.katalon.core.webservice.keyword.builtin. VerifyResponseStatusCodeKeyword.groovy.37)     at com.kms.katalon.core.webservice.keyword.builtin. VerifyResponseStatusCodeKeyword.groovy.37)     at com.kms.katalon.core.webservice.keyword.builtin. VerifyResponseStatusCodeKeyword.execute(VerifyResponseStatusCodeKeyword.groovy.32)     at com.kms.katalon.core.webservice.keyword.builtin. VerifyResponseStatusCodeKeyword.execute(VerifyResponseStatusCodeKeyword.groovy.32)     at com.kms.katalon.core.webservice.keyword.wSbuiltinKeywords. verifyResponseStatusCode(WSbuiltinKeywords.groovy.74)     at com.kms.katalon.core.webservice.keyword.WSbuiltinKeywords. verifyResponseStatusCode(WSbuiltinKeywords.groovy.345)     at com.kms.katalon.core.webservice.keyword. WSbuiltinKeywordsSverifyResponseStatusCode\$0.call(Unknown Source)     at TCN-031_Create blash without description.runTcN-031_Create blash without description.22)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutor(TestCaseExecutor.java:448)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutor(TestCaseExecutor.java:449)     at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (TestCaseExecutor.java:440)     at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:440)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:105)     at com.kms.katalon.core.main.TestCaseM | VerifyResponseStatusCodeKeyword.access\$1(VerifyResponseStatusCodeKeyword.groovy)   |        |        |
| (VerifyResponseStatusCodeKeyword_verifyResponseStatusCode_closure1.call  VerifyResponseStatusCodeKeyword_verifyResponseStatusCode_closure1.call  (VerifyResponseStatusCodeKeyword_verifyResponseStatusCode_closure1.call  (VerifyResponseStatusCodeKeyword_orovy)  at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword  (KeywordMain.groovy-74)  at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword_verifyResponseStatusCode  (VerifyResponseStatusCodeKeyword_orovy:37)  at com.kms.katalon.core.webservice.keyword_builtin.  VerifyResponseStatusCodeKeyword_orovy:37)  at com.kms.katalon.core.webservice.keyword_builtin.  VerifyResponseStatusCodeKeyword_orovy:37)  at com.kms.katalon.core.webservice.keyword_builtin.  VerifyResponseStatusCodeKeyword_orovy:37)  at com.kms.katalon.core.webservice.keyword_wsSuiltinKeywords.  verifyResponseStatusCode(WSBuiltinKeywords_groovy:345)  at com.kms.katalon.core.webservice.keyword_wsSuiltinKeywords.  verifyResponseStatusCode(WSBuiltinKeywords_groovy:345)  at com.kms.katalon.core.webservice.keyword.  WSBuiltinKeywordsSverifyResponseStatusCodeSo.call(Unknown Source)  at TCN-031_Create blash without description.run(TCN-031_Create blash without description.run(T  |   |        |        |
| at com. kms. katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeywords_verifyResponseStatusCode_closure1.call  (VerifyResponseStatusCodeKeyword.groovy)     at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword  (KeywordMain.groovy:74)     at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.groovy:37)     at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.groovy:37)     at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.execute(VerifyResponseStatusCodeKeyword.groovy:32)     at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.execute(VerifyResponseStatusCodeKeyword.groovy:32)     at com.kms.katalon.core.webservice.keyword.WSBuiltinKeywords.  verifyResponseStatusCode(WSBuiltInKeywords.groovy:345)     at com.kms.katalon.core.webservice.keyword.WSBuiltinKeywords.  verifyResponseStatusCode(WSBuiltInKeywords.groovy:345)     at com.kms.katalon.core.webservice.keyword.  WSBuiltInKeywordsSverifyResponseStatusCode\$0.call(Unknown Source)     at TCN-031_Create blash without description.run(TCN-031_Create blash without description:22)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java-194)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java-194)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java-148)     at com.kms.katalon.core.main.TestCaseExecutor.groovsSExecutionPhase  (TestCaseExecutor.java-140)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java-141)     at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase  (TestCaseExecutor.java-144)     at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java-144)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  185)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  185)  | VerifyResponseStatusCodeKeyword\$_verifyResponseStatusCode_closure1.doCall  |        |        |
| VerifyResponseStatusCodeKeywordS_roorty) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy.74) at com.kms.katalon.core.webservice.keyword.builtin. VerifyResponseStatusCodeKeyword.groovy.37) at com.kms.katalon.core.webservice.keyword.builtin. VerifyResponseStatusCodeKeyword.groovy.37) at com.kms.katalon.core.webservice.keyword.builtin. VerifyResponseStatusCodeKeyword.groovy.37) at com.kms.katalon.core.webservice.keyword.builtin. VerifyResponseStatusCodeKeyword.groovy.37) at com.kms.katalon.core.keyword.groovy.37 at com.kms.katalon.core.keyword.groovy.37 at com.kms.katalon.core.webservice.keywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy.34) at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords. verifyResponseStatusCode(WSBuiltInKeywords.groovy.345) at com.kms.katalon.core.webservice.keyword. WSBuiltInKeywordsSverifyResponseStatusCode\$0.call(Unknown Source) at TCN-031_Create blash without description.runfCoN-031_Create blash without description.22) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.deExecute(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestCaseExecutor.java:45) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestCaseExecutor.java:46) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 107 by at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 108 by at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 10 |   |        |        |
| (VerifyResponseStatusCodeKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.webservice.keyword.builtin. VerifyResponseStatusCodeKeyword.groovy:37) at com.kms.katalon.core.webservice.keyword.builtin. VerifyResponseStatusCodeKeyword.groovy:37) at com.kms.katalon.core.webservice.keyword.builtin. VerifyResponseStatusCodeKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords. verifYResponseStatusCodefWSBuiltInKeywords.groovy:345) at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords. verifYResponseStatusCodefWSBuiltInKeywords.groovy:345) at com.kms.katalon.core.webservice.keyword. WSBuiltInKeywords\$verifyResponseStatusCode\$0.call(Unknown Source) at TCN-031_Create blash without description.run(TCN-031_Create blash without description:22) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutor.phase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestCaseExecutor.java:414) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:414) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteExecutor.java:140) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteExecutor.java:140  | ·   |        |        |
| at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.yerifyResponseStatusCode (VerifyResponseStatusCodeKeyword.groovy:37) at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.execute(VerifyResponseStatusCodeKeyword.groovy:32) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords. verifyResponseStatusCode(WSBuiltInKeywords.groovy:345) at com.kms.katalon.core.webservice.keyword. WSBuiltInKeywordsSverifyResponseStatusCode\$0.call(Unknown Source) at TCN-031_Create blash without description.run(TCN-031_Create blash without description:22) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:245) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseExecutor.java:245) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:245) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:245) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestCaseExecutor.java:414) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteExecutor.java:  |   |        |        |
| (KeywordMain.groovy:74) at com.kms.katalon.core.webservice.keyword.builtin. VerifyResponseStatusCodeKeyword.verifyResponseStatusCode (VerifyResponseStatusCodeKeyword.groovy:37) at com.kms.katalon.core.webservice.keyword.builtin. VerifyResponseStatusCodeKeyword.execute(VerifyResponseStatusCodeKeyword.groovy:32) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords. verifyResponseStatusCode(WSBuiltInKeywords.groovy:345) at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords. verifyResponseStatusCode(WSBuiltInKeywords.groovy:345) at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords.verifyResponseStatusCode\$0.call(Unknown Source) at TCN-031_Create blash without description.runfTCN-031_Create blash without description:22) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptCreatCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (CommonExecutor.java:416) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteExecutor.pava:00000000000000000000000000000000000   |   |        |        |
| at com.kms.katalon.core.webservice.keyword builtin.  VerifyResponseStatusCodeKeyword.groovy:37)     at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.groovy:37)     at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.execute(VerifyResponseStatusCodeKeyword.groovy:32)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords.  verifyResponseStatusCode(WSBuiltInKeywords.groovy:345)     at com.kms.katalon.core.webservice.keyword.  WSBuiltInKeywordsSverifyResponseStatusCode\$0.call(Unknown Source)     at ToN-031_Create blash without description.run(TCN-031_Create blash without description:22)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.TestCaseExecutor.unScriptAsRawText(ScriptEngine.java:199)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)     at com.kms.katalon.core.main.TestCaseExecutor.deExecute(TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseExecutor.java:265)     at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (CestSuiteExecutor.java:45)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:414)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:414)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:414)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:414)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)   |   |        |        |
| VerifyResponseStatusCodeKeyword.verifyResponseStatusCode (VerifyResponseStatusCodeKeyword.cove.wbservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.execute(VerifyResponseStatusCodeKeyword.groovy: 32)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:74)  at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords.  verifyResponseStatusCode(WSBuiltInKeywordS.groovy:345)  at com.kms.katalon.core.webservice.keyword.  WSBuiltInKeywordsSverifyResponseStatusCode\$0.call(Unknown Source)  at TCN-031_Create blash without description.run(TCN-031_Create blash without description:22)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:148)  at com.kms.katalon.core.main.TestCaseExecutor.deExecute(TestCaseExecutor.java:448)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (TestCaseExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:144)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  107    |   |        |        |
| (VerifyResponseStatusCodeKeyword.groovy:37)     at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.execute(VerifyResponseStatusCodeKeyword.groovy: 32)     at com.kms.katalon.core.keyword.internal.KeywordExecutor.     executeKeywordFortPlatform(KeywordExecutor.groovy:74)         at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords.  verifyResponseStatusCode(WSBuiltInKeywords.yovy:345)     at com.kms.katalon.core.webservice.keyword.  WSBuiltInKeywordsSverifyResponseStatusCode\$0.call(Unknown Source)     at TCN-031_Create blash without description.run(TCN-031_Create blash without description:22)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseExecutor.java:285)     at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase  (TestCaseExecutor.java:414)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:444)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:444)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)   |   |        |        |
| at com.kms.katalon.core.webservice.keyword.builtin.  VerifyResponseStatusCodeKeyword.execute(VerifyResponseStatusCodeKeyword.groovy: 32)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:74)  at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords.  verifyResponseStatusCode(WSBuiltInKeywords.groovy:345)  at com.kms.katalon.core.webservice.keyword.  WSbuiltInKeywordsSverifyResponseStatusCode(So.Call(Unknown Source)  at TCN-031_Create blash without description.run(TCN-031_Create blash without description:22)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptGrestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:414)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:444)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:414)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:416)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:418)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:418)  |   |        |        |
| VerifyResponseStatusCodeKeyword.execute(VerifyResponseStatusCodeKeyword.groovy: 32) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords. verifyResponseStatusCode(WSBuiltInKeywords.groovy:345) at com.kms.katalon.core.webservice.keyword. WSBuiltInKeywords\$verifyResponseStatusCode\$0.call(Unknown Source) at TCN-031_Create blash without description.run(TCN-031_Create blash without description:22) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptGriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:245) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:265) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:344) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:346) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:346)  |   |        |        |
| at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords. verifyResponseStatusCode(WSBuiltInKeywords.groovy:345) at com.kms.katalon.core.webservice.keyword. WSBuiltInKeywords\$verifyResponseStatusCode\$0.call(Unknown Source) at TCN-031_Create blash without description.run(TCN-031_Create blash without description:22) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.com.non.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.com.non.CommonExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:144) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:144) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(Unknown Source)   | ·   |        |        |
| at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords. verifyResponseStatusCode(WSBuiltInKeywords.groovy:345) at com.kms.katalon.core.webservice.keyword. WSBuiltInKeywords\$verifyResponseStatusCode\$0.call(Unknown Source) at TCN-031_Create blash without description.run(TCN-031_Create blash without description:22) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:444) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:144) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseMain.java:166) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseMain.java:165) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteExecutor.java:146) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteExecutor.java:166)   |   |        |        |
| executeKeywordForPlatform(KeywordExecutor.groovy:74)  |   |        |        |
| at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords. verifyResposeStatusCode(WSBuiltInKeywords.groovy:345) at com.kms.katalon.core.webservice.keyword. WSBuiltInKeywords\$verifyResponseStatusCode\$0.call(Unknown Source) at TCN-031_Create blash without description.run(TCN-031_Create blash without description:22) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:1199) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:449) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:1444) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:106)   |   |        |        |
| verifyResponseStatusCode(WSBuiltInKeywords.groovy:345) at com.kms.katalon.core.webservice.keyword.  WSBuiltInKeywords\$verifyResponseStatusCode\$0.call(Unknown Source) at TCN-031_Create blash without description.run(TCN-031_Create blash without description:22) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:444) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)  |   |        |        |
| at com.kms.katalon.core.webservice.keyword.  WSBuiltInKeywords\$verifyResponseStatusCode\$0.call(Unknown Source) at TCN-031_Create blash without description.run(TCN-031_Create blash without description:22) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:444) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite\$0.call(Unknown Source)  |   |        |        |
| WSBuiltInKeywords\$verifyResponseStatusCode\$0.call(Unknown Source) at TCN-031_Create blash without description.run(TCN-031_Create blash without description:22) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:144) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseMainPhase (TestSuiteExecutor.java:144) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)  |   |        |        |
| at TCN-031_Create blash without description.run(TCN-031_Create blash without description:22) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:144) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite\$0.call(Unknown Source)   |   |        |        |
| description:22)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:144)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:185)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185)     at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)   |   |        |        |
| at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:144) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 186) at com.kms.katalon.core.main.TestCaseMain.startTestSuite\$0.call(Unknown Source)   |   |        |        |
| at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:144) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)   |   |        |        |
| java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:144) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)  |   |        |        |
| at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:144) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)   |   |        |        |
| java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:144) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$tartTestSuite\$0.call(Unknown Source)   |   |        |        |
| at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:144) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)  |   |        |        |
| java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:144) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)   |   |        |        |
| at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:144)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185)     at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)   |   |        |        |
| (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:144)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185)     at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)   |   |        |        |
| (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  java:285)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:144)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)     at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)   |   |        |        |
| at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:144) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)  | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase   |        |        |
| java:285)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:144)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)     at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)  | (TestCaseExecutor.java:410)   |        |        |
| at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:144)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)     at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)  | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.   |        |        |
| (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:144)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)     at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)  |   |        |        |
| at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:144)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)     at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)   |   |        |        |
| (TestSuiteExecutor.java:144)  |   |        |        |
| at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)  |   |        |        |
| 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)   |   |        |        |
| at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)   |   |        |        |
| 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)  |   |        |        |
| at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)   |   |        |        |
| Source)   |   |        |        |
|   |   |        |        |
| at Lemn LestSuite1670158972903 run/Lemn LestSuite1670158972903 aroov/236\   |   |        |        |
| at 16thp163totile1070100072300.tuti(16thp163totile1070100372300.gi00vy.50)  | at TempTestSuite1670158972903.run(TempTestSuite1670158972903.groovy:36)   |        |        |

## TCN-031\_Create blash without description

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
|   |             |         |        |
|   |             |         |        |
|   |             |         |        |

### TCN-032\_Edit blash without title

#### Information

ID Test Cases/Blash/Negative/TCN-032\_Edit blash without title

Description

Tag

Start 2022-12-04 20:03:37 End 2022-12-04 20:03:38

Elapsed 0.925s Status FAILED

#### Details

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 1 | response = sendRequest(findTestObject("Blash/Edit blash without title")) | 0.656s  | PASSED |

## TCN-032\_Edit blash without title

| Descript  | ion   | Elapsed | Status |
|-----------|---|---------|--------|
| verifyRe  | sponseStatusCode(response, 400)   | 0.004s  | FAILED |
| Unable t  | o verify response status code (Root cause: com.kms.katalon.core.exception.                              |         |        |
|           | edException: Expected status code is '400' but actual status code is '200'                              |         |        |
| •         | at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.                            |         |        |
| groovy:5  | 0)  |         |        |
|           | at com.kms.katalon.core.webservice.keyword.builtin.   |         |        |
| -         | sponseStatusCodeKeyword.verifyStatusCode(VerifyResponseStatusCodeKeyword.                               |         |        |
| groovy:5  |   |         |        |
|           | at com.kms.katalon.core.webservice.keyword.builtin.   |         |        |
| VerifyRe  | sponseStatusCodeKeyword.access\$1(VerifyResponseStatusCodeKeyword.groovy)                               |         |        |
| \         | at com.kms.katalon.core.webservice.keyword.builtin.   |         |        |
|           | sponseStatusCodeKeyword\$_verifyResponseStatusCode_closure1.doCall                                      |         |        |
| (verilyR  | esponseStatusCodeKeyword.groovy:42) at com.kms.katalon.core.webservice.keyword.builtin.                 |         |        |
| VerifyRe  | sponseStatusCodeKeyword\$_verifyResponseStatusCode_closure1.call  |         |        |
|           | esponseStatusCodeKeyword.groovy)  |         |        |
| (voinyre  | at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword   |         |        |
| (Keywor   | dMain.groovy:74)  |         |        |
|           | at com.kms.katalon.core.webservice.keyword.builtin.   |         |        |
|           | sponseStatusCodeKeyword.verifyResponseStatusCode  |         |        |
| (VerifyR  | esponseStatusCodeKeyword.groovy:37)   |         |        |
|           | at com.kms.katalon.core.webservice.keyword.builtin.   |         |        |
| -         | sponseStatusCodeKeyword.execute(VerifyResponseStatusCodeKeyword.groovy:                                 |         |        |
| 32)       | at any kwa katalan aara kauward internal Kauward Tvaautar   |         |        |
| evecutel  | at com.kms.katalon.core.keyword.internal.KeywordExecutor. KeywordForPlatform(KeywordExecutor.groovy:74) |         |        |
| CACCULCI  | at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords.   |         |        |
| verifvRe  | sponseStatusCode(WSBuiltInKeywords.groovy:345)  |         |        |
| ,         | at com.kms.katalon.core.webservice.keyword.   |         |        |
| WSBuilt   | nKeywords\$verifyResponseStatusCode\$0.call(Unknown Source)   |         |        |
|           | at TCN-032_Edit blash without title.run(TCN-032_Edit blash without title:22)                            |         |        |
|           | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)                                    |         |        |
|           | at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.                              |         |        |
| java:119  |   |         |        |
| iovo:449  | at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.                               |         |        |
| java:448  | at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.                               |         |        |
| java:439  |   |         |        |
| jara. 100 | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase                                     |         |        |
| (TestCa   | seExecutor.java:418)  |         |        |
|           | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase   |         |        |
| (TestCa   | seExecutor.java:410)  |         |        |
|           | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.                                 |         |        |
| java:285  |   |         |        |
| (Commo    | at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase                                   |         |        |
| (Commo    | nExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase              |         |        |
| (TestSui  | teExecutor.java:144)  |         |        |
| (1001001  | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:                          |         |        |
| 106)      | (, 50,50,00,00,00,00,00,00,00,00,00,00,00,0   |         |        |
| /         | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:                             |         |        |
| 185)      |   |         |        |
|           | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown                               |         |        |
| Source)   |   |         |        |
|           | at TempTestSuite1670158972903.run(TempTestSuite1670158972903.groovy:36)                                 |         |        |

## TCN-032\_Edit blash without title

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
|   |             |         |        |
|   |             |         |        |
|   |             |         |        |

## TCN-033\_Edit blash without description

#### Information

ID Test Cases/Blash/Negative/TCN-033\_Edit blash without description

Description

Tag

Start 2022-12-04 20:03:38 End 2022-12-04 20:03:39

Elapsed 0.765s Status FAILED

#### Details

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 1 | response = sendRequest(findTestObject("Blash/Edit blash without description")) | 0.501s  | PASSED |

## TCN-033\_Edit blash without description

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 2 | verifyResponseStatusCode(response, 400)   | 0.003s  | FAILED |
|   |   |         |        |
|   | Unable to verify response status code (Root cause: com.kms.katalon.core.exception.                                |         |        |
|   | StepFailedException: Expected status code is '400' but actual status code is '200'                                |         |        |
|   | at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.                                      |         |        |
|   | groovy:50) at com.kms.katalon.core.webservice.keyword.builtin.  |         |        |
|   | VerifyResponseStatusCodeKeyword.verifyStatusCode(VerifyResponseStatusCodeKeyword.                                 |         |        |
|   | groovy:52)  |         |        |
|   | at com.kms.katalon.core.webservice.keyword.builtin.   |         |        |
|   | VerifyResponseStatusCodeKeyword.access\$1(VerifyResponseStatusCodeKeyword.groovy)                                 |         |        |
|   | at com.kms.katalon.core.webservice.keyword.builtin.   |         |        |
|   | VerifyResponseStatusCodeKeyword\$_verifyResponseStatusCode_closure1.doCall  |         |        |
|   | (VerifyResponseStatusCodeKeyword.groovy:42)   |         |        |
|   | at com.kms.katalon.core.webservice.keyword.builtin.   |         |        |
|   | VerifyResponseStatusCodeKeyword\$_verifyResponseStatusCode_closure1.call (VerifyResponseStatusCodeKeyword.groovy) |         |        |
|   | at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword   |         |        |
|   | (KeywordMain.groovy:74)   |         |        |
|   | at com.kms.katalon.core.webservice.keyword.builtin.   |         |        |
|   | VerifyResponseStatusCodeKeyword.verifyResponseStatusCode  |         |        |
|   | (VerifyResponseStatusCodeKeyword.groovy:37)   |         |        |
|   | at com.kms.katalon.core.webservice.keyword.builtin.   |         |        |
|   | VerifyResponseStatusCodeKeyword.execute(VerifyResponseStatusCodeKeyword.groovy:                                   |         |        |
|   | 32)   |         |        |
|   | at com.kms.katalon.core.keyword.internal.KeywordExecutor.   |         |        |
|   | executeKeywordForPlatform(KeywordExecutor.groovy:74)  |         |        |
|   | at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords.   |         |        |
|   | verifyResponseStatusCode(WSBuiltInKeywords.groovy:345) at com.kms.katalon.core.webservice.keyword.                |         |        |
|   | WSBuiltInKeywords\$verifyResponseStatusCode\$0.call(Unknown Source)   |         |        |
|   | at TCN-033_Edit blash without description.run(TCN-033_Edit blash without  |         |        |
|   | description:22)   |         |        |
|   | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  |         |        |
|   | $at\ com. kms. katalon. core. main. Script Engine. run Script As Raw Text (Script Engine.)$                       |         |        |
|   | java:119)   |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.   |         |        |
|   | java:448)   |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.   |         |        |
|   | java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase                                     |         |        |
|   | (TestCaseExecutor.java:418)   |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase   |         |        |
|   | (TestCaseExecutor.java:410)   |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.   |         |        |
|   | java:285)   |         |        |
|   | at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase   |         |        |
|   | (CommonExecutor.java:65)  |         |        |
|   | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase   |         |        |
|   | (TestSuiteExecutor.java:144)  |         |        |
|   | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:                                    |         |        |
|   | 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:                                  |         |        |
|   | 185)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown   |         |        |
|   | Source)   |         |        |
|   | at TempTestSuite1670158972903.run(TempTestSuite1670158972903.groovy:36)   |         |        |
|   |   |         |        |
|   |   |         |        |

## TCN-033\_Edit blash without description

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
|   |             |         |        |
|   |             |         |        |
|   |             |         |        |