



INTRODUCTION


## **Overview**




- A scenario for an initial manned mission to Mars involves a 400-day cruise phase to and from the planet.
- The cruise phase poses a significant problem due to the cumulative effects of exposure to cosmic and solar radiation.
- This challenge remains unresolved.

# **The Physics**

- Without the protection of earth's magnetosphere, the astronauts aboard future missions to Mars will be shielded only by the spacecraft itself.
- A dose of 100 milliSieverts per year is known to increase cancer risk and other illnesses. Radiation workers on earth are limited to 50 mSv per year. Six months aboard the ISS exposes a crewmember to 72mSv, dangerously close to the limit.
- The aluminum walls of the ISS provide some protection. However, thin aluminum shielding causes a net increase in the interplanetary environment due to absorption and emission of secondary radiation. Thicker shielding would be needed to block secondary radiation.
- The radiation hazard comes from two sources:
  - **1. Galactic cosmic rays**, which are isotropic
  - 2. Solar protons, which emanate radially from the sun.



### The Task



- Your task is to develop the lightest spacecraft possible while keeping the total 400-day astronaut exposure to under 100 mSv.
- The internal spacecraft volume must be 100m<sup>3</sup>. The hull material(s), thickness, and shape are up to you.
- Beyond the 100mSv and 100m³ limits, you are free to design the spacecraft as you choose.
  - You can use a cylinder, sphere, or other shape.
  - You can use a single material or layers of different materials.
  - Considerations for creativity will be given in the scoring.

#### Effective Dose per Fluence 10<sup>6</sup> Helium and Heavier Nuclei 10<sup>5</sup> Effective Dose per Fluence (pSv\*cm2) **Protons** 10<sup>1</sup> 100 -10<sup>1</sup> 10<sup>2</sup> 10<sup>0</sup> $10^{3}$ $10^{4}$ Proton and Ion Energy (MeV/u)

#### **The Rules**

- 1. Total exposure for the 400-day mission must not exceed 100mSv.
- 2. The internal volume of the spacecraft must be 100m<sup>3</sup>.
- 3. The effective doses for various energetic particles are shown below. Datasets for particle fluences are available at <a href="https://github.com/Mode2025/Data-Challenge/">https://github.com/Mode2025/Data-Challenge/</a>.

Effective Dose for Protons 
$$(pSv \cdot cm^2) = \begin{cases} 3.16 \cdot (\text{energy})^{1.23} & E < 10^{2.2} \\ 10^{3.2} & E \ge 10^{2.2} \end{cases}$$

Effective Dose for Other Elements 
$$(pSv \cdot cm^2) = \begin{cases} 158 \cdot (\text{energy/atomic mass})^{1.27} & E/u < 10^{2.2} \\ 10^5 & E/u \geq 10^{2.2} \end{cases}$$

# **Scoring**

- Points will be awarded for three criteria:
  - **1. Technical score 10 points.** This is determined by the mass of your solution. Lighter spacecraft will be awarded more points.
  - 2. Creativity and execution 10 points.
  - **3. People's choice 10 points.** A ballot box for voting will be open to workshop participants throughout the day after the presentation session.

## **Submissions**

- Participants must send an email to the workshop organizers at mode-workshop-organizers@cern.ch
  - They will then send you an invitation to the discord server.
- Submissions must be uploaded to the discord server, either publicly or by private message.
  - There is no specific file format. Submissions must include your name, spacecraft mass, a description of your design, and an optional ID number.
  - In case of multiple submissions, the one with the highest ID number will be used.

- Submissions can be made any time before the deadline, and multiple submissions are ok.
  - o Final results will be based on the latest submission.
- Teams are allowed, but we can only offer one prize to each team.
- Results will be announced every Friday.
- The final results will be announced at the workshop awards session.
- The deadline is 23:59:59 CEST on 8 June, 2025.