SBML Model Report

Model name: "Flis2015 - Plant clock gene circuit (P2011.2.1 PLM_71 ver 2)"

May 6, 2016

1 General Overview

This is a document in SBML Level 2 Version 4 format. This model was created by the following two authors: Vijayalakshmi Chelliah[1] and Andrew J Millar[2] at November nineth 2015 at 5:11 p. m. and last time modified at April 15th 2016 at five o' clock in the afternoon. Table 1 gives an overview of the quantities of all components of this model.

Table 1: Number of components in this model, which are described in the following sections.

Element	Quantity	Element	Quantity
compartment types	0	compartments	1
species types	0	species	28
events	1	constraints	0
reactions	56	function definitions	56
global parameters	121	unit definitions	3
rules	3	initial assignments	0

Model Notes

```
cL_m_degr, param m1, modified to ensure light rate $>$ dark rate. Parameter set from PLN
```

[1]EMBL-EBI, viji@ebi.ac.uk
[2]Institute of Molecular Plant Sciences, University of Edinburgh, andrew.millar@ed.ac.uk

2 Unit Definitions

This is an overview of five unit definitions of which two are predefined by SBML and not mentioned in the model.

2.1 Unit `volume`

Name volume

Definition µl

2.2 Unit `time`

Name time

Definition 3600 s

2.3 Unit `substance`

Name substance

Definition nmol

2.4 Unit `area`

Notes Square metre is the predefined SBML unit for `area` since SBML Level 2 Version 1.

Definition m^2

2.5 Unit `length`

Notes Metre is the predefined SBML unit for `length` since SBML Level 2 Version 1.

Definition m

3 Compartment

This model contains one compartment.

Table 2: Properties of all compartments.

Id	Name	SBO	Spatial Dimensions	Size	Unit	Constant	Outside
`def`	def		3	1	litre	☑	

3.1 Compartment `def`

This is a three dimensional compartment with a constant size of one µl.

Name def

4 Species

This model contains 28 species. Section 10 provides further details and the derived rates of change of each species.

Table 3: Properties of each species.

Id	Name	Compartment	Derived Unit	Constant	Boundary Condition
cCOP1c	cCOP1c	def	$\mathrm{nmol} \cdot \mu\mathrm{l}^{-1}$	⊟	⊟
cCOP1d	cCOP1d	def	$\mathrm{nmol} \cdot \mu\mathrm{l}^{-1}$	⊟	⊟
cCOP1n	cCOP1n	def	$\mathrm{nmol} \cdot \mu\mathrm{l}^{-1}$	⊟	⊟
cE3	cE3	def	$\mathrm{nmol} \cdot \mu\mathrm{l}^{-1}$	⊟	⊟
cE3_m	cE3_m	def	$\mathrm{nmol} \cdot \mu\mathrm{l}^{-1}$	⊟	⊟
cE3n	cE3n	def	$\mathrm{nmol} \cdot \mu\mathrm{l}^{-1}$	⊟	⊟
cE4	cE4	def	$\mathrm{nmol} \cdot \mu\mathrm{l}^{-1}$	⊟	⊟
cE4_m	cE4_m	def	$\mathrm{nmol} \cdot \mu\mathrm{l}^{-1}$	⊟	⊟
cEC	cEC	def	$\mathrm{nmol} \cdot \mu\mathrm{l}^{-1}$	⊟	⊟
cEG	cEG	def	$\mathrm{nmol} \cdot \mu\mathrm{l}^{-1}$	⊟	⊟
cG	cG	def	$\mathrm{nmol} \cdot \mu\mathrm{l}^{-1}$	⊟	⊟
cG_m	cG_m	def	$\mathrm{nmol} \cdot \mu\mathrm{l}^{-1}$	⊟	⊟
cL	cL	def	$\mathrm{nmol} \cdot \mu\mathrm{l}^{-1}$	⊟	⊟
cLUX	cLUX	def	$\mathrm{nmol} \cdot \mu\mathrm{l}^{-1}$	⊟	⊟
cLUX_m	cLUX_m	def	$\mathrm{nmol} \cdot \mu\mathrm{l}^{-1}$	⊟	⊟
cL_m	cL_m	def	$\mathrm{nmol} \cdot \mu\mathrm{l}^{-1}$	⊟	⊟
cLm	cLm	def	$\mathrm{nmol} \cdot \mu\mathrm{l}^{-1}$	⊟	⊟
cNI	cNI	def	$\mathrm{nmol} \cdot \mu\mathrm{l}^{-1}$	⊟	⊟
cNI_m	cNI_m	def	$\mathrm{nmol} \cdot \mu\mathrm{l}^{-1}$	⊟	⊟
cP	cP	def	$\mathrm{nmol} \cdot \mu\mathrm{l}^{-1}$	⊟	⊟
cP7	cP7	def	$\mathrm{nmol} \cdot \mu\mathrm{l}^{-1}$	⊟	⊟
cP7_m	cP7_m	def	$\mathrm{nmol} \cdot \mu\mathrm{l}^{-1}$	⊟	⊟

Id	Name	Compartment	Derived Unit	Constant	Boundary Condition
cP9	cP9	def	$\mathrm{nmol} \cdot \mu\mathrm{l}^{-1}$	⊟	⊟
cP9_m	cP9_m	def	$\mathrm{nmol} \cdot \mu\mathrm{l}^{-1}$	⊟	⊟
cT	cT	def	$\mathrm{nmol} \cdot \mu\mathrm{l}^{-1}$	⊟	⊟
cT_m	cT_m	def	$\mathrm{nmol} \cdot \mu\mathrm{l}^{-1}$	⊟	⊟
cZG	cZG	def	$\mathrm{nmol} \cdot \mu\mathrm{l}^{-1}$	⊟	⊟
cZTL	cZTL	def	$\mathrm{nmol} \cdot \mu\mathrm{l}^{-1}$	⊟	⊟

5 Parameters

This model contains 121 global parameters.

Table 4: Properties of each parameter.

Id	Name	SBO	Value	Unit	Constant
n1	n1		1.993		☑
n2	n2		0.681		☑
n3	n3		0.165		☑
n4	n4		0.046		☑
n5	n5		0.230		☑
n6	n6		20.000		☑
n7	n7		0.142		☑
n8	n8		0.465		☑
n9	n9		0.121		☑
n10	n10		0.531		☑
n11	n11		1.049		☑
n12	n12		8.439		☑
n13	n13		1.185		☑
n14	n14		0.100		☑
g1	g1		0.087		☑
g2	g2		0.011		☑
g3	g3		0.600		☑
g4	g4		0.005		☑
g5	g5		0.202		☑
g6	g6		0.286		☑
g7	g7		0.456		☑
g8	g8		0.028		☑
g9	g9		0.326		☑
g10	g10		0.598		☑
g11	g11		0.971		☑
g12	g12		0.200		☑
g13	g13		1.000		☑
g14	g14		0.005		☑
g15	g15		0.492		☑
g16	g16		0.218		☑
m1	m1		0.048		☑
m2	m2		0.452		☑
m3	m3		0.176		☑
m4	m4		0.200		☑
m5	m5		0.300		☑
m6	m6		0.172		☑
m7	m7		0.491		☑

Id	Name	SBO	Value	Unit	Constant
m8	m8		0.330		☑
m9	m9		1.429		☑
m10	m10		1.000		☑
m11	m11		1.000		☑
m12	m12		1.000		☑
m13	m13		0.320		☑
m14	m14		0.583		☑
m15	m15		0.700		☑
m16	m16		0.543		☑
m17	m17		0.500		☑
m18	m18		2.390		☑
m19	m19		0.471		☑
m20	m20		0.600		☑
m21	m21		0.080		☑
m22	m22		0.096		☑
m23	m23		0.545		☑
m24	m24		0.111		☑
m25	m25		1.800		☑
m26	m26		0.500		☑
m27	m27		0.100		☑
m28	m28		20.000		☑
m29	m29		6.583		☑
m30	m30		3.129		☑
m31	m31		0.300		☑
m32	m32		0.200		☑
m33	m33		13.000		☑
m34	m34		0.746		☑
m35	m35		0.184		☑
m36	m36		0.094		☑
m37	m37		0.438		☑
m38	m38		0.500		☑
m39	m39		0.366		☑
a	a		2.000		☑
b	b		2.000		☑
c	c		2.000		☑
d	d		2.000		☑
e	e		2.000		☑
f	f		2.000		☑
p1	p1		0.072		☑
p2	p2		0.203		☑
p3	p3		0.074		☑
p4	p4		0.518		☑

Id	Name	SBO	Value	Unit	Constant
p5	p5		3.693		☑
p6	p6		0.600		☑
p7	p7		0.300		☑
p8	p8		0.410		☑
p9	p9		0.857		☑
p10	p10		0.881		☑
p11	p11		0.494		☑
p12	p12		2.433		☑
p13	p13		0.165		☑
p14	p14		0.109		☑
p15	p15		3.000		☑
p16	p16		0.986		☑
p17	p17		4.330		☑
p18	p18		3.481		☑
p19	p19		1.741		☑
p20	p20		0.194		☑
p21	p21		1.000		☑
p22	p22		0.500		☑
p23	p23		0.740		☑
p24	p24		14.598		☑
p25	p25		8.000		☑
p26	p26		0.300		☑
p27	p27		1.048		☑
p28	p28		2.000		☑
p29	p29		0.100		☑
p30	p30		0.600		☑
p31	p31		0.100		☑
q1	q1		0.600		☑
q2	q2		0.573		☑
q3	q3		2.916		☑
L	L		0.500		⊟
D	D		0.500		⊟
E34	E34		1.000		☑
Gn	Gn		1.000		☑
EGn	EGn		1.000		☑
step1	Lightstep		0.500		⊟
offsetStep1	offsetStep1		0.000		⊟
amplitudeStep1	amplitudeStep1		1.000		⊟
phaseStep1	phaseStep1		0.000		☑
pulseDurationStep1	pulseDurationStep1		12.000		☑
cyclePeriodStep1	cyclePeriodStep1		24.000		☑
rampDurationStep1	rampDurationStep1		0.050		☑

Id	Name	SBO	Value	Unit	Constant

6 Function definitions

This is an overview of 56 function definitions.

6.1 Function definition function_4_cLUX_m_trscr

Name function_4_cLUX_m_trscr

Arguments [cEC], [cL], vol (def), e, g2, g6, n13

Mathematical Expression

$$\frac{\frac{n13 \cdot g2}{[cEC]+g2} \cdot g6^{e}}{[cL]^{e}+g6^{e}} \over \mathrm{vol}\,(\mathrm{def})} \tag{1}$$

6.2 Function definition function_4_cL_degr_1

Name function_4_cL_degr_1

Arguments c, [cL], vol (def), g3, m3, p3

Mathematical Expression

$$\frac{m3 \cdot [cL] + \frac{p3 \cdot [cL]^{c}}{[cL]^{c}+g3^{c}}}{\mathrm{vol}\,(\mathrm{def})} \tag{2}$$

6.3 Function definition function_4_cL_modif_1

Name function_4_cL_modif_1

Arguments c, [cL], vol (def), g3, p3

Mathematical Expression

$$\frac{\frac{p3 \cdot [cL]^{c}}{[cL]^{c}+g3^{c}}}{\mathrm{vol}\,(\mathrm{def})} \tag{3}$$

6.4 Function definition function_4_cLm_degr_1

Name function_4_cLm_degr_1

Arguments [cLm], vol (def), m4

Mathematical Expression

$$\frac{m4 \cdot [cLm]}{\mathrm{vol}\,(\mathrm{def})} \tag{4}$$

6.5 Function definition function_4_cP9_m_degr_1

Name function_4_cP9_m_degr_1

Arguments [cP9_m], vol (def), m12

Mathematical Expression

$$\frac{\mathrm{m12} \cdot [\mathrm{cP9\_m}]}{\mathrm{vol}\,(\mathrm{def})} \tag{5}$$

6.6 Function definition function_4_cP9_trsl_1

Name function_4_cP9_trsl_1

Arguments [cP9_m], vol (def), p8

Mathematical Expression

$$\frac{\mathrm{p8} \cdot [\mathrm{cP9\_m}]}{\mathrm{vol}\,(\mathrm{def})} \tag{6}$$

6.7 Function definition function_4_cP7_m_trscr_1

Name function_4_cP7_m_trscr_1

Arguments [cL], [cLm], [cP9], vol (def), e, f, g10, g11, n8, n9

Mathematical Expression

$$\frac{\frac{\mathrm{n8} \cdot ([\mathrm{cLm}]+[\mathrm{cL}])^{\mathrm{e}}}{([\mathrm{cLm}]+[\mathrm{cL}])^{\mathrm{e}}+\mathrm{g10}^{\mathrm{e}}} + \frac{\mathrm{n9} \cdot [\mathrm{cP9}]^{\mathrm{f}}}{[\mathrm{cP9}]^{\mathrm{f}}+\mathrm{g11}^{\mathrm{f}}}}{\mathrm{vol}\,(\mathrm{def})} \tag{7}$$

6.8 Function definition function_4_cP7_m_degr_1

Name function_4_cP7_m_degr_1

Arguments [cP7_m], vol (def), m14

Mathematical Expression

$$\frac{\mathrm{m14} \cdot [\mathrm{cP7\_m}]}{\mathrm{vol}\,(\mathrm{def})} \tag{8}$$

6.9 Function definition function_4_cP7_trsl_1

Name function_4_cP7_trsl_1

Arguments [cP7_m], vol (def), p9

Mathematical Expression

$$\frac{\mathrm{p9} \cdot [\mathrm{cP7\_m}]}{\mathrm{vol}\,(\mathrm{def})} \tag{9}$$

6.10 Function definition function_4_cNI_m_trscr_1

Name function_4_cNI_m_trscr_1

Arguments b, [cLm], [cP7], vol (def), e, g12, g13, n10, n11

Mathematical Expression

$$\frac{\frac{n10 \cdot [cLm]^{e}}{[cLm]^{e}+g12^{e}} + \frac{n11 \cdot [cP7]^{b}}{[cP7]^{b}+g13^{b}}}{\mathrm{vol}\,(\mathrm{def})} \tag{10}$$

6.11 Function definition function_4_cNI_m_degr_1

Name function_4_cNI_m_degr_1

Arguments [cNI_m], vol (def), m16

Mathematical Expression

$$\frac{m16 \cdot [cNI\_m]}{\mathrm{vol}\,(\mathrm{def})} \tag{11}$$

6.12 Function definition function_4_cNI_trsl_1

Name function_4_cNI_trsl_1

Arguments [cNI_m], vol (def), p10

Mathematical Expression

$$\frac{p10 \cdot [cNI\_m]}{\mathrm{vol}\,(\mathrm{def})} \tag{12}$$

6.13 Function definition function_4_cT_m_trscr

Name function_4_cT_m_trscr

Arguments [cEC], [cL], vol (def), e, g4, g5, n2

Mathematical Expression

$$\frac{\frac{n2 \cdot g4}{[cEC]+g4} \cdot g5^{e}}{\frac{[cL]^{e}+g5^{e}}{\mathrm{vol}\,(\mathrm{def})}} \tag{13}$$

6.14 Function definition function_4_cT_m_degr_1

Name function_4_cT_m_degr_1

Arguments [cT_m], vol (def), m5

Mathematical Expression

$$\frac{\mathrm{m5} \cdot [\mathrm{cT\_m}]}{\mathrm{vol}\,(\mathrm{def})} \tag{14}$$

6.15 Function definition function_4_cT_trsl_1

Name function_4_cT_trsl_1

Arguments [cT_m], vol (def), p4

Mathematical Expression

$$\frac{\mathrm{p4} \cdot [\mathrm{cT\_m}]}{\mathrm{vol}\,(\mathrm{def})} \tag{15}$$

6.16 Function definition function_4_cE4_m_degr_1

Name function_4_cE4_m_degr_1

Arguments [cE4_m], vol (def), m34

Mathematical Expression

$$\frac{\mathrm{m34} \cdot [\mathrm{cE4\_m}]}{\mathrm{vol}\,(\mathrm{def})} \tag{16}$$

6.17 Function definition function_4_cE4_trsl_1

Name function_4_cE4_trsl_1

Arguments [cE4_m], vol (def), p23

Mathematical Expression

$$\frac{\mathrm{p23} \cdot [\mathrm{cE4\_m}]}{\mathrm{vol}\,(\mathrm{def})} \tag{17}$$

6.18 Function definition function_4_cE4_degr_1

Name function_4_cE4_degr_1

Arguments [cCOP1d], [cCOP1n], [cE3n], [cE4], [cLUX], vol (def), m35, m36, m37, p21, p25, p26

Mathematical Expression

$$\frac{\mathrm{m35}\cdot[\mathrm{cE4}]+\mathrm{p25}\cdot[\mathrm{cE4}]\cdot[\mathrm{cE3n}]-\frac{\mathrm{p21}\cdot\mathrm{p25}\cdot[\mathrm{cE4}]\cdot[\mathrm{cE3n}]}{\mathrm{p26}\cdot[\mathrm{cLUX}]+\mathrm{p21}+\mathrm{m37}\cdot[\mathrm{cCOP1d}]+\mathrm{m36}\cdot[\mathrm{cCOP1n}]}}{\mathrm{vol}\,(\mathrm{def})} \tag{18}$$

6.19 Function definition function_4_cE3_m_trscr_1

Name function_4_cE3_m_trscr_1

Arguments [cL], vol (def), e, g16, n3

Mathematical Expression

$$\frac{\frac{\mathrm{n3}\cdot\mathrm{g16}^{\mathrm{e}}}{[\mathrm{cL}]^{\mathrm{e}}+\mathrm{g16}^{\mathrm{e}}}}{\mathrm{vol}\,(\mathrm{def})} \tag{19}$$

6.20 Function definition function_4_cE3_m_degr_1

Name function_4_cE3_m_degr_1

Arguments [cE3_m], vol (def), m26

Mathematical Expression

$$\frac{\mathrm{m26}\cdot[\mathrm{cE3\_m}]}{\mathrm{vol}\,(\mathrm{def})} \tag{20}$$

6.21 Function definition function_4_cE3_trsl_1

Name function_4_cE3_trsl_1

Arguments [cE3_m], vol (def), p16

Mathematical Expression

$$\frac{\mathrm{p16}\cdot[\mathrm{cE3\_m}]}{\mathrm{vol}\,(\mathrm{def})} \tag{21}$$

6.22 Function definition function_4_cE3_degr_1

Name function_4_cE3_degr_1

Arguments [cCOP1c], [cE3], vol (def), m9

Mathematical Expression

$$\frac{\mathrm{m9}\cdot[\mathrm{cE3}]\cdot[\mathrm{cCOP1c}]}{\mathrm{vol}\,(\mathrm{def})} \tag{22}$$

6.23 Function definition function_4_cE3n_import_1

Name function_4_cE3n_import_1

Arguments [cE3], [cE3n], vol (def), p19, p20

Mathematical Expression

$$\frac{\mathrm{p19} \cdot [\mathrm{cE3}] - \mathrm{p20} \cdot [\mathrm{cE3n}]}{\mathrm{vol}\,(\mathrm{def})} \tag{23}$$

6.24 Function definition function_4_cE3n_degr_1

Name function_4_cE3n_degr_1

Arguments [cCOP1d], [cCOP1n], [cE3n], [cE4], [cG], [cLUX], vol (def), m19, m29, m30, m36, m37, p17, p21, p25, p26, p28, p29

Mathematical Expression

$$\frac{\mathrm{m29} \cdot [\mathrm{cE3n}] \cdot [\mathrm{cCOP1n}] + \mathrm{m30} \cdot [\mathrm{cE3n}] \cdot [\mathrm{cCOP1d}] + \mathrm{p25} \cdot [\mathrm{cE4}] \cdot [\mathrm{cE3n}] - \frac{\mathrm{p21} \cdot \mathrm{p25} \cdot [\mathrm{cE4}] \cdot [\mathrm{cE3n}]}{\mathrm{p26} \cdot [\mathrm{cLUX}] + \mathrm{p21} + \mathrm{m37} \cdot [\mathrm{cCOP1d}] + \mathrm{m36} \cdot [\mathrm{cCOP1n}]}}{\mathrm{vol}\,(\mathrm{def})} \tag{24}$$

6.25 Function definition function_4_cLUX_m_degr_1

Name function_4_cLUX_m_degr_1

Arguments [cLUX_m], vol (def), m34

Mathematical Expression

$$\frac{\mathrm{m34} \cdot [\mathrm{cLUX\_m}]}{\mathrm{vol}\,(\mathrm{def})} \tag{25}$$

6.26 Function definition function_4_cLUX_trsl_1

Name function_4_cLUX_trsl_1

Arguments [cLUX_m], vol (def), p27

Mathematical Expression

$$\frac{\mathrm{p27} \cdot [\mathrm{cLUX\_m}]}{\mathrm{vol}\,(\mathrm{def})} \tag{26}$$

6.27 Function definition function_4_cLUX_degr_1

Name function_4_cLUX_degr_1

Arguments [cCOP1d], [cCOP1n], [cE3n], [cE4], [cLUX], vol (def), m36, m37, m39, p21, p25, p26

Mathematical Expression

$$\frac{\mathrm{m39} \cdot [\mathrm{cLUX}] + \frac{\mathrm{p26} \cdot [\mathrm{cLUX}] \cdot \mathrm{p25} \cdot [\mathrm{cE4}] \cdot [\mathrm{cE3n}]}{\mathrm{p26} \cdot [\mathrm{cLUX}] + \mathrm{p21} + \mathrm{m37} \cdot [\mathrm{cCOP1d}] + \mathrm{m36} \cdot [\mathrm{cCOP1n}]}}{\mathrm{vol}\,(\mathrm{def})} \tag{27}$$

6.28 Function definition function_4_cCOP1c_trsl_1

Name function_4_cCOP1c_trsl_1

Arguments vol (def), n5

Mathematical Expression

$$\frac{\mathrm{n5}}{\mathrm{vol}\,(\mathrm{def})} \tag{28}$$

6.29 Function definition function_4_cCOP1n_import_1

Name function_4_cCOP1n_import_1

Arguments [cCOP1c], vol (def), p6

Mathematical Expression

$$\frac{\mathrm{p6} \cdot [\mathrm{cCOP1c}]}{\mathrm{vol}\,(\mathrm{def})} \tag{29}$$

6.30 Function definition function_4_cG_m_degr_1

Name function_4_cG_m_degr_1

Arguments [cG_m], vol (def), m18

Mathematical Expression

$$\frac{\mathrm{m18} \cdot [\mathrm{cG\_m}]}{\mathrm{vol}\,(\mathrm{def})} \tag{30}$$

6.31 Function definition function_4_cL_m_degr_L

Name function_4_cL_m_degr_L

Arguments m1, L, m2, [cL_m], vol (def)

Mathematical Expression

$$\frac{(\mathrm{m1} \cdot \mathrm{L} + \mathrm{m2}) \cdot [\mathrm{cL\_m}]}{\mathrm{vol}\,(\mathrm{def})} \tag{31}$$

6.32 Function definition function_4_cG_trsl_1

Name function_4_cG_trsl_1

Arguments [cG_m], vol (def), p11

Mathematical Expression

$$\frac{\mathrm{p11} \cdot [\mathrm{cG\_m}]}{\mathrm{vol}\,(\mathrm{def})} \tag{32}$$

6.33 Function definition function_4_cG_degr_1

Name function_4_cG_degr_1

Arguments [cE3n], [cG], vol (def), m19, p17, p28, p29

Mathematical Expression

$$\frac{\mathrm{m19} \cdot [\mathrm{cG}] + \mathrm{p28} \cdot [\mathrm{cG}] - \frac{\mathrm{p29} \cdot \mathrm{p28} \cdot [\mathrm{cG}]}{\mathrm{p29} + \mathrm{m19} + \mathrm{p17} \cdot [\mathrm{cE3n}]}}{\mathrm{vol}\,(\mathrm{def})} \tag{33}$$

6.34 Function definition function_4_cZTL_trsl_1

Name function_4_cZTL_trsl_1

Arguments vol (def), p14

Mathematical Expression

$$\frac{\mathrm{p14}}{\mathrm{vol}\,(\mathrm{def})} \tag{34}$$

6.35 Function definition function_4_cZTL_degr_1

Name function_4_cZTL_degr_1

Arguments [cZTL], vol (def), m20

Mathematical Expression

$$\frac{\mathrm{m20} \cdot [\mathrm{cZTL}]}{\mathrm{vol}\,(\mathrm{def})} \tag{35}$$

6.36 Function definition function_4_cZG_degr_1

Name function_4_cZG_degr_1

Arguments [cZG], vol (def), m21

Mathematical Expression

$$\frac{\mathrm{m21} \cdot [\mathrm{cZG}]}{\mathrm{vol}\,(\mathrm{def})} \tag{36}$$

6.37 Function definition function_4_cG_cE3_assoc_1

Name function_4_cG_cE3_assoc_1

Arguments [cE3], [cG], vol (def), p17

Mathematical Expression

$$\frac{\mathrm{p17} \cdot [\mathrm{cE3}] \cdot [\mathrm{cG}]}{\mathrm{vol}\,(\mathrm{def})} \tag{37}$$

6.38 Function definition function_4_cEG_degr_1

Name function_4_cEG_degr_1

Arguments [cCOP1c], [cCOP1d], [cCOP1n], [cE3n], [cEG], [cG], vol (def), m10, m19, m9, p17, p18, p28, p29, p31

Mathematical Expression

$$\frac{\mathrm{m9} \cdot [\mathrm{cEG}] \cdot [\mathrm{cCOP1c}] + \mathrm{p18} \cdot [\mathrm{cEG}] - \frac{\mathrm{p31} \cdot \left(\mathrm{p18} \cdot [\mathrm{cEG}] + \frac{\mathrm{p17} \cdot [\mathrm{cE3n}] \cdot \mathrm{p28} \cdot [\mathrm{cG}]}{\mathrm{p29} + \mathrm{m19} + \mathrm{p17} \cdot [\mathrm{cE3n}]}\right)}{\mathrm{m9} \cdot [\mathrm{cCOP1n}] + \mathrm{m10} \cdot [\mathrm{cCOP1d}] + \mathrm{p31}}}{\mathrm{vol}\,(\mathrm{def})} \tag{38}$$

6.39 Function definition function_4_cEC_form_1

Name function_4_cEC_form_1

Arguments [cCOP1d], [cCOP1n], [cE3n], [cE4], [cLUX], vol (def), m36, m37, p21, p25, p26

Mathematical Expression

$$\frac{\frac{\mathrm{p26} \cdot [\mathrm{cLUX}] \cdot \mathrm{p25} \cdot [\mathrm{cE4}] \cdot [\mathrm{cE3n}]}{\mathrm{p26} \cdot [\mathrm{cLUX}] + \mathrm{p21} + \mathrm{m37} \cdot [\mathrm{cCOP1d}] + \mathrm{m36} \cdot [\mathrm{cCOP1n}]}}{\mathrm{vol}\,(\mathrm{def})} \tag{39}$$

6.40 Function definition `stepFunction`

Name tanh() step function

Arguments t, offset, amplitude, phase, pulseDuration, cyclePeriod, rampDuration

Mathematical Expression

$$\begin{aligned}
&\text{offset} + 0.5 \cdot \text{amplitude} \\
&\cdot \left(1 + \tanh\left(\frac{\text{cyclePeriod} \cdot \left(\frac{\text{t+phase}}{\text{cyclePeriod}} - \left\lfloor \frac{\text{t+phase}}{\text{cyclePeriod}} \right\rfloor \right)}{\text{rampDuration}} \right) \right) \\
&- 0.5 \cdot \text{amplitude} \cdot \left(1 \right. \\
&\left. + \tanh\left(\frac{\text{cyclePeriod} \cdot \left(\frac{\text{t+phase}}{\text{cyclePeriod}} - \left\lfloor \frac{\text{t+phase}}{\text{cyclePeriod}} \right\rfloor \right) - \text{pulseDuration}}{\text{rampDuration}} \right) \right) \\
&+ 0.5 \cdot \text{amplitude} \cdot \left(1 \right. \\
&\left. + \tanh\left(\frac{\text{cyclePeriod} \cdot \left(\frac{\text{t+phase}}{\text{cyclePeriod}} - \left\lfloor \frac{\text{t+phase}}{\text{cyclePeriod}} \right\rfloor \right) - \text{cyclePeriod}}{\text{rampDuration}} \right) \right)
\end{aligned} \tag{40}$$

6.41 Function definition `function_4_cL_m_trscr`

Name function_4_cL_m_trscr

Arguments L, a, [cNI], [cP], [cP7], [cP9], [cT], vol (def), g1, n1, q1

Mathematical Expression

$$\frac{\text{L} \cdot \text{q1} \cdot [\text{cP}] + \frac{\text{n1} \cdot \text{g1}^{\text{a}}}{([\text{cP9}]+[\text{cP7}]+[\text{cNI}]+[\text{cT}])^{\text{a}}+\text{g1}^{\text{a}}}}{\text{vol}\,(\text{def})} \tag{41}$$

6.42 Function definition `function_4_cL_trsl`

Name function_4_cL_trsl

Arguments L, [cL_m], vol (def), p1, p2

Mathematical Expression

$$\frac{[\text{cL\_m}] \cdot (\text{p1} \cdot \text{L} + \text{p2})}{\text{vol}\,(\text{def})} \tag{42}$$

6.43 Function definition function_4_cP_trsl

Name function_4_cP_trsl

Arguments D, [cP], vol (def), p7

Mathematical Expression

$$\frac{\mathrm{p7} \cdot \mathrm{D} \cdot (1 - [\mathrm{cP}])}{\mathrm{vol}\,(\mathrm{def})} \tag{43}$$

6.44 Function definition function_4_cP_degr

Name function_4_cP_degr

Arguments L, [cP], vol (def), m11

Mathematical Expression

$$\frac{\mathrm{m11} \cdot [\mathrm{cP}] \cdot \mathrm{L}}{\mathrm{vol}\,(\mathrm{def})} \tag{44}$$

6.45 Function definition function_4_cP9_m_trscr_1

Name function_4_cP9_m_trscr_1

Arguments L, [cEC], [cL], [cP], vol (def), e, g8, g9, n4, n7, q3

Mathematical Expression

$$\frac{\mathrm{L} \cdot \mathrm{q3} \cdot [\mathrm{cP}] + \frac{\left(\mathrm{n4} + \frac{\mathrm{n7} \cdot [\mathrm{cL}]^{\mathrm{e}}}{[\mathrm{cL}]^{\mathrm{e}} + \mathrm{g9}^{\mathrm{e}}}\right) \cdot \mathrm{g8}}{[\mathrm{cEC}] + \mathrm{g8}}}{\mathrm{vol}\,(\mathrm{def})} \tag{45}$$

6.46 Function definition function_4_cP9_degr

Name function_4_cP9_degr

Arguments D, [cP9], vol (def), m13, m22

Mathematical Expression

$$\frac{(\mathrm{m13} + \mathrm{m22} \cdot \mathrm{D}) \cdot [\mathrm{cP9}]}{\mathrm{vol}\,(\mathrm{def})} \tag{46}$$

6.47 Function definition function_4_cP7_degr

Name function_4_cP7_degr

Arguments D, [cP7], vol (def), m15, m23

Mathematical Expression

$$\frac{(\mathrm{m15} + \mathrm{m23} \cdot \mathrm{D}) \cdot [\mathrm{cP7}]}{\mathrm{vol}\,(\mathrm{def})} \tag{47}$$

6.48 Function definition function_4_cNI_degr

Name function_4_cNI_degr

Arguments D, [cNI], vol (def), m17, m24

Mathematical Expression

$$\frac{(\mathrm{m17} + \mathrm{m24} \cdot \mathrm{D}) \cdot [\mathrm{cNI}]}{\mathrm{vol}\,(\mathrm{def})} \tag{48}$$

6.49 Function definition function_4_cT_degr

Name function_4_cT_degr

Arguments D, [cT], [cZG], [cZTL], vol (def), m6, m7, m8, p5

Mathematical Expression

$$\frac{(\mathrm{m6} + \mathrm{m7} \cdot \mathrm{D}) \cdot [\mathrm{cT}] \cdot (\mathrm{p5} \cdot [\mathrm{cZTL}] + [\mathrm{cZG}]) + \mathrm{m8} \cdot [\mathrm{cT}]}{\mathrm{vol}\,(\mathrm{def})} \tag{49}$$

6.50 Function definition function_4_cCOP1c_degr

Name function_4_cCOP1c_degr

Arguments L, [cCOP1c], vol (def), m27, p15

Mathematical Expression

$$\frac{\mathrm{m27} \cdot [\mathrm{cCOP1c}] \cdot (1 + \mathrm{p15} \cdot \mathrm{L})}{\mathrm{vol}\,(\mathrm{def})} \tag{50}$$

6.51 Function definition function_4_cCOP1n_degr

Name function_4_cCOP1n_degr

Arguments L, [cCOP1n], vol (def), m27, p15

Mathematical Expression

$$\frac{\mathrm{m27} \cdot [\mathrm{cCOP1n}] \cdot (1 + \mathrm{p15} \cdot \mathrm{L})}{\mathrm{vol}\,(\mathrm{def})} \tag{51}$$

6.52 Function definition function_4_cCOP1d_activ

Name function_4_cCOP1d_activ

Arguments L, [cCOP1n], [cP], vol (def), n14, n6

Mathematical Expression

$$\frac{\mathrm{n6} \cdot \mathrm{L} \cdot [\mathrm{cP}] \cdot [\mathrm{cCOP1n}] + \mathrm{n14} \cdot [\mathrm{cCOP1n}]}{\mathrm{vol}\,(\mathrm{def})} \tag{52}$$

6.53 Function definition function_4_cCOP1d_degr

Name function_4_cCOP1d_degr

Arguments D, [cCOP1d], vol (def), m31, m33

Mathematical Expression

$$\frac{\mathrm{m31} \cdot (1 + \mathrm{m33} \cdot \mathrm{D}) \cdot [\mathrm{cCOP1d}]}{\mathrm{vol}\,(\mathrm{def})} \tag{53}$$

6.54 Function definition function_4_cG_m_trscr_1

Name function_4_cG_m_trscr_1

Arguments L, [cEC], [cL], [cP], vol (def), e, g14, g15, n12, q2

Mathematical Expression

$$\frac{\mathrm{L} \cdot \mathrm{q2} \cdot [\mathrm{cP}] + \frac{\frac{\mathrm{n12} \cdot \mathrm{g14}}{[\mathrm{cEC}] + \mathrm{g14}} \cdot \mathrm{g15}^{\mathrm{e}}}{[\mathrm{cL}]^{\mathrm{e}} + \mathrm{g15}^{\mathrm{e}}}}{\mathrm{vol}\,(\mathrm{def})} \tag{54}$$

6.55 Function definition `function_4_cG_cZTL_assoc`

Name function_4_cG_cZTL_assoc

Arguments D, L, [cG], [cZG], [cZTL], vol(def), p12, p13

Mathematical Expression

$$\frac{\mathrm{p12} \cdot \mathrm{L} \cdot [\mathrm{cZTL}] \cdot [\mathrm{cG}] - \mathrm{p13} \cdot \mathrm{D} \cdot [\mathrm{cZG}]}{\mathrm{vol}(\mathrm{def})} \tag{55}$$

6.56 Function definition `function_4_cEC_degr`

Name function_4_cEC_degr

Arguments L, [cCOP1d], [cCOP1n], [cE3n], [cEC], [cEG], [cG], d, vol(def), g7, m10, m19, m32, m36, m37, m9, p17, p18, p24, p28, p29, p31

Mathematical Expression

$$\frac{\mathrm{m36} \cdot [\mathrm{cCOP1n}] \cdot [\mathrm{cEC}] + \mathrm{m37} \cdot [\mathrm{cCOP1d}] \cdot [\mathrm{cEC}] + \mathrm{m32} \cdot [\mathrm{cEC}] \cdot \left(1 + \frac{\mathrm{p24} \cdot \mathrm{L} \cdot \left(\frac{\mathrm{p28} \cdot [\mathrm{cG}]}{\mathrm{p29}+\mathrm{m19}+\mathrm{p17} \cdot [\mathrm{cE3n}]} + \frac{\mathrm{p18} \cdot [\mathrm{cEG}] + \frac{\mathrm{p17} \cdot [\mathrm{cE3n}] \cdot \mathrm{p28} \cdot [\mathrm{cG}]}{\mathrm{p29}+\mathrm{m19}+\mathrm{p17} \cdot [\mathrm{cE3n}]}}{\mathrm{m9} \cdot [\mathrm{cCOP1n}] + \mathrm{m10} \cdot [\mathrm{cCOP1d}] + \mathrm{p31}}\right)}{\left(\frac{\mathrm{p28} \cdot [\mathrm{cG}]}{\mathrm{p29}+\mathrm{m19}+\mathrm{p17} \cdot [\mathrm{cE3n}]} + \frac{\mathrm{p18} \cdot [\mathrm{cEG}] + \frac{\mathrm{p17} \cdot [\mathrm{cE3n}] \cdot \mathrm{p28} \cdot [\mathrm{cG}]}{\mathrm{p29}+\mathrm{m19}+\mathrm{p17} \cdot [\mathrm{cE3n}]}}{\mathrm{m9} \cdot [\mathrm{cCOP1n}] + \mathrm{m10} \cdot [\mathrm{cCOP1d}] + \mathrm{p31}}\right)^{\mathrm{d}} + \mathrm{g7}}\right)}{\mathrm{vol}(\mathrm{def})} \tag{56}$$

7 Rules

This is an overview of three rules.

7.1 Rule `step1`

Rule `step1` is an assignment rule for parameter `step1`:

$$\begin{aligned}\mathrm{step1} = \mathrm{stepFunction}(&\mathrm{time}, \mathrm{offsetStep1}, \mathrm{amplitudeStep1}, \mathrm{phaseStep1},\\ &\mathrm{pulseDurationStep1}, \mathrm{cyclePeriodStep1}, \mathrm{rampDurationStep1})\end{aligned} \tag{57}$$

7.2 Rule `L`

Rule `L` is an assignment rule for parameter `L`:

$$\mathrm{L} = \mathrm{step1} \tag{58}$$

7.3 Rule `D`

Rule `D` is an assignment rule for parameter `D`:

$$\mathrm{D} = 1 - \mathrm{L} \tag{59}$$

8 Event

This is an overview of one event. Each event is initiated whenever its trigger condition switches from `false` to `true`. A delay function postpones the effects of an event to a later time point. At the time of execution, an event can assign values to species, parameters or compartments if these are not set to constant.

8.1 Event `event_1`

Name event_0

Trigger condition

$$\text{time} > 314 \tag{60}$$

Assignments

$$\text{offsetStep1} = 1 \tag{61}$$

$$\text{amplitudeStep1} = 0 \tag{62}$$

9 Reactions

This model contains 56 reactions. All reactions are listed in the following table and are subsequently described in detail. If a reaction is affected by a modifier, the identifier of this species is written above the reaction arrow.

Table 5: Overview of all reactions

№	Id	Name	Reaction Equation	SBO
1	cL_m_trscr	cL_m_trscr	$\emptyset \xrightarrow{\text{cNI, cP, cP7, cP9, cT, cNI, cP, cP7, cP9, cT}} \text{cL\_m}$	
2	cL_m_degr	cL_m_degr	$\text{cL\_m} \xrightarrow{\text{cL\_m}} \emptyset$	
3	cL_trsl	cL_trsl	$\emptyset \xrightarrow{\text{cL\_m, cL\_m}} \text{cL}$	
4	cL_degr	cL_degr	$\text{cL} \xrightarrow{\text{cL}} \emptyset$	
5	cL_modif	cL_modif	$\emptyset \xrightarrow{\text{cL, cL}} \text{cLm}$	
6	cLm_degr	cLm_degr	$\text{cLm} \xrightarrow{\text{cLm}} \emptyset$	
7	cP_trsl	cP_trsl	$\emptyset \xrightarrow{\text{cP}} \text{cP}$	
8	cP_degr	cP_degr	$\text{cP} \xrightarrow{\text{cP}} \emptyset$	
9	cP9_m_trscr	cP9_m_trscr	$\emptyset \xrightarrow{\text{cEC, cL, cP, cEC, cL, cP}} \text{cP9\_m}$	
10	cP9_m_degr	cP9_m_degr	$\text{cP9\_m} \xrightarrow{\text{cP9\_m}} \emptyset$	
11	cP9_trsl	cP9_trsl	$\emptyset \xrightarrow{\text{cP9\_m, cP9\_m}} \text{cP9}$	
12	cP9_degr	cP9_degr	$\text{cP9} \xrightarrow{\text{cP9}} \emptyset$	
13	cP7_m_trscr	cP7_m_trscr	$\emptyset \xrightarrow{\text{cL, cLm, cP9, cL, cLm, cP9}} \text{cP7\_m}$	
14	cP7_m_degr	cP7_m_degr	$\text{cP7\_m} \xrightarrow{\text{cP7\_m}} \emptyset$	
15	cP7_trsl	cP7_trsl	$\emptyset \xrightarrow{\text{cP7\_m, cP7\_m}} \text{cP7}$	
16	cP7_degr	cP7_degr	$\text{cP7} \xrightarrow{\text{cP7}} \emptyset$	

№	Id	Name	Reaction Equation	SBO
17	cNI_m_trscr	cNI_m_trscr	$\emptyset \xrightarrow{\text{cLm, cP7, cLm, cP7}} \text{cNI\_m}$	
18	cNI_m_degr	cNI_m_degr	$\text{cNI\_m} \xrightarrow{\text{cNI\_m}} \emptyset$	
19	cNI_trsl	cNI_trsl	$\emptyset \xrightarrow{\text{cNI\_m, cNI\_m}} \text{cNI}$	
20	cNI_degr	cNI_degr	$\text{cNI} \xrightarrow{\text{cNI}} \emptyset$	
21	cT_m_trscr	cT_m_trscr	$\emptyset \xrightarrow{\text{cEC, cL, cEC, cL}} \text{cT\_m}$	
22	cT_m_degr	cT_m_degr	$\text{cT\_m} \xrightarrow{\text{cT\_m}} \emptyset$	
23	cT_trsl	cT_trsl	$\emptyset \xrightarrow{\text{cT\_m, cT\_m}} \text{cT}$	
24	cT_degr	cT_degr	$\text{cT} \xrightarrow{\text{cZG, cZTL, cT, cZG, cZTL}} \emptyset$	
25	cE4_m_trscr	cE4_m_trscr	$\emptyset \xrightarrow{\text{cEC, cL, cEC, cL}} \text{cE4\_m}$	
26	cE4_m_degr	cE4_m_degr	$\text{cE4\_m} \xrightarrow{\text{cE4\_m}} \emptyset$	
27	cE4_trsl	cE4_trsl	$\emptyset \xrightarrow{\text{cE4\_m, cE4\_m}} \text{cE4}$	
28	cE4_degr	cE4_degr	$\text{cE4} \xrightarrow{\text{cCOP1d, cCOP1n, cE3n, cLUX, cCOP1d, cCOP1n, cE3n, cE4, cLUX}} \emptyset$	
29	cE3_m_trscr	cE3_m_trscr	$\emptyset \xrightarrow{\text{cL, cL}} \text{cE3\_m}$	
30	cE3_m_degr	cE3_m_degr	$\text{cE3\_m} \xrightarrow{\text{cE3\_m}} \emptyset$	
31	cE3_trsl	cE3_trsl	$\emptyset \xrightarrow{\text{cE3\_m, cE3\_m}} \text{cE3}$	
32	cE3_degr	cE3_degr	$\text{cE3} \xrightarrow{\text{cCOP1c, cCOP1c, cE3}} \emptyset$	
33	cE3n_import	cE3n_import	$\text{cE3} \xrightarrow{\text{cE3, cE3n}} \text{cE3n}$	
34	cE3n_degr	cE3n_degr	$\text{cE3n} \xrightarrow{\text{cCOP1d, cCOP1n, cE4, cG, cLUX, cCOP1d, cCOP1n, cE3n, cE4, cG, cLUX}} \emptyset$	
35	cLUX_m_trscr	cLUX_m_trscr	$\emptyset \xrightarrow{\text{cEC, cL, cEC, cL}} \text{cLUX\_m}$	
36	cLUX_m_degr	cLUX_m_degr	$\text{cLUX\_m} \xrightarrow{\text{cLUX\_m}} \emptyset$	

№	Id	Name	Reaction Equation	SBO
37	cLUX_trsl	cLUX_trsl	$\emptyset \xrightarrow{\text{cLUX\_m, cLUX\_m}} \text{cLUX}$	
38	cLUX_degr	cLUX_degr	$\text{cLUX} \xrightarrow{\text{cCOP1d, cCOP1n, cE3n, cE4, cCOP1d, cCOP1n, cE3n, cE4, cLUX}} \emptyset$	
39	cCOP1c_trsl	cCOP1c_trsl	$\emptyset \longrightarrow \text{cCOP1c}$	
40	cCOP1c_degr	cCOP1c_degr	$\text{cCOP1c} \xrightarrow{\text{cCOP1c}} \emptyset$	
41	cCOP1n_import	cCOP1n_import	$\text{cCOP1c} \xrightarrow{\text{cCOP1c}} \text{cCOP1n}$	
42	cCOP1n_degr	cCOP1n_degr	$\text{cCOP1n} \xrightarrow{\text{cCOP1n}} \emptyset$	
43	cCOP1d_activ	cCOP1d_activ	$\text{cCOP1n} \xrightarrow{\text{cP, cCOP1n, cP}} \text{cCOP1d}$	
44	cCOP1d_degr	cCOP1d_degr	$\text{cCOP1d} \xrightarrow{\text{cCOP1d}} \emptyset$	
45	cG_m_trscr	cG_m_trscr	$\emptyset \xrightarrow{\text{cEC, cL, cP, cEC, cL, cP}} \text{cG\_m}$	
46	cG_m_degr	cG_m_degr	$\text{cG\_m} \xrightarrow{\text{cG\_m}} \emptyset$	
47	cG_trsl	cG_trsl	$\emptyset \xrightarrow{\text{cG\_m, cG\_m}} \text{cG}$	
48	cG_degr	cG_degr	$\text{cG} \xrightarrow{\text{cE3n, cE3n, cG}} \emptyset$	
49	cG_cZTL_assoc	cG_cZTL_assoc	$\text{cG} + \text{cZTL} \underset{}{\overset{\text{cG, cZG, cZTL}}{\rightleftharpoons}} \text{cZG}$	
50	cZTL_trsl	cZTL_trsl	$\emptyset \longrightarrow \text{cZTL}$	
51	cZTL_degr	cZTL_degr	$\text{cZTL} \xrightarrow{\text{cZTL}} \emptyset$	
52	cZG_degr	cZG_degr	$\text{cZG} \xrightarrow{\text{cZG}} \emptyset$	
53	cG_cE3_assoc	cG_cE3_assoc	$\text{cE3} + \text{cG} \xrightarrow{\text{cE3, cG}} \text{cEG}$	
54	cEG_degr	cEG_degr	$\text{cEG} \xrightarrow{\text{cCOP1c, cCOP1d, cCOP1n, cE3n, cG, cCOP1c, cCOP1d, cCOP1n, cE3n, cEG, c}}$	
55	cEC_form	cEC_form	$\emptyset \xrightarrow{\text{cCOP1d, cCOP1n, cE3n, cE4, cLUX, cCOP1d, cCOP1n, cE3n, cE4, cLUX}} \text{cEC}$	
56	cEC_degr	cEC_degr	$\text{cEC} \xrightarrow{\text{cCOP1d, cCOP1n, cE3n, cEG, cG, cCOP1d, cCOP1n, cE3n, cEC, cEG, cG}} \emptyset$	

9.1 Reaction cL_m_trscr

This is an irreversible reaction of no reactant forming one product influenced by ten modifiers.

Name cL_m_trscr

Reaction equation

$$\emptyset \xrightarrow{\text{cNI, cP, cP7, cP9, cT, cNI, cP, cP7, cP9, cT}} \text{cL\_m} \tag{63}$$

Modifiers

Table 6: Properties of each modifier.

Id	Name	SBO
cNI	cNI	
cP	cP	
cP7	cP7	
cP9	cP9	
cT	cT	
cNI	cNI	
cP	cP	
cP7	cP7	
cP9	cP9	
cT	cT	

Product

Table 7: Properties of each product.

Id	Name	SBO
cL_m	cL_m	

Kinetic Law

Derived unit contains undeclared units

$$v_1 = \text{vol}(\text{def}) \cdot \text{function\_4\_cL\_m\_trscr}(\text{L}, \text{a}, [\text{cNI}], [\text{cP}], [\text{cP7}], [\text{cP9}], [\text{cT}], \text{vol}(\text{def}), \text{g1}, \text{n1}, \text{q1}) \tag{64}$$

$$\begin{aligned} &\text{function\_4\_cL\_m\_trscr}(\text{L}, \text{a}, [\text{cNI}], [\text{cP}], [\text{cP7}], [\text{cP9}], [\text{cT}], \text{vol}(\text{def}), \text{g1}, \text{n1}, \text{q1}) \\ &= \frac{\text{L} \cdot \text{q1} \cdot [\text{cP}] + \frac{\text{n1} \cdot \text{g1}^{\text{a}}}{([\text{cP9}]+[\text{cP7}]+[\text{cNI}]+[\text{cT}])^{\text{a}}+\text{g1}^{\text{a}}}}{\text{vol}(\text{def})} \end{aligned} \tag{65}$$

$$\begin{aligned}&\text{function\_4\_cL\_m\_trscr}\left(\mathrm{L},\mathrm{a},[\mathrm{cNI}],[\mathrm{cP}],[\mathrm{cP7}],[\mathrm{cP9}],[\mathrm{cT}],\mathrm{vol}\left(\mathrm{def}\right),\mathrm{g1},\mathrm{n1},\mathrm{q1}\right)\\&= \frac{\mathrm{L}\cdot\mathrm{q1}\cdot[\mathrm{cP}] + \frac{\mathrm{n1}\cdot\mathrm{g1}^{\mathrm{a}}}{([\mathrm{cP9}]+[\mathrm{cP7}]+[\mathrm{cNI}]+[\mathrm{cT}])^{\mathrm{a}}+\mathrm{g1}^{\mathrm{a}}}}{\mathrm{vol}\left(\mathrm{def}\right)}\end{aligned} \tag{66}$$

9.2 Reaction cL_m_degr

This is an irreversible reaction of one reactant forming no product influenced by one modifier.

Name cL_m_degr

Reaction equation

$$\mathrm{cL\_m} \xrightarrow{\mathrm{cL\_m}} \emptyset \tag{67}$$

Reactant

Table 8: Properties of each reactant.

Id	Name	SBO
cL_m	cL_m	

Modifier

Table 9: Properties of each modifier.

Id	Name	SBO
cL_m	cL_m	

Kinetic Law

Derived unit contains undeclared units

$$v_2 = \mathrm{vol}\left(\mathrm{def}\right)\cdot\text{function\_4\_cL\_m\_degr\_L}\left(\mathrm{m1},\mathrm{L},\mathrm{m2},[\mathrm{cL\_m}],\mathrm{vol}\left(\mathrm{def}\right)\right) \tag{68}$$

$$\text{function\_4\_cL\_m\_degr\_L}\left(\mathrm{m1},\mathrm{L},\mathrm{m2},[\mathrm{cL\_m}],\mathrm{vol}\left(\mathrm{def}\right)\right) = \frac{(\mathrm{m1}\cdot\mathrm{L}+\mathrm{m2})\cdot[\mathrm{cL\_m}]}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{69}$$

$$\text{function\_4\_cL\_m\_degr\_L}\left(\mathrm{m1},\mathrm{L},\mathrm{m2},[\mathrm{cL\_m}],\mathrm{vol}\left(\mathrm{def}\right)\right) = \frac{(\mathrm{m1}\cdot\mathrm{L}+\mathrm{m2})\cdot[\mathrm{cL\_m}]}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{70}$$

9.3 Reaction cL_trsl

This is an irreversible reaction of no reactant forming one product influenced by two modifiers.

Name cL_trsl

Reaction equation

$$\emptyset \xrightarrow{\text{cL\_m, cL\_m}} \text{cL} \tag{71}$$

Modifiers

Table 10: Properties of each modifier.

Id	Name	SBO
cL_m	cL_m	
cL_m	cL_m	

Product

Table 11: Properties of each product.

Id	Name	SBO
cL	cL	

Kinetic Law

Derived unit contains undeclared units

$$v_3 = \text{vol}(\text{def}) \cdot \text{function\_4\_cL\_trsl}(\text{L}, [\text{cL\_m}], \text{vol}(\text{def}), \text{p1}, \text{p2}) \tag{72}$$

$$\text{function\_4\_cL\_trsl}(\text{L}, [\text{cL\_m}], \text{vol}(\text{def}), \text{p1}, \text{p2}) = \frac{[\text{cL\_m}] \cdot (\text{p1} \cdot \text{L} + \text{p2})}{\text{vol}(\text{def})} \tag{73}$$

$$\text{function\_4\_cL\_trsl}(\text{L}, [\text{cL\_m}], \text{vol}(\text{def}), \text{p1}, \text{p2}) = \frac{[\text{cL\_m}] \cdot (\text{p1} \cdot \text{L} + \text{p2})}{\text{vol}(\text{def})} \tag{74}$$

9.4 Reaction cL_degr

This is an irreversible reaction of one reactant forming no product influenced by one modifier.

Name cL_degr

Reaction equation

$$\mathrm{cL} \xrightarrow{\mathrm{cL}} \emptyset \tag{75}$$

Reactant

Table 12: Properties of each reactant.

Id	Name	SBO
cL	cL	

Modifier

Table 13: Properties of each modifier.

Id	Name	SBO
cL	cL	

Kinetic Law

Derived unit contains undeclared units

$$v_4 = \mathrm{vol}\left(\mathrm{def}\right) \cdot \mathrm{function\_4\_cL\_degr\_1}\left(\mathrm{c}, [\mathrm{cL}], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{g3}, \mathrm{m3}, \mathrm{p3}\right) \tag{76}$$

$$\mathrm{function\_4\_cL\_degr\_1}\left(\mathrm{c}, [\mathrm{cL}], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{g3}, \mathrm{m3}, \mathrm{p3}\right) = \frac{\mathrm{m3} \cdot [\mathrm{cL}] + \frac{\mathrm{p3} \cdot [\mathrm{cL}]^{\mathrm{c}}}{[\mathrm{cL}]^{\mathrm{c}} + \mathrm{g3}^{\mathrm{c}}}}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{77}$$

$$\mathrm{function\_4\_cL\_degr\_1}\left(\mathrm{c}, [\mathrm{cL}], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{g3}, \mathrm{m3}, \mathrm{p3}\right) = \frac{\mathrm{m3} \cdot [\mathrm{cL}] + \frac{\mathrm{p3} \cdot [\mathrm{cL}]^{\mathrm{c}}}{[\mathrm{cL}]^{\mathrm{c}} + \mathrm{g3}^{\mathrm{c}}}}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{78}$$

9.5 Reaction `cL_modif`

This is an irreversible reaction of no reactant forming one product influenced by two modifiers.

Name cL_modif

Reaction equation

$$\emptyset \xrightarrow{\mathrm{cL},\ \mathrm{cL}} \mathrm{cLm} \tag{79}$$

Modifiers

Table 14: Properties of each modifier.

Id	Name	SBO
cL	cL	
cL	cL	

Product

Table 15: Properties of each product.

Id	Name	SBO
cLm	cLm	

Kinetic Law

Derived unit contains undeclared units

$$v_5 = \mathrm{vol}\left(\mathrm{def}\right) \cdot \mathrm{function\_4\_cL\_modif\_1}\left(\mathrm{c}, [\mathrm{cL}], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{g3}, \mathrm{p3}\right) \tag{80}$$

$$\mathrm{function\_4\_cL\_modif\_1}\left(\mathrm{c}, [\mathrm{cL}], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{g3}, \mathrm{p3}\right) = \frac{\frac{\mathrm{p3} \cdot [\mathrm{cL}]^{\mathrm{c}}}{[\mathrm{cL}]^{\mathrm{c}} + \mathrm{g3}^{\mathrm{c}}}}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{81}$$

$$\mathrm{function\_4\_cL\_modif\_1}\left(\mathrm{c}, [\mathrm{cL}], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{g3}, \mathrm{p3}\right) = \frac{\frac{\mathrm{p3} \cdot [\mathrm{cL}]^{\mathrm{c}}}{[\mathrm{cL}]^{\mathrm{c}} + \mathrm{g3}^{\mathrm{c}}}}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{82}$$

9.6 Reaction cLm_degr

This is an irreversible reaction of one reactant forming no product influenced by one modifier.

Name cLm_degr

Reaction equation

$$\mathrm{cLm} \xrightarrow{\mathrm{cLm}} \emptyset \tag{83}$$

Reactant

Table 16: Properties of each reactant.

Id	Name	SBO
cLm	cLm	

Modifier

Table 17: Properties of each modifier.

Id	Name	SBO
cLm	cLm	

Kinetic Law

Derived unit contains undeclared units

$$v_6 = \mathrm{vol}\left(\mathrm{def}\right) \cdot \mathrm{function\_4\_cLm\_degr\_1}\left(\left[\mathrm{cLm}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m4}\right) \tag{84}$$

$$\mathrm{function\_4\_cLm\_degr\_1}\left(\left[\mathrm{cLm}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m4}\right) = \frac{\mathrm{m4} \cdot \left[\mathrm{cLm}\right]}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{85}$$

$$\mathrm{function\_4\_cLm\_degr\_1}\left(\left[\mathrm{cLm}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m4}\right) = \frac{\mathrm{m4} \cdot \left[\mathrm{cLm}\right]}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{86}$$

9.7 Reaction cP_trsl

This is an irreversible reaction of no reactant forming one product influenced by one modifier.

Name cP_trsl

Reaction equation

$$\emptyset \xrightarrow{\mathrm{cP}} \mathrm{cP} \tag{87}$$

Modifier

Table 18: Properties of each modifier.

Id	Name	SBO
cP	cP	

Product

Table 19: Properties of each product.

Id	Name	SBO
cP	cP	

Kinetic Law

Derived unit contains undeclared units

$$v_7 = \mathrm{vol}\left(\mathrm{def}\right) \cdot \mathrm{function\_4\_cP\_trsl}\left(\mathrm{D}, [\mathrm{cP}], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{p7}\right) \tag{88}$$

$$\mathrm{function\_4\_cP\_trsl}\left(\mathrm{D}, [\mathrm{cP}], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{p7}\right) = \frac{\mathrm{p7} \cdot \mathrm{D} \cdot (1 - [\mathrm{cP}])}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{89}$$

$$\mathrm{function\_4\_cP\_trsl}\left(\mathrm{D}, [\mathrm{cP}], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{p7}\right) = \frac{\mathrm{p7} \cdot \mathrm{D} \cdot (1 - [\mathrm{cP}])}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{90}$$

9.8 Reaction cP_degr

This is an irreversible reaction of one reactant forming no product influenced by one modifier.

Name cP_degr

Reaction equation

$$\mathrm{cP} \xrightarrow{\mathrm{cP}} \emptyset \tag{91}$$

Reactant

Table 20: Properties of each reactant.

Id	Name	SBO
cP	cP	

Modifier

Table 21: Properties of each modifier.

Id	Name	SBO
cP	cP	

Kinetic Law

Derived unit contains undeclared units

$$v_8 = \mathrm{vol}\left(\mathrm{def}\right) \cdot \mathrm{function\_4\_cP\_degr}\left(\mathrm{L}, [\mathrm{cP}], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m11}\right) \tag{92}$$

$$\mathrm{function\_4\_cP\_degr}\left(\mathrm{L}, [\mathrm{cP}], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m11}\right) = \frac{\mathrm{m11} \cdot [\mathrm{cP}] \cdot \mathrm{L}}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{93}$$

$$\mathrm{function\_4\_cP\_degr}\left(\mathrm{L}, [\mathrm{cP}], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m11}\right) = \frac{\mathrm{m11} \cdot [\mathrm{cP}] \cdot \mathrm{L}}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{94}$$

9.9 Reaction `cP9_m_trscr`

This is an irreversible reaction of no reactant forming one product influenced by six modifiers.

Name cP9_m_trscr

Reaction equation

$$\emptyset \xrightarrow{\mathrm{cEC},\ \mathrm{cL},\ \mathrm{cP},\ \mathrm{cEC},\ \mathrm{cL},\ \mathrm{cP}} \mathrm{cP9\_m} \tag{95}$$

Modifiers

Table 22: Properties of each modifier.

Id	Name	SBO
`cEC`	cEC	
`cL`	cL	
`cP`	cP	
`cEC`	cEC	
`cL`	cL	
`cP`	cP	

Product

Table 23: Properties of each product.

Id	Name	SBO
`cP9_m`	cP9_m	

Kinetic Law

Derived unit contains undeclared units

$$v_9 = \mathrm{vol}\left(\mathrm{def}\right) \cdot \mathrm{function\_4\_cP9\_m\_trscr\_1}\left(\mathrm{L}, [\mathrm{cEC}], [\mathrm{cL}], [\mathrm{cP}], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{e}, \mathrm{g8}, \mathrm{g9}, \mathrm{n4}, \mathrm{n7}, \mathrm{q3}\right) \tag{96}$$

$$\begin{aligned} &\mathrm{function\_4\_cP9\_m\_trscr\_1}\left(\mathrm{L}, [\mathrm{cEC}], [\mathrm{cL}], [\mathrm{cP}], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{e}, \mathrm{g8}, \mathrm{g9}, \mathrm{n4}, \mathrm{n7}, \mathrm{q3}\right) \\ &= \frac{\mathrm{L} \cdot \mathrm{q3} \cdot [\mathrm{cP}] + \frac{\left(\mathrm{n4} + \frac{\mathrm{n7} \cdot [\mathrm{cL}]^{\mathrm{e}}}{[\mathrm{cL}]^{\mathrm{e}} + \mathrm{g9}^{\mathrm{e}}}\right) \cdot \mathrm{g8}}{[\mathrm{cEC}] + \mathrm{g8}}}{\mathrm{vol}\left(\mathrm{def}\right)} \end{aligned} \tag{97}$$

$$\begin{aligned} &\mathrm{function\_4\_cP9\_m\_trscr\_1}\left(\mathrm{L}, [\mathrm{cEC}], [\mathrm{cL}], [\mathrm{cP}], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{e}, \mathrm{g8}, \mathrm{g9}, \mathrm{n4}, \mathrm{n7}, \mathrm{q3}\right) \\ &= \frac{\mathrm{L} \cdot \mathrm{q3} \cdot [\mathrm{cP}] + \frac{\left(\mathrm{n4} + \frac{\mathrm{n7} \cdot [\mathrm{cL}]^{\mathrm{e}}}{[\mathrm{cL}]^{\mathrm{e}} + \mathrm{g9}^{\mathrm{e}}}\right) \cdot \mathrm{g8}}{[\mathrm{cEC}] + \mathrm{g8}}}{\mathrm{vol}\left(\mathrm{def}\right)} \end{aligned} \tag{98}$$

9.10 Reaction `cP9_m_degr`

This is an irreversible reaction of one reactant forming no product influenced by one modifier.

Name cP9_m_degr

Reaction equation

$$\mathrm{cP9\_m} \xrightarrow{\mathrm{cP9\_m}} \emptyset \tag{99}$$

Reactant

Table 24: Properties of each reactant.

Id	Name	SBO
`cP9_m`	cP9_m	

Modifier

Table 25: Properties of each modifier.

Id	Name	SBO
`cP9_m`	cP9_m	

Kinetic Law

Derived unit contains undeclared units

$$v_{10} = \mathrm{vol}\left(\mathrm{def}\right) \cdot \mathrm{function\_4\_cP9\_m\_degr\_1}\left(\left[\mathrm{cP9\_m}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m12}\right) \tag{100}$$

$$\mathrm{function\_4\_cP9\_m\_degr\_1}\left(\left[\mathrm{cP9\_m}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m12}\right) = \frac{\mathrm{m12} \cdot \left[\mathrm{cP9\_m}\right]}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{101}$$

$$\mathrm{function\_4\_cP9\_m\_degr\_1}\left(\left[\mathrm{cP9\_m}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m12}\right) = \frac{\mathrm{m12} \cdot \left[\mathrm{cP9\_m}\right]}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{102}$$

9.11 Reaction `cP9_trsl`

This is an irreversible reaction of no reactant forming one product influenced by two modifiers.

Name cP9_trsl

Reaction equation

$$\emptyset \xrightarrow{\mathrm{cP9\_m},\ \mathrm{cP9\_m}} \mathrm{cP9} \tag{103}$$

Modifiers

Table 26: Properties of each modifier.

Id	Name	SBO
`cP9_m`	cP9_m	
`cP9_m`	cP9_m	

Product

Table 27: Properties of each product.

Id	Name	SBO
`cP9`	cP9	

Kinetic Law

Derived unit contains undeclared units

$$v_{11} = \mathrm{vol}\left(\mathrm{def}\right) \cdot \mathrm{function\_4\_cP9\_trsl\_1}\left(\left[\mathrm{cP9\_m}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{p8}\right) \tag{104}$$

$$\text{function\_4\_cP9\_trsl\_1}\left(\left[\text{cP9\_m}\right], \text{vol}\left(\text{def}\right), \text{p8}\right) = \frac{\text{p8} \cdot \left[\text{cP9\_m}\right]}{\text{vol}\left(\text{def}\right)} \tag{105}$$

$$\text{function\_4\_cP9\_trsl\_1}\left(\left[\text{cP9\_m}\right], \text{vol}\left(\text{def}\right), \text{p8}\right) = \frac{\text{p8} \cdot \left[\text{cP9\_m}\right]}{\text{vol}\left(\text{def}\right)} \tag{106}$$

9.12 Reaction cP9_degr

This is an irreversible reaction of one reactant forming no product influenced by one modifier.

Name cP9_degr

Reaction equation

$$\text{cP9} \xrightarrow{\text{cP9}} \emptyset \tag{107}$$

Reactant

Table 28: Properties of each reactant.

Id	Name	SBO
cP9	cP9	

Modifier

Table 29: Properties of each modifier.

Id	Name	SBO
cP9	cP9	

Kinetic Law

Derived unit contains undeclared units

$$v_{12} = \text{vol}\left(\text{def}\right) \cdot \text{function\_4\_cP9\_degr}\left(\text{D}, \left[\text{cP9}\right], \text{vol}\left(\text{def}\right), \text{m13}, \text{m22}\right) \tag{108}$$

$$\text{function\_4\_cP9\_degr}\left(\text{D}, \left[\text{cP9}\right], \text{vol}\left(\text{def}\right), \text{m13}, \text{m22}\right) = \frac{\left(\text{m13} + \text{m22} \cdot \text{D}\right) \cdot \left[\text{cP9}\right]}{\text{vol}\left(\text{def}\right)} \tag{109}$$

$$\text{function\_4\_cP9\_degr}\left(\text{D}, \left[\text{cP9}\right], \text{vol}\left(\text{def}\right), \text{m13}, \text{m22}\right) = \frac{\left(\text{m13} + \text{m22} \cdot \text{D}\right) \cdot \left[\text{cP9}\right]}{\text{vol}\left(\text{def}\right)} \tag{110}$$

9.13 Reaction cP7_m_trscr

This is an irreversible reaction of no reactant forming one product influenced by six modifiers.

Name cP7_m_trscr

Reaction equation

$$\emptyset \xrightarrow{\text{cL, cLm, cP9, cL, cLm, cP9}} \text{cP7\_m} \tag{111}$$

Modifiers

Table 30: Properties of each modifier.

Id	Name	SBO
cL	cL	
cLm	cLm	
cP9	cP9	
cL	cL	
cLm	cLm	
cP9	cP9	

Product

Table 31: Properties of each product.

Id	Name	SBO
cP7_m	cP7_m	

Kinetic Law

Derived unit contains undeclared units

$$v_{13} = \text{vol}\left(\text{def}\right) \cdot \text{function\_4\_cP7\_m\_trscr\_1}\left(\left[\text{cL}\right], \left[\text{cLm}\right], \left[\text{cP9}\right], \text{vol}\left(\text{def}\right), \text{e}, \text{f}, \text{g10}, \text{g11}, \text{n8}, \text{n9}\right) \tag{112}$$

$$\begin{aligned} &\text{function\_4\_cP7\_m\_trscr\_1}\left(\left[\text{cL}\right], \left[\text{cLm}\right], \left[\text{cP9}\right], \text{vol}\left(\text{def}\right), \text{e}, \text{f}, \text{g10}, \text{g11}, \text{n8}, \text{n9}\right) \\ &= \frac{\frac{\text{n8} \cdot \left(\left[\text{cLm}\right] + \left[\text{cL}\right]\right)^{\text{e}}}{\left(\left[\text{cLm}\right] + \left[\text{cL}\right]\right)^{\text{e}} + \text{g10}^{\text{e}}} + \frac{\text{n9} \cdot \left[\text{cP9}\right]^{\text{f}}}{\left[\text{cP9}\right]^{\text{f}} + \text{g11}^{\text{f}}}}{\text{vol}\left(\text{def}\right)} \end{aligned} \tag{113}$$

$$\begin{aligned}&\text{function\_4\_cP7\_m\_trscr\_1}\left([\text{cL}],[\text{cLm}],[\text{cP9}],\text{vol}\left(\text{def}\right),\text{e},\text{f},\text{g10},\text{g11},\text{n8},\text{n9}\right)\\&=\frac{\frac{\text{n8}\cdot\left([\text{cLm}]+[\text{cL}]\right)^{\text{e}}}{\left([\text{cLm}]+[\text{cL}]\right)^{\text{e}}+\text{g10}^{\text{e}}}+\frac{\text{n9}\cdot[\text{cP9}]^{\text{f}}}{[\text{cP9}]^{\text{f}}+\text{g11}^{\text{f}}}}{\text{vol}\left(\text{def}\right)}\end{aligned}\tag{114}$$

9.14 Reaction cP7_m_degr

This is an irreversible reaction of one reactant forming no product influenced by one modifier.

Name cP7_m_degr

Reaction equation

$$\text{cP7\_m}\xrightarrow{\text{cP7\_m}}\emptyset\tag{115}$$

Reactant

Table 32: Properties of each reactant.

Id	Name	SBO
cP7_m	cP7_m	

Modifier

Table 33: Properties of each modifier.

Id	Name	SBO
cP7_m	cP7_m	

Kinetic Law

Derived unit contains undeclared units

$$v_{14}=\text{vol}\left(\text{def}\right)\cdot\text{function\_4\_cP7\_m\_degr\_1}\left([\text{cP7\_m}],\text{vol}\left(\text{def}\right),\text{m14}\right)\tag{116}$$

$$\text{function\_4\_cP7\_m\_degr\_1}\left([\text{cP7\_m}],\text{vol}\left(\text{def}\right),\text{m14}\right)=\frac{\text{m14}\cdot[\text{cP7\_m}]}{\text{vol}\left(\text{def}\right)}\tag{117}$$

$$\text{function\_4\_cP7\_m\_degr\_1}\left([\text{cP7\_m}],\text{vol}\left(\text{def}\right),\text{m14}\right)=\frac{\text{m14}\cdot[\text{cP7\_m}]}{\text{vol}\left(\text{def}\right)}\tag{118}$$

9.15 Reaction cP7_trsl

This is an irreversible reaction of no reactant forming one product influenced by two modifiers.

Name cP7_trsl

Reaction equation

$$\emptyset \xrightarrow{\text{cP7\_m, cP7\_m}} \text{cP7} \tag{119}$$

Modifiers

Table 34: Properties of each modifier.

Id	Name	SBO
cP7_m	cP7_m	
cP7_m	cP7_m	

Product

Table 35: Properties of each product.

Id	Name	SBO
cP7	cP7	

Kinetic Law

Derived unit contains undeclared units

$$v_{15} = \text{vol}(\text{def}) \cdot \text{function\_4\_cP7\_trsl\_1}([\text{cP7\_m}], \text{vol}(\text{def}), \text{p9}) \tag{120}$$

$$\text{function\_4\_cP7\_trsl\_1}([\text{cP7\_m}], \text{vol}(\text{def}), \text{p9}) = \frac{\text{p9} \cdot [\text{cP7\_m}]}{\text{vol}(\text{def})} \tag{121}$$

$$\text{function\_4\_cP7\_trsl\_1}([\text{cP7\_m}], \text{vol}(\text{def}), \text{p9}) = \frac{\text{p9} \cdot [\text{cP7\_m}]}{\text{vol}(\text{def})} \tag{122}$$

9.16 Reaction cP7_degr

This is an irreversible reaction of one reactant forming no product influenced by one modifier.

Name cP7_degr

Reaction equation

$$\mathrm{cP7} \xrightarrow{\mathrm{cP7}} \emptyset \tag{123}$$

Reactant

Table 36: Properties of each reactant.

Id	Name	SBO
cP7	cP7	

Modifier

Table 37: Properties of each modifier.

Id	Name	SBO
cP7	cP7	

Kinetic Law

Derived unit contains undeclared units

$$v_{16} = \mathrm{vol}\left(\mathrm{def}\right) \cdot \mathrm{function\_4\_cP7\_degr}\left(\mathrm{D}, [\mathrm{cP7}], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m15}, \mathrm{m23}\right) \tag{124}$$

$$\mathrm{function\_4\_cP7\_degr}\left(\mathrm{D}, [\mathrm{cP7}], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m15}, \mathrm{m23}\right) = \frac{\left(\mathrm{m15} + \mathrm{m23} \cdot \mathrm{D}\right) \cdot [\mathrm{cP7}]}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{125}$$

$$\mathrm{function\_4\_cP7\_degr}\left(\mathrm{D}, [\mathrm{cP7}], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m15}, \mathrm{m23}\right) = \frac{\left(\mathrm{m15} + \mathrm{m23} \cdot \mathrm{D}\right) \cdot [\mathrm{cP7}]}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{126}$$

9.17 Reaction cNI_m_trscr

This is an irreversible reaction of no reactant forming one product influenced by four modifiers.

Name cNI_m_trscr

Reaction equation

$$\emptyset \xrightarrow{\mathrm{cLm},\ \mathrm{cP7},\ \mathrm{cLm},\ \mathrm{cP7}} \mathrm{cNI\_m} \tag{127}$$

Modifiers

Table 38: Properties of each modifier.

Id	Name	SBO
cLm	cLm	
cP7	cP7	
cLm	cLm	
cP7	cP7	

Product

Table 39: Properties of each product.

Id	Name	SBO
cNI_m	cNI_m	

Kinetic Law

Derived unit contains undeclared units

$$v_{17} = \mathrm{vol}\left(\mathrm{def}\right) \cdot \mathrm{function\_4\_cNI\_m\_trscr\_1}\left(\mathrm{b}, [\mathrm{cLm}], [\mathrm{cP7}], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{e}, \mathrm{g12}, \mathrm{g13}, \mathrm{n10}, \mathrm{n11}\right) \tag{128}$$

$$\begin{aligned} &\mathrm{function\_4\_cNI\_m\_trscr\_1}\left(\mathrm{b}, [\mathrm{cLm}], [\mathrm{cP7}], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{e}, \mathrm{g12}, \mathrm{g13}, \mathrm{n10}, \mathrm{n11}\right) \\ &= \frac{\frac{\mathrm{n10} \cdot [\mathrm{cLm}]^{\mathrm{e}}}{[\mathrm{cLm}]^{\mathrm{e}} + \mathrm{g12}^{\mathrm{e}}} + \frac{\mathrm{n11} \cdot [\mathrm{cP7}]^{\mathrm{b}}}{[\mathrm{cP7}]^{\mathrm{b}} + \mathrm{g13}^{\mathrm{b}}}}{\mathrm{vol}\left(\mathrm{def}\right)} \end{aligned} \tag{129}$$

$$\begin{aligned} &\mathrm{function\_4\_cNI\_m\_trscr\_1}\left(\mathrm{b}, [\mathrm{cLm}], [\mathrm{cP7}], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{e}, \mathrm{g12}, \mathrm{g13}, \mathrm{n10}, \mathrm{n11}\right) \\ &= \frac{\frac{\mathrm{n10} \cdot [\mathrm{cLm}]^{\mathrm{e}}}{[\mathrm{cLm}]^{\mathrm{e}} + \mathrm{g12}^{\mathrm{e}}} + \frac{\mathrm{n11} \cdot [\mathrm{cP7}]^{\mathrm{b}}}{[\mathrm{cP7}]^{\mathrm{b}} + \mathrm{g13}^{\mathrm{b}}}}{\mathrm{vol}\left(\mathrm{def}\right)} \end{aligned} \tag{130}$$

9.18 Reaction cNI_m_degr

This is an irreversible reaction of one reactant forming no product influenced by one modifier.

Name cNI_m_degr

Reaction equation

$$\mathrm{cNI\_m} \xrightarrow{\mathrm{cNI\_m}} \emptyset \tag{131}$$

Reactant

Table 40: Properties of each reactant.

Id	Name	SBO
cNI_m	cNI_m	

Modifier

Table 41: Properties of each modifier.

Id	Name	SBO
cNI_m	cNI_m	

Kinetic Law

Derived unit contains undeclared units

$$v_{18} = \mathrm{vol}\left(\mathrm{def}\right) \cdot \mathrm{function\_4\_cNI\_m\_degr\_1}\left(\left[\mathrm{cNI\_m}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m16}\right) \tag{132}$$

$$\mathrm{function\_4\_cNI\_m\_degr\_1}\left(\left[\mathrm{cNI\_m}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m16}\right) = \frac{\mathrm{m16} \cdot \left[\mathrm{cNI\_m}\right]}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{133}$$

$$\mathrm{function\_4\_cNI\_m\_degr\_1}\left(\left[\mathrm{cNI\_m}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m16}\right) = \frac{\mathrm{m16} \cdot \left[\mathrm{cNI\_m}\right]}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{134}$$

9.19 Reaction cNI_trsl

This is an irreversible reaction of no reactant forming one product influenced by two modifiers.

Name cNI_trsl

Reaction equation

$$\emptyset \xrightarrow{\mathrm{cNI\_m},\ \mathrm{cNI\_m}} \mathrm{cNI} \tag{135}$$

Modifiers

Table 42: Properties of each modifier.

Id	Name	SBO
cNI_m	cNI_m	
cNI_m	cNI_m	

Product

Table 43: Properties of each product.

Id	Name	SBO
cNI	cNI	

Kinetic Law

Derived unit contains undeclared units

$$v_{19} = \mathrm{vol}\left(\mathrm{def}\right) \cdot \mathrm{function\_4\_cNI\_trsl\_1}\left(\left[\mathrm{cNI\_m}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{p10}\right) \tag{136}$$

$$\mathrm{function\_4\_cNI\_trsl\_1}\left(\left[\mathrm{cNI\_m}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{p10}\right) = \frac{\mathrm{p10} \cdot \left[\mathrm{cNI\_m}\right]}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{137}$$

$$\mathrm{function\_4\_cNI\_trsl\_1}\left(\left[\mathrm{cNI\_m}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{p10}\right) = \frac{\mathrm{p10} \cdot \left[\mathrm{cNI\_m}\right]}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{138}$$

9.20 Reaction cNI_degr

This is an irreversible reaction of one reactant forming no product influenced by one modifier.

Name cNI_degr

Reaction equation

$$\mathrm{cNI} \xrightarrow{\mathrm{cNI}} \emptyset \tag{139}$$

Reactant

Table 44: Properties of each reactant.

Id	Name	SBO
cNI	cNI	

Modifier

Table 45: Properties of each modifier.

Id	Name	SBO
cNI	cNI	

Kinetic Law

Derived unit contains undeclared units

$$v_{20} = \mathrm{vol}\left(\mathrm{def}\right) \cdot \mathrm{function\_4\_cNI\_degr}\left(\mathrm{D}, \left[\mathrm{cNI}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m17}, \mathrm{m24}\right) \tag{140}$$

$$\mathrm{function\_4\_cNI\_degr}\left(\mathrm{D}, \left[\mathrm{cNI}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m17}, \mathrm{m24}\right) = \frac{\left(\mathrm{m17} + \mathrm{m24} \cdot \mathrm{D}\right) \cdot \left[\mathrm{cNI}\right]}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{141}$$

$$\mathrm{function\_4\_cNI\_degr}\left(\mathrm{D}, \left[\mathrm{cNI}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m17}, \mathrm{m24}\right) = \frac{\left(\mathrm{m17} + \mathrm{m24} \cdot \mathrm{D}\right) \cdot \left[\mathrm{cNI}\right]}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{142}$$

9.21 Reaction cT_m_trscr

This is an irreversible reaction of no reactant forming one product influenced by four modifiers.

Name cT_m_trscr

Reaction equation

$$\emptyset \xrightarrow{\mathrm{cEC},\ \mathrm{cL},\ \mathrm{cEC},\ \mathrm{cL}} \mathrm{cT\_m} \tag{143}$$

Modifiers

Table 46: Properties of each modifier.

Id	Name	SBO
cEC	cEC	
cL	cL	
cEC	cEC	
cL	cL	

Product

Table 47: Properties of each product.

Id	Name	SBO
cT_m	cT_m	

Kinetic Law

Derived unit contains undeclared units

$$v_{21} = \mathrm{vol}\left(\mathrm{def}\right) \cdot \mathrm{function\_4\_cT\_m\_trscr}\left(\left[\mathrm{cEC}\right], \left[\mathrm{cL}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{e}, \mathrm{g4}, \mathrm{g5}, \mathrm{n2}\right) \tag{144}$$

$$\mathrm{function\_4\_cT\_m\_trscr}\left(\left[\mathrm{cEC}\right], \left[\mathrm{cL}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{e}, \mathrm{g4}, \mathrm{g5}, \mathrm{n2}\right) = \frac{\frac{\mathrm{n2} \cdot \mathrm{g4}}{\left[\mathrm{cEC}\right] + \mathrm{g4}} \cdot \mathrm{g5}^{\mathrm{e}}}{\left[\mathrm{cL}\right]^{\mathrm{e}} + \mathrm{g5}^{\mathrm{e}}}}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{145}$$

$$\mathrm{function\_4\_cT\_m\_trscr}\left(\left[\mathrm{cEC}\right], \left[\mathrm{cL}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{e}, \mathrm{g4}, \mathrm{g5}, \mathrm{n2}\right) = \frac{\frac{\mathrm{n2} \cdot \mathrm{g4}}{\left[\mathrm{cEC}\right] + \mathrm{g4}} \cdot \mathrm{g5}^{\mathrm{e}}}{\left[\mathrm{cL}\right]^{\mathrm{e}} + \mathrm{g5}^{\mathrm{e}}}}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{146}$$

9.22 Reaction cT_m_degr

This is an irreversible reaction of one reactant forming no product influenced by one modifier.

Name cT_m_degr

Reaction equation

$$\mathrm{cT\_m} \xrightarrow{\mathrm{cT\_m}} \emptyset \tag{147}$$

Reactant

Table 48: Properties of each reactant.

Id	Name	SBO
cT_m	cT_m	

Modifier

Table 49: Properties of each modifier.

Id	Name	SBO
cT_m	cT_m	

Id	Name	SBO

Kinetic Law

Derived unit contains undeclared units

$$v_{22} = \mathrm{vol}\left(\mathrm{def}\right) \cdot \mathrm{function\_4\_cT\_m\_degr\_1}\left(\left[\mathrm{cT\_m}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m5}\right) \tag{148}$$

$$\mathrm{function\_4\_cT\_m\_degr\_1}\left(\left[\mathrm{cT\_m}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m5}\right) = \frac{\mathrm{m5} \cdot \left[\mathrm{cT\_m}\right]}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{149}$$

$$\mathrm{function\_4\_cT\_m\_degr\_1}\left(\left[\mathrm{cT\_m}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m5}\right) = \frac{\mathrm{m5} \cdot \left[\mathrm{cT\_m}\right]}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{150}$$

9.23 Reaction `cT_trsl`

This is an irreversible reaction of no reactant forming one product influenced by two modifiers.

Name cT_trsl

Reaction equation

$$\emptyset \xrightarrow{\mathrm{cT\_m},\ \mathrm{cT\_m}} \mathrm{cT} \tag{151}$$

Modifiers

Table 50: Properties of each modifier.

Id	Name	SBO
`cT_m`	cT_m	
`cT_m`	cT_m	

Product

Table 51: Properties of each product.

Id	Name	SBO
`cT`	cT	

Kinetic Law

Derived unit contains undeclared units

$$v_{23} = \mathrm{vol}\left(\mathrm{def}\right) \cdot \mathrm{function\_4\_cT\_trsl\_1}\left(\left[\mathrm{cT\_m}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{p4}\right) \tag{152}$$

$$\mathrm{function\_4\_cT\_trsl\_1}\left(\left[\mathrm{cT\_m}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{p4}\right) = \frac{\mathrm{p4} \cdot \left[\mathrm{cT\_m}\right]}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{153}$$

$$\mathrm{function\_4\_cT\_trsl\_1}\left(\left[\mathrm{cT\_m}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{p4}\right) = \frac{\mathrm{p4} \cdot \left[\mathrm{cT\_m}\right]}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{154}$$

9.24 Reaction cT_degr

This is an irreversible reaction of one reactant forming no product influenced by five modifiers.

Name cT_degr

Reaction equation

$$\mathrm{cT} \xrightarrow{\mathrm{cZG,\ cZTL,\ cT,\ cZG,\ cZTL}} \emptyset \tag{155}$$

Reactant

Table 52: Properties of each reactant.

Id	Name	SBO
cT	cT	

Modifiers

Table 53: Properties of each modifier.

Id	Name	SBO
cZG	cZG	
cZTL	cZTL	
cT	cT	
cZG	cZG	
cZTL	cZTL	

Kinetic Law

Derived unit contains undeclared units

$$v_{24} = \mathrm{vol}\left(\mathrm{def}\right) \cdot \mathrm{function\_4\_cT\_degr}\left(\mathrm{D}, [\mathrm{cT}], [\mathrm{cZG}], [\mathrm{cZTL}], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m6}, \mathrm{m7}, \mathrm{m8}, \mathrm{p5}\right) \quad (156)$$

$$\begin{aligned} &\mathrm{function\_4\_cT\_degr}\left(\mathrm{D}, [\mathrm{cT}], [\mathrm{cZG}], [\mathrm{cZTL}], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m6}, \mathrm{m7}, \mathrm{m8}, \mathrm{p5}\right) \\ &= \frac{\left(\mathrm{m6} + \mathrm{m7} \cdot \mathrm{D}\right) \cdot [\mathrm{cT}] \cdot \left(\mathrm{p5} \cdot [\mathrm{cZTL}] + [\mathrm{cZG}]\right) + \mathrm{m8} \cdot [\mathrm{cT}]}{\mathrm{vol}\left(\mathrm{def}\right)} \end{aligned} \quad (157)$$

$$\begin{aligned} &\mathrm{function\_4\_cT\_degr}\left(\mathrm{D}, [\mathrm{cT}], [\mathrm{cZG}], [\mathrm{cZTL}], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m6}, \mathrm{m7}, \mathrm{m8}, \mathrm{p5}\right) \\ &= \frac{\left(\mathrm{m6} + \mathrm{m7} \cdot \mathrm{D}\right) \cdot [\mathrm{cT}] \cdot \left(\mathrm{p5} \cdot [\mathrm{cZTL}] + [\mathrm{cZG}]\right) + \mathrm{m8} \cdot [\mathrm{cT}]}{\mathrm{vol}\left(\mathrm{def}\right)} \end{aligned} \quad (158)$$

9.25 Reaction cE4_m_trscr

This is an irreversible reaction of no reactant forming one product influenced by four modifiers.

Name cE4_m_trscr

Reaction equation

$$\emptyset \xrightarrow{\mathrm{cEC},\ \mathrm{cL},\ \mathrm{cEC},\ \mathrm{cL}} \mathrm{cE4\_m} \quad (159)$$

Modifiers

Table 54: Properties of each modifier.

Id	Name	SBO
cEC	cEC	
cL	cL	
cEC	cEC	
cL	cL	

Product

Table 55: Properties of each product.

Id	Name	SBO
cE4_m	cE4_m	

Kinetic Law

Derived unit contains undeclared units

$$v_{25} = \mathrm{vol}\left(\mathrm{def}\right) \cdot \mathrm{function\_4\_cLUX\_m\_trscr}\left(\left[\mathrm{cEC}\right], \left[\mathrm{cL}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{e}, \mathrm{g2}, \mathrm{g6}, \mathrm{n13}\right) \quad (160)$$

$$\mathrm{function\_4\_cLUX\_m\_trscr}\left(\left[\mathrm{cEC}\right], \left[\mathrm{cL}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{e}, \mathrm{g2}, \mathrm{g6}, \mathrm{n13}\right) = \frac{\frac{\mathrm{n13} \cdot \mathrm{g2}}{\left[\mathrm{cEC}\right] + \mathrm{g2}} \cdot \mathrm{g6}^{\mathrm{e}}}{\left[\mathrm{cL}\right]^{\mathrm{e}} + \mathrm{g6}^{\mathrm{e}}}}{\mathrm{vol}\left(\mathrm{def}\right)} \quad (161)$$

$$\mathrm{function\_4\_cLUX\_m\_trscr}\left(\left[\mathrm{cEC}\right], \left[\mathrm{cL}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{e}, \mathrm{g2}, \mathrm{g6}, \mathrm{n13}\right) = \frac{\frac{\mathrm{n13} \cdot \mathrm{g2}}{\left[\mathrm{cEC}\right] + \mathrm{g2}} \cdot \mathrm{g6}^{\mathrm{e}}}{\left[\mathrm{cL}\right]^{\mathrm{e}} + \mathrm{g6}^{\mathrm{e}}}}{\mathrm{vol}\left(\mathrm{def}\right)} \quad (162)$$

9.26 Reaction `cE4_m_degr`

This is an irreversible reaction of one reactant forming no product influenced by one modifier.

Name cE4_m_degr

Reaction equation

$$\mathrm{cE4\_m} \xrightarrow{\mathrm{cE4\_m}} \emptyset \quad (163)$$

Reactant

Table 56: Properties of each reactant.

Id	Name	SBO
`cE4_m`	cE4_m	

Modifier

Table 57: Properties of each modifier.

Id	Name	SBO
`cE4_m`	cE4_m	

Kinetic Law

Derived unit contains undeclared units

$$v_{26} = \mathrm{vol}\left(\mathrm{def}\right) \cdot \mathrm{function\_4\_cE4\_m\_degr\_1}\left(\left[\mathrm{cE4\_m}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m34}\right) \quad (164)$$

$$\text{function\_4\_cE4\_m\_degr\_1}\left(\left[\text{cE4\_m}\right], \text{vol}\left(\text{def}\right), \text{m34}\right) = \frac{\text{m34} \cdot \left[\text{cE4\_m}\right]}{\text{vol}\left(\text{def}\right)} \tag{165}$$

$$\text{function\_4\_cE4\_m\_degr\_1}\left(\left[\text{cE4\_m}\right], \text{vol}\left(\text{def}\right), \text{m34}\right) = \frac{\text{m34} \cdot \left[\text{cE4\_m}\right]}{\text{vol}\left(\text{def}\right)} \tag{166}$$

9.27 Reaction `cE4_trsl`

This is an irreversible reaction of no reactant forming one product influenced by two modifiers.

Name cE4_trsl

Reaction equation

$$\emptyset \xrightarrow{\text{cE4\_m, cE4\_m}} \text{cE4} \tag{167}$$

Modifiers

Table 58: Properties of each modifier.

Id	Name	SBO
`cE4_m`	cE4_m	
`cE4_m`	cE4_m	

Product

Table 59: Properties of each product.

Id	Name	SBO
`cE4`	cE4	

Kinetic Law

Derived unit contains undeclared units

$$v_{27} = \text{vol}\left(\text{def}\right) \cdot \text{function\_4\_cE4\_trsl\_1}\left(\left[\text{cE4\_m}\right], \text{vol}\left(\text{def}\right), \text{p23}\right) \tag{168}$$

$$\text{function\_4\_cE4\_trsl\_1}\left(\left[\text{cE4\_m}\right], \text{vol}\left(\text{def}\right), \text{p23}\right) = \frac{\text{p23} \cdot \left[\text{cE4\_m}\right]}{\text{vol}\left(\text{def}\right)} \tag{169}$$

$$\text{function\_4\_cE4\_trsl\_1}\left(\left[\text{cE4\_m}\right], \text{vol}\left(\text{def}\right), \text{p23}\right) = \frac{\text{p23} \cdot \left[\text{cE4\_m}\right]}{\text{vol}\left(\text{def}\right)} \tag{170}$$

9.28 Reaction cE4_degr

This is an irreversible reaction of one reactant forming no product influenced by nine modifiers.

Name cE4_degr

Reaction equation

$$\text{cE4} \xrightarrow{\text{cCOP1d, cCOP1n, cE3n, cLUX, cCOP1d, cCOP1n, cE3n, cE4, cLUX}} \emptyset \tag{171}$$

Reactant

Table 60: Properties of each reactant.

Id	Name	SBO
cE4	cE4	

Modifiers

Table 61: Properties of each modifier.

Id	Name	SBO
cCOP1d	cCOP1d	
cCOP1n	cCOP1n	
cE3n	cE3n	
cLUX	cLUX	
cCOP1d	cCOP1d	
cCOP1n	cCOP1n	
cE3n	cE3n	
cE4	cE4	
cLUX	cLUX	

Kinetic Law

Derived unit contains undeclared units

$$v_{28} = \text{vol}(\text{def}) \cdot \text{function\_4\_cE4\_degr\_1}([\text{cCOP1d}], [\text{cCOP1n}], [\text{cE3n}], [\text{cE4}], [\text{cLUX}], \text{vol}(\text{def}), \text{m35}, \text{m36}, \text{m37}, \text{p21}, \text{p25}, \text{p26}) \tag{172}$$

$$\begin{aligned}&\text{function\_4\_cE4\_degr\_1}\left(\left[\text{cCOP1d}\right],\left[\text{cCOP1n}\right],\left[\text{cE3n}\right],\right.\\&\left.\left[\text{cE4}\right],\left[\text{cLUX}\right],\text{vol}\left(\text{def}\right),\text{m35},\text{m36},\text{m37},\text{p21},\text{p25},\right.\\&\left.\text{p26}\right)=\frac{\text{m35}\cdot\left[\text{cE4}\right]+\text{p25}\cdot\left[\text{cE4}\right]\cdot\left[\text{cE3n}\right]-\frac{\text{p21}\cdot\text{p25}\cdot\left[\text{cE4}\right]\cdot\left[\text{cE3n}\right]}{\text{p26}\cdot\left[\text{cLUX}\right]+\text{p21}+\text{m37}\cdot\left[\text{cCOP1d}\right]+\text{m36}\cdot\left[\text{cCOP1n}\right]}}{\text{vol}\left(\text{def}\right)}\end{aligned}\tag{173}$$

$$\begin{aligned}&\text{function\_4\_cE4\_degr\_1}\left(\left[\text{cCOP1d}\right],\left[\text{cCOP1n}\right],\left[\text{cE3n}\right],\right.\\&\left.\left[\text{cE4}\right],\left[\text{cLUX}\right],\text{vol}\left(\text{def}\right),\text{m35},\text{m36},\text{m37},\text{p21},\text{p25},\right.\\&\left.\text{p26}\right)=\frac{\text{m35}\cdot\left[\text{cE4}\right]+\text{p25}\cdot\left[\text{cE4}\right]\cdot\left[\text{cE3n}\right]-\frac{\text{p21}\cdot\text{p25}\cdot\left[\text{cE4}\right]\cdot\left[\text{cE3n}\right]}{\text{p26}\cdot\left[\text{cLUX}\right]+\text{p21}+\text{m37}\cdot\left[\text{cCOP1d}\right]+\text{m36}\cdot\left[\text{cCOP1n}\right]}}{\text{vol}\left(\text{def}\right)}\end{aligned}\tag{174}$$

9.29 Reaction cE3_m_trscr

This is an irreversible reaction of no reactant forming one product influenced by two modifiers.

Name cE3_m_trscr

Reaction equation

$$\emptyset \xrightarrow{\text{cL, cL}} \text{cE3\_m} \tag{175}$$

Modifiers

Table 62: Properties of each modifier.

Id	Name	SBO
cL	cL	
cL	cL	

Product

Table 63: Properties of each product.

Id	Name	SBO
cE3_m	cE3_m	

Kinetic Law

Derived unit contains undeclared units

$$v_{29} = \text{vol}\left(\text{def}\right)\cdot\text{function\_4\_cE3\_m\_trscr\_1}\left(\left[\text{cL}\right],\text{vol}\left(\text{def}\right),\text{e},\text{g16},\text{n3}\right) \tag{176}$$

$$\text{function\_4\_cE3\_m\_trscr\_1}\left(\left[\text{cL}\right], \text{vol}\left(\text{def}\right), \text{e}, \text{g16}, \text{n3}\right) = \frac{\frac{\text{n3} \cdot \text{g16}^{\text{e}}}{\left[\text{cL}\right]^{\text{e}} + \text{g16}^{\text{e}}}}{\text{vol}\left(\text{def}\right)} \tag{177}$$

$$\text{function\_4\_cE3\_m\_trscr\_1}\left(\left[\text{cL}\right], \text{vol}\left(\text{def}\right), \text{e}, \text{g16}, \text{n3}\right) = \frac{\frac{\text{n3} \cdot \text{g16}^{\text{e}}}{\left[\text{cL}\right]^{\text{e}} + \text{g16}^{\text{e}}}}{\text{vol}\left(\text{def}\right)} \tag{178}$$

9.30 Reaction cE3_m_degr

This is an irreversible reaction of one reactant forming no product influenced by one modifier.

Name cE3_m_degr

Reaction equation

$$\text{cE3\_m} \xrightarrow{\text{cE3\_m}} \emptyset \tag{179}$$

Reactant

Table 64: Properties of each reactant.

Id	Name	SBO
cE3_m	cE3_m	

Modifier

Table 65: Properties of each modifier.

Id	Name	SBO
cE3_m	cE3_m	

Kinetic Law

Derived unit contains undeclared units

$$v_{30} = \text{vol}\left(\text{def}\right) \cdot \text{function\_4\_cE3\_m\_degr\_1}\left(\left[\text{cE3\_m}\right], \text{vol}\left(\text{def}\right), \text{m26}\right) \tag{180}$$

$$\text{function\_4\_cE3\_m\_degr\_1}\left(\left[\text{cE3\_m}\right], \text{vol}\left(\text{def}\right), \text{m26}\right) = \frac{\text{m26} \cdot \left[\text{cE3\_m}\right]}{\text{vol}\left(\text{def}\right)} \tag{181}$$

$$\text{function\_4\_cE3\_m\_degr\_1}\left(\left[\text{cE3\_m}\right], \text{vol}\left(\text{def}\right), \text{m26}\right) = \frac{\text{m26} \cdot \left[\text{cE3\_m}\right]}{\text{vol}\left(\text{def}\right)} \tag{182}$$

9.31 Reaction cE3_trsl

This is an irreversible reaction of no reactant forming one product influenced by two modifiers.

Name cE3_trsl

Reaction equation

$$\emptyset \xrightarrow{\text{cE3\_m, cE3\_m}} \text{cE3} \tag{183}$$

Modifiers

Table 66: Properties of each modifier.

Id	Name	SBO
cE3_m	cE3_m	
cE3_m	cE3_m	

Product

Table 67: Properties of each product.

Id	Name	SBO
cE3	cE3	

Kinetic Law

Derived unit contains undeclared units

$$v_{31} = \text{vol}(\text{def}) \cdot \text{function\_4\_cE3\_trsl\_1}([\text{cE3\_m}], \text{vol}(\text{def}), \text{p16}) \tag{184}$$

$$\text{function\_4\_cE3\_trsl\_1}([\text{cE3\_m}], \text{vol}(\text{def}), \text{p16}) = \frac{\text{p16} \cdot [\text{cE3\_m}]}{\text{vol}(\text{def})} \tag{185}$$

$$\text{function\_4\_cE3\_trsl\_1}([\text{cE3\_m}], \text{vol}(\text{def}), \text{p16}) = \frac{\text{p16} \cdot [\text{cE3\_m}]}{\text{vol}(\text{def})} \tag{186}$$

9.32 Reaction cE3_degr

This is an irreversible reaction of one reactant forming no product influenced by three modifiers.

Name cE3_degr

Reaction equation

$$\mathrm{cE3} \xrightarrow{\mathrm{cCOP1c},\ \mathrm{cCOP1c},\ \mathrm{cE3}} \emptyset \tag{187}$$

Reactant

Table 68: Properties of each reactant.

Id	Name	SBO
cE3	cE3	

Modifiers

Table 69: Properties of each modifier.

Id	Name	SBO
cCOP1c	cCOP1c	
cCOP1c	cCOP1c	
cE3	cE3	

Kinetic Law

Derived unit contains undeclared units

$$v_{32} = \mathrm{vol}\left(\mathrm{def}\right) \cdot \mathrm{function\_4\_cE3\_degr\_1}\left(\left[\mathrm{cCOP1c}\right], \left[\mathrm{cE3}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m9}\right) \tag{188}$$

$$\mathrm{function\_4\_cE3\_degr\_1}\left(\left[\mathrm{cCOP1c}\right], \left[\mathrm{cE3}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m9}\right) = \frac{\mathrm{m9} \cdot \left[\mathrm{cE3}\right] \cdot \left[\mathrm{cCOP1c}\right]}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{189}$$

$$\mathrm{function\_4\_cE3\_degr\_1}\left(\left[\mathrm{cCOP1c}\right], \left[\mathrm{cE3}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m9}\right) = \frac{\mathrm{m9} \cdot \left[\mathrm{cE3}\right] \cdot \left[\mathrm{cCOP1c}\right]}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{190}$$

9.33 Reaction cE3n_import

This is an irreversible reaction of one reactant forming one product influenced by two modifiers.

Name cE3n_import

Reaction equation

$$\mathrm{cE3} \xrightarrow{\mathrm{cE3},\ \mathrm{cE3n}} \mathrm{cE3n} \tag{191}$$

Reactant

Table 70: Properties of each reactant.

Id	Name	SBO
cE3	cE3	

Modifiers

Table 71: Properties of each modifier.

Id	Name	SBO
cE3	cE3	
cE3n	cE3n	

Product

Table 72: Properties of each product.

Id	Name	SBO
cE3n	cE3n	

Kinetic Law

Derived unit contains undeclared units

$$v_{33} = \mathrm{vol}\left(\mathrm{def}\right) \cdot \mathrm{function\_4\_cE3n\_import\_1}\left(\left[\mathrm{cE3}\right], \left[\mathrm{cE3n}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{p19}, \mathrm{p20}\right) \tag{192}$$

$$\mathrm{function\_4\_cE3n\_import\_1}\left(\left[\mathrm{cE3}\right], \left[\mathrm{cE3n}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{p19}, \mathrm{p20}\right) = \frac{\mathrm{p19} \cdot \left[\mathrm{cE3}\right] - \mathrm{p20} \cdot \left[\mathrm{cE3n}\right]}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{193}$$

$$\mathrm{function\_4\_cE3n\_import\_1}\left(\left[\mathrm{cE3}\right], \left[\mathrm{cE3n}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{p19}, \mathrm{p20}\right) = \frac{\mathrm{p19} \cdot \left[\mathrm{cE3}\right] - \mathrm{p20} \cdot \left[\mathrm{cE3n}\right]}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{194}$$

9.34 Reaction cE3n_degr

This is an irreversible reaction of one reactant forming no product influenced by eleven modifiers.

Name cE3n_degr

Reaction equation

$$\text{cE3n} \xrightarrow{\text{cCOP1d, cCOP1n, cE4, cG, cLUX, cCOP1d, cCOP1n, cE3n, cE4, cG, cLUX}} \emptyset \quad (195)$$

Reactant

Table 73: Properties of each reactant.

Id	Name	SBO
cE3n	cE3n	

Modifiers

Table 74: Properties of each modifier.

Id	Name	SBO
cCOP1d	cCOP1d	
cCOP1n	cCOP1n	
cE4	cE4	
cG	cG	
cLUX	cLUX	
cCOP1d	cCOP1d	
cCOP1n	cCOP1n	
cE3n	cE3n	
cE4	cE4	
cG	cG	
cLUX	cLUX	

Kinetic Law

Derived unit contains undeclared units

$$v_{34} = \text{vol}(\text{def}) \cdot \text{function\_4\_cE3n\_degr\_1}([\text{cCOP1d}], [\text{cCOP1n}], [\text{cE3n}], [\text{cE4}], [\text{cG}], [\text{cLUX}], \text{vol}(\text{def}), \text{m19}, \text{m29}, \text{m30}, \text{m36}, \text{m37}, \text{p17}, \text{p21}, \text{p25}, \text{p26}, \text{p28}, \text{p29}) \quad (196)$$

$$\text{function\_4\_cE3n\_degr\_1}([\text{cCOP1d}], [\text{cCOP1n}], [\text{cE3n}], [\text{cE4}], [\text{cG}], [\text{cLUX}], \text{vol}(\text{def}), \text{m19}, \text{m29}, \text{m30}, \text{m36}, \text{m37}, \text{p17}, \text{p21}, \text{p25}, \text{p26}, \text{p28}, \text{p29}) \quad (197)$$

$$= \frac{\text{m29} \cdot [\text{cE3n}] \cdot [\text{cCOP1n}] + \text{m30} \cdot [\text{cE3n}] \cdot [\text{cCOP1d}] + \text{p25} \cdot [\text{cE4}] \cdot [\text{cE3n}] - \frac{\text{p21} \cdot \text{p25} \cdot [\text{cE4}] \cdot [\text{cE3n}]}{\text{p26} \cdot [\text{cLUX}] + \text{p21} + \text{m37} \cdot [\text{cCOP1d}] + \text{m36} \cdot [\text{cCOP1}}}{\text{vol}(\text{def})}$$

$$\begin{aligned}&\text{function\_4\_cE3n\_degr\_1}\left([\text{cCOP1d}],[\text{cCOP1n}],[\text{cE3n}],[\text{cE4}],[\text{cG}],\right. \qquad (198)\\&\left.[\text{cLUX}],\text{vol}\left(\text{def}\right),\text{m19},\text{m29},\text{m30},\text{m36},\text{m37},\text{p17},\text{p21},\text{p25},\text{p26},\text{p28},\text{p29}\right)\\&= \frac{\text{m29}\cdot[\text{cE3n}]\cdot[\text{cCOP1n}]+\text{m30}\cdot[\text{cE3n}]\cdot[\text{cCOP1d}]+\text{p25}\cdot[\text{cE4}]\cdot[\text{cE3n}]-\frac{\text{p21}\cdot\text{p25}\cdot[\text{cE4}]\cdot[\text{cE3n}]}{\text{p26}\cdot[\text{cLUX}]+\text{p21}+\text{m37}\cdot[\text{cCOP1d}]+\text{m36}\cdot[\text{cCOP1}}}{\text{vol}\left(\text{def}\right)}\end{aligned}$$

9.35 Reaction cLUX_m_trscr

This is an irreversible reaction of no reactant forming one product influenced by four modifiers.

Name cLUX_m_trscr

Reaction equation

$$\emptyset \xrightarrow{\text{cEC, cL, cEC, cL}} \text{cLUX\_m} \qquad (199)$$

Modifiers

Table 75: Properties of each modifier.

Id	Name	SBO
cEC	cEC	
cL	cL	
cEC	cEC	
cL	cL	

Product

Table 76: Properties of each product.

Id	Name	SBO
cLUX_m	cLUX_m	

Kinetic Law

Derived unit contains undeclared units

$$v_{35} = \text{vol}\left(\text{def}\right)\cdot\text{function\_4\_cLUX\_m\_trscr}\left([\text{cEC}],[\text{cL}],\text{vol}\left(\text{def}\right),\text{e},\text{g2},\text{g6},\text{n13}\right) \qquad (200)$$

$$\text{function\_4\_cLUX\_m\_trscr}\left([\text{cEC}],[\text{cL}],\text{vol}\left(\text{def}\right),\text{e},\text{g2},\text{g6},\text{n13}\right) = \frac{\frac{\text{n13}\cdot\text{g2}}{[\text{cEC}]+\text{g2}}\cdot\text{g6}^{\text{e}}}{[\text{cL}]^{\text{e}}+\text{g6}^{\text{e}}}}{\text{vol}\left(\text{def}\right)} \qquad (201)$$

$$\text{function\_4\_cLUX\_m\_trscr}\left([\text{cEC}],[\text{cL}],\text{vol}\left(\text{def}\right),\text{e},\text{g2},\text{g6},\text{n13}\right) = \frac{\frac{\text{n13}\cdot\text{g2}}{[\text{cEC}]+\text{g2}}\cdot\text{g6}^{\text{e}}}{[\text{cL}]^{\text{e}}+\text{g6}^{\text{e}}}}{\text{vol}\left(\text{def}\right)} \tag{202}$$

9.36 Reaction cLUX_m_degr

This is an irreversible reaction of one reactant forming no product influenced by one modifier.

Name cLUX_m_degr

Reaction equation

$$\text{cLUX\_m} \xrightarrow{\text{cLUX\_m}} \emptyset \tag{203}$$

Reactant

Table 77: Properties of each reactant.

Id	Name	SBO
cLUX_m	cLUX_m	

Modifier

Table 78: Properties of each modifier.

Id	Name	SBO
cLUX_m	cLUX_m	

Kinetic Law

Derived unit contains undeclared units

$$v_{36} = \text{vol}\left(\text{def}\right)\cdot\text{function\_4\_cLUX\_m\_degr\_1}\left([\text{cLUX\_m}],\text{vol}\left(\text{def}\right),\text{m34}\right) \tag{204}$$

$$\text{function\_4\_cLUX\_m\_degr\_1}\left([\text{cLUX\_m}],\text{vol}\left(\text{def}\right),\text{m34}\right) = \frac{\text{m34}\cdot[\text{cLUX\_m}]}{\text{vol}\left(\text{def}\right)} \tag{205}$$

$$\text{function\_4\_cLUX\_m\_degr\_1}\left([\text{cLUX\_m}],\text{vol}\left(\text{def}\right),\text{m34}\right) = \frac{\text{m34}\cdot[\text{cLUX\_m}]}{\text{vol}\left(\text{def}\right)} \tag{206}$$

9.37 Reaction cLUX_trsl

This is an irreversible reaction of no reactant forming one product influenced by two modifiers.

Name cLUX_trsl

Reaction equation

$$\emptyset \xrightarrow{\text{cLUX\_m, cLUX\_m}} \text{cLUX} \tag{207}$$

Modifiers

Table 79: Properties of each modifier.

Id	Name	SBO
cLUX_m	cLUX_m	
cLUX_m	cLUX_m	

Product

Table 80: Properties of each product.

Id	Name	SBO
cLUX	cLUX	

Kinetic Law

Derived unit contains undeclared units

$$v_{37} = \text{vol}(\text{def}) \cdot \text{function\_4\_cLUX\_trsl\_1}([\text{cLUX\_m}], \text{vol}(\text{def}), \text{p27}) \tag{208}$$

$$\text{function\_4\_cLUX\_trsl\_1}([\text{cLUX\_m}], \text{vol}(\text{def}), \text{p27}) = \frac{\text{p27} \cdot [\text{cLUX\_m}]}{\text{vol}(\text{def})} \tag{209}$$

$$\text{function\_4\_cLUX\_trsl\_1}([\text{cLUX\_m}], \text{vol}(\text{def}), \text{p27}) = \frac{\text{p27} \cdot [\text{cLUX\_m}]}{\text{vol}(\text{def})} \tag{210}$$

9.38 Reaction cLUX_degr

This is an irreversible reaction of one reactant forming no product influenced by nine modifiers.

Name cLUX_degr

Reaction equation

$$\text{cLUX} \xrightarrow{\text{cCOP1d, cCOP1n, cE3n, cE4, cCOP1d, cCOP1n, cE3n, cE4, cLUX}} \emptyset \tag{211}$$

Reactant

Table 81: Properties of each reactant.

Id	Name	SBO
cLUX	cLUX	

Modifiers

Table 82: Properties of each modifier.

Id	Name	SBO
cCOP1d	cCOP1d	
cCOP1n	cCOP1n	
cE3n	cE3n	
cE4	cE4	
cCOP1d	cCOP1d	
cCOP1n	cCOP1n	
cE3n	cE3n	
cE4	cE4	
cLUX	cLUX	

Kinetic Law

Derived unit contains undeclared units

$$v_{38} = \mathrm{vol}\left(\mathrm{def}\right) \cdot \mathrm{function\_4\_cLUX\_degr\_1}\left([\mathrm{cCOP1d}], [\mathrm{cCOP1n}], [\mathrm{cE3n}], [\mathrm{cE4}], [\mathrm{cLUX}], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m36}, \mathrm{m37}, \mathrm{m39}, \mathrm{p21}, \mathrm{p25}, \mathrm{p26}\right) \tag{212}$$

$$\mathrm{function\_4\_cLUX\_degr\_1}\left([\mathrm{cCOP1d}], [\mathrm{cCOP1n}], [\mathrm{cE3n}], [\mathrm{cE4}], [\mathrm{cLUX}], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m36}, \mathrm{m37}, \mathrm{m39}, \mathrm{p21}, \mathrm{p25}, \mathrm{p26}\right) = \frac{\mathrm{m39} \cdot [\mathrm{cLUX}] + \frac{\mathrm{p26} \cdot [\mathrm{cLUX}] \cdot \mathrm{p25} \cdot [\mathrm{cE4}] \cdot [\mathrm{cE3n}]}{\mathrm{p26} \cdot [\mathrm{cLUX}] + \mathrm{p21} + \mathrm{m37} \cdot [\mathrm{cCOP1d}] + \mathrm{m36} \cdot [\mathrm{cCOP1n}]}}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{213}$$

$$\mathrm{function\_4\_cLUX\_degr\_1}\left([\mathrm{cCOP1d}], [\mathrm{cCOP1n}], [\mathrm{cE3n}], [\mathrm{cE4}], [\mathrm{cLUX}], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m36}, \mathrm{m37}, \mathrm{m39}, \mathrm{p21}, \mathrm{p25}, \mathrm{p26}\right) = \frac{\mathrm{m39} \cdot [\mathrm{cLUX}] + \frac{\mathrm{p26} \cdot [\mathrm{cLUX}] \cdot \mathrm{p25} \cdot [\mathrm{cE4}] \cdot [\mathrm{cE3n}]}{\mathrm{p26} \cdot [\mathrm{cLUX}] + \mathrm{p21} + \mathrm{m37} \cdot [\mathrm{cCOP1d}] + \mathrm{m36} \cdot [\mathrm{cCOP1n}]}}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{214}$$

9.39 Reaction cCOP1c_trsl

This is an irreversible reaction of no reactant forming one product.

Name cCOP1c_trsl

Reaction equation

$$\emptyset \longrightarrow \mathrm{cCOP1c} \tag{215}$$

Product

Table 83: Properties of each product.

Id	Name	SBO
cCOP1c	cCOP1c	

Kinetic Law

Derived unit contains undeclared units

$$v_{39} = \mathrm{vol}\left(\mathrm{def}\right) \cdot \mathrm{function\_4\_cCOP1c\_trsl\_1}\left(\mathrm{vol}\left(\mathrm{def}\right), \mathrm{n5}\right) \tag{216}$$

$$\mathrm{function\_4\_cCOP1c\_trsl\_1}\left(\mathrm{vol}\left(\mathrm{def}\right), \mathrm{n5}\right) = \frac{\mathrm{n5}}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{217}$$

$$\mathrm{function\_4\_cCOP1c\_trsl\_1}\left(\mathrm{vol}\left(\mathrm{def}\right), \mathrm{n5}\right) = \frac{\mathrm{n5}}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{218}$$

9.40 Reaction cCOP1c_degr

This is an irreversible reaction of one reactant forming no product influenced by one modifier.

Name cCOP1c_degr

Reaction equation

$$\mathrm{cCOP1c} \xrightarrow{\mathrm{cCOP1c}} \emptyset \tag{219}$$

Reactant

Table 84: Properties of each reactant.

Id	Name	SBO
cCOP1c	cCOP1c	

Modifier

Table 85: Properties of each modifier.

Id	Name	SBO
cCOP1c	cCOP1c	

Kinetic Law

Derived unit contains undeclared units

$$v_{40} = \mathrm{vol}\left(\mathrm{def}\right) \cdot \mathrm{function\_4\_cCOP1c\_degr}\left(\mathrm{L}, \left[\mathrm{cCOP1c}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m27}, \mathrm{p15}\right) \tag{220}$$

$$\mathrm{function\_4\_cCOP1c\_degr}\left(\mathrm{L}, \left[\mathrm{cCOP1c}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m27}, \mathrm{p15}\right) = \frac{\mathrm{m27} \cdot \left[\mathrm{cCOP1c}\right] \cdot \left(1 + \mathrm{p15} \cdot \mathrm{L}\right)}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{221}$$

$$\mathrm{function\_4\_cCOP1c\_degr}\left(\mathrm{L}, \left[\mathrm{cCOP1c}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m27}, \mathrm{p15}\right) = \frac{\mathrm{m27} \cdot \left[\mathrm{cCOP1c}\right] \cdot \left(1 + \mathrm{p15} \cdot \mathrm{L}\right)}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{222}$$

9.41 Reaction cCOP1n_import

This is an irreversible reaction of one reactant forming one product influenced by one modifier.

Name cCOP1n_import

Reaction equation

$$\mathrm{cCOP1c} \xrightarrow{\mathrm{cCOP1c}} \mathrm{cCOP1n} \tag{223}$$

Reactant

Table 86: Properties of each reactant.

Id	Name	SBO
cCOP1c	cCOP1c	

Modifier

Table 87: Properties of each modifier.

Id	Name	SBO
cCOP1c	cCOP1c	

Product

Table 88: Properties of each product.

Id	Name	SBO
cCOP1n	cCOP1n	

Kinetic Law

Derived unit contains undeclared units

$$v_{41} = \mathrm{vol}\left(\mathrm{def}\right) \cdot \mathrm{function\_4\_cCOP1n\_import\_1}\left(\left[\mathrm{cCOP1c}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{p6}\right) \tag{224}$$

$$\mathrm{function\_4\_cCOP1n\_import\_1}\left(\left[\mathrm{cCOP1c}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{p6}\right) = \frac{\mathrm{p6} \cdot \left[\mathrm{cCOP1c}\right]}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{225}$$

$$\mathrm{function\_4\_cCOP1n\_import\_1}\left(\left[\mathrm{cCOP1c}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{p6}\right) = \frac{\mathrm{p6} \cdot \left[\mathrm{cCOP1c}\right]}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{226}$$

9.42 Reaction cCOP1n_degr

This is an irreversible reaction of one reactant forming no product influenced by one modifier.

Name cCOP1n_degr

Reaction equation

$$\mathrm{cCOP1n} \xrightarrow{\mathrm{cCOP1n}} \emptyset \tag{227}$$

Reactant

Table 89: Properties of each reactant.

Id	Name	SBO
cCOP1n	cCOP1n	

Modifier

Table 90: Properties of each modifier.

Id	Name	SBO
cCOP1n	cCOP1n	

Kinetic Law

Derived unit contains undeclared units

$$v_{42} = \mathrm{vol}\left(\mathrm{def}\right) \cdot \mathrm{function\_4\_cCOP1n\_degr}\left(\mathrm{L}, \left[\mathrm{cCOP1n}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m27}, \mathrm{p15}\right) \tag{228}$$

$$\mathrm{function\_4\_cCOP1n\_degr}\left(\mathrm{L}, \left[\mathrm{cCOP1n}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m27}, \mathrm{p15}\right) = \frac{\mathrm{m27} \cdot \left[\mathrm{cCOP1n}\right] \cdot \left(1 + \mathrm{p15} \cdot \mathrm{L}\right)}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{229}$$

$$\mathrm{function\_4\_cCOP1n\_degr}\left(\mathrm{L}, \left[\mathrm{cCOP1n}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m27}, \mathrm{p15}\right) = \frac{\mathrm{m27} \cdot \left[\mathrm{cCOP1n}\right] \cdot \left(1 + \mathrm{p15} \cdot \mathrm{L}\right)}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{230}$$

9.43 Reaction cCOP1d_activ

This is an irreversible reaction of one reactant forming one product influenced by three modifiers.

Name cCOP1d_activ

Reaction equation

$$\mathrm{cCOP1n} \xrightarrow{\mathrm{cP,\ cCOP1n,\ cP}} \mathrm{cCOP1d} \tag{231}$$

Reactant

Table 91: Properties of each reactant.

Id	Name	SBO
cCOP1n	cCOP1n	

Modifiers

Table 92: Properties of each modifier.

Id	Name	SBO
cP	cP	
cCOP1n	cCOP1n	
cP	cP	

Product

Table 93: Properties of each product.

Id	Name	SBO
cCOP1d	cCOP1d	

Kinetic Law

Derived unit contains undeclared units

$$v_{43} = \mathrm{vol}\left(\mathrm{def}\right) \cdot \mathrm{function\_4\_cCOP1d\_activ}\left(\mathrm{L}, \left[\mathrm{cCOP1n}\right], \left[\mathrm{cP}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{n14}, \mathrm{n6}\right) \tag{232}$$

$$\begin{aligned} &\mathrm{function\_4\_cCOP1d\_activ}\left(\mathrm{L}, \left[\mathrm{cCOP1n}\right], \left[\mathrm{cP}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{n14}, \mathrm{n6}\right) \\ &= \frac{\mathrm{n6} \cdot \mathrm{L} \cdot \left[\mathrm{cP}\right] \cdot \left[\mathrm{cCOP1n}\right] + \mathrm{n14} \cdot \left[\mathrm{cCOP1n}\right]}{\mathrm{vol}\left(\mathrm{def}\right)} \end{aligned} \tag{233}$$

$$\begin{aligned} &\mathrm{function\_4\_cCOP1d\_activ}\left(\mathrm{L}, \left[\mathrm{cCOP1n}\right], \left[\mathrm{cP}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{n14}, \mathrm{n6}\right) \\ &= \frac{\mathrm{n6} \cdot \mathrm{L} \cdot \left[\mathrm{cP}\right] \cdot \left[\mathrm{cCOP1n}\right] + \mathrm{n14} \cdot \left[\mathrm{cCOP1n}\right]}{\mathrm{vol}\left(\mathrm{def}\right)} \end{aligned} \tag{234}$$

9.44 Reaction cCOP1d_degr

This is an irreversible reaction of one reactant forming no product influenced by one modifier.

Name cCOP1d_degr

Reaction equation

$$\mathrm{cCOP1d} \xrightarrow{\mathrm{cCOP1d}} \emptyset \tag{235}$$

Reactant

Table 94: Properties of each reactant.

Id	Name	SBO
cCOP1d	cCOP1d	

Modifier

Table 95: Properties of each modifier.

Id	Name	SBO
cCOP1d	cCOP1d	

Kinetic Law

Derived unit contains undeclared units

$$v_{44} = \mathrm{vol}\left(\mathrm{def}\right) \cdot \mathrm{function\_4\_cCOP1d\_degr}\left(\mathrm{D}, \left[\mathrm{cCOP1d}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m31}, \mathrm{m33}\right) \tag{236}$$

$$\begin{aligned} &\mathrm{function\_4\_cCOP1d\_degr}\left(\mathrm{D}, \left[\mathrm{cCOP1d}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m31}, \mathrm{m33}\right) \\ &= \frac{\mathrm{m31} \cdot \left(1 + \mathrm{m33} \cdot \mathrm{D}\right) \cdot \left[\mathrm{cCOP1d}\right]}{\mathrm{vol}\left(\mathrm{def}\right)} \end{aligned} \tag{237}$$

$$\begin{aligned} &\mathrm{function\_4\_cCOP1d\_degr}\left(\mathrm{D}, \left[\mathrm{cCOP1d}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m31}, \mathrm{m33}\right) \\ &= \frac{\mathrm{m31} \cdot \left(1 + \mathrm{m33} \cdot \mathrm{D}\right) \cdot \left[\mathrm{cCOP1d}\right]}{\mathrm{vol}\left(\mathrm{def}\right)} \end{aligned} \tag{238}$$

9.45 Reaction cG_m_trscr

This is an irreversible reaction of no reactant forming one product influenced by six modifiers.

Name cG_m_trscr

Reaction equation

$$\emptyset \xrightarrow{\mathrm{cEC},\ \mathrm{cL},\ \mathrm{cP},\ \mathrm{cEC},\ \mathrm{cL},\ \mathrm{cP}} \mathrm{cG\_m} \tag{239}$$

Modifiers

Table 96: Properties of each modifier.

Id	Name	SBO
cEC	cEC	
cL	cL	
cP	cP	
cEC	cEC	
cL	cL	
cP	cP	

Product

Table 97: Properties of each product.

Id	Name	SBO
cG_m	cG_m	

Kinetic Law

Derived unit contains undeclared units

$$v_{45} = \mathrm{vol}\left(\mathrm{def}\right) \cdot \mathrm{function\_4\_cG\_m\_trscr\_1}\left(\mathrm{L}, [\mathrm{cEC}], [\mathrm{cL}], [\mathrm{cP}], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{e}, \mathrm{g14}, \mathrm{g15}, \mathrm{n12}, \mathrm{q2}\right) \tag{240}$$

$$\begin{aligned}&\mathrm{function\_4\_cG\_m\_trscr\_1}\left(\mathrm{L}, [\mathrm{cEC}], [\mathrm{cL}], [\mathrm{cP}], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{e}, \mathrm{g14}, \mathrm{g15}, \mathrm{n12}, \mathrm{q2}\right)\\ &= \frac{\mathrm{L} \cdot \mathrm{q2} \cdot [\mathrm{cP}] + \frac{\frac{\mathrm{n12} \cdot \mathrm{g14}}{[\mathrm{cEC}] + \mathrm{g14}} \cdot \mathrm{g15}^{\mathrm{e}}}{[\mathrm{cL}]^{\mathrm{e}} + \mathrm{g15}^{\mathrm{e}}}}{\mathrm{vol}\left(\mathrm{def}\right)}\end{aligned} \tag{241}$$

$$\begin{aligned}&\mathrm{function\_4\_cG\_m\_trscr\_1}\left(\mathrm{L}, [\mathrm{cEC}], [\mathrm{cL}], [\mathrm{cP}], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{e}, \mathrm{g14}, \mathrm{g15}, \mathrm{n12}, \mathrm{q2}\right)\\ &= \frac{\mathrm{L} \cdot \mathrm{q2} \cdot [\mathrm{cP}] + \frac{\frac{\mathrm{n12} \cdot \mathrm{g14}}{[\mathrm{cEC}] + \mathrm{g14}} \cdot \mathrm{g15}^{\mathrm{e}}}{[\mathrm{cL}]^{\mathrm{e}} + \mathrm{g15}^{\mathrm{e}}}}{\mathrm{vol}\left(\mathrm{def}\right)}\end{aligned} \tag{242}$$

9.46 Reaction cG_m_degr

This is an irreversible reaction of one reactant forming no product influenced by one modifier.

Name cG_m_degr

Reaction equation

$$\mathrm{cG\_m} \xrightarrow{\mathrm{cG\_m}} \emptyset \tag{243}$$

Reactant

Table 98: Properties of each reactant.

Id	Name	SBO
cG_m	cG_m	

Modifier

Table 99: Properties of each modifier.

Id	Name	SBO
cG_m	cG_m	

Kinetic Law

Derived unit contains undeclared units

$$v_{46} = \mathrm{vol}\left(\mathrm{def}\right) \cdot \mathrm{function\_4\_cG\_m\_degr\_1}\left(\left[\mathrm{cG\_m}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m18}\right) \tag{244}$$

$$\mathrm{function\_4\_cG\_m\_degr\_1}\left(\left[\mathrm{cG\_m}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m18}\right) = \frac{\mathrm{m18} \cdot \left[\mathrm{cG\_m}\right]}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{245}$$

$$\mathrm{function\_4\_cG\_m\_degr\_1}\left(\left[\mathrm{cG\_m}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m18}\right) = \frac{\mathrm{m18} \cdot \left[\mathrm{cG\_m}\right]}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{246}$$

9.47 Reaction cG_trsl

This is an irreversible reaction of no reactant forming one product influenced by two modifiers.

Name cG_trsl

Reaction equation

$$\emptyset \xrightarrow{\mathrm{cG\_m},\ \mathrm{cG\_m}} \mathrm{cG} \tag{247}$$

Modifiers

Table 100: Properties of each modifier.

Id	Name	SBO
cG_m	cG_m	
cG_m	cG_m	

Product

Table 101: Properties of each product.

Id	Name	SBO
cG	cG	

Kinetic Law

Derived unit contains undeclared units

$$v_{47} = \mathrm{vol}\left(\mathrm{def}\right) \cdot \mathrm{function\_4\_cG\_trsl\_1}\left(\left[\mathrm{cG\_m}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{p11}\right) \tag{248}$$

$$\mathrm{function\_4\_cG\_trsl\_1}\left(\left[\mathrm{cG\_m}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{p11}\right) = \frac{\mathrm{p11} \cdot \left[\mathrm{cG\_m}\right]}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{249}$$

$$\mathrm{function\_4\_cG\_trsl\_1}\left(\left[\mathrm{cG\_m}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{p11}\right) = \frac{\mathrm{p11} \cdot \left[\mathrm{cG\_m}\right]}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{250}$$

9.48 Reaction cG_degr

This is an irreversible reaction of one reactant forming no product influenced by three modifiers.

Name cG_degr

Reaction equation

$$\mathrm{cG} \xrightarrow{\mathrm{cE3n,\ cE3n,\ cG}} \emptyset \tag{251}$$

Reactant

Table 102: Properties of each reactant.

Id	Name	SBO
cG	cG	

Modifiers

Table 103: Properties of each modifier.

Id	Name	SBO
cE3n	cE3n	
cE3n	cE3n	
cG	cG	

Kinetic Law

Derived unit contains undeclared units

$$v_{48} = \mathrm{vol}\left(\mathrm{def}\right) \cdot \mathrm{function\_4\_cG\_degr\_1}\left(\left[\mathrm{cE3n}\right], \left[\mathrm{cG}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m19}, \mathrm{p17}, \mathrm{p28}, \mathrm{p29}\right) \tag{252}$$

$$\begin{aligned} &\mathrm{function\_4\_cG\_degr\_1}\left(\left[\mathrm{cE3n}\right], \left[\mathrm{cG}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m19}, \mathrm{p17}, \mathrm{p28}, \mathrm{p29}\right) \\ &= \frac{\mathrm{m19} \cdot \left[\mathrm{cG}\right] + \mathrm{p28} \cdot \left[\mathrm{cG}\right] - \frac{\mathrm{p29} \cdot \mathrm{p28} \cdot \left[\mathrm{cG}\right]}{\mathrm{p29} + \mathrm{m19} + \mathrm{p17} \cdot \left[\mathrm{cE3n}\right]}}{\mathrm{vol}\left(\mathrm{def}\right)} \end{aligned} \tag{253}$$

$$\begin{aligned} &\mathrm{function\_4\_cG\_degr\_1}\left(\left[\mathrm{cE3n}\right], \left[\mathrm{cG}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m19}, \mathrm{p17}, \mathrm{p28}, \mathrm{p29}\right) \\ &= \frac{\mathrm{m19} \cdot \left[\mathrm{cG}\right] + \mathrm{p28} \cdot \left[\mathrm{cG}\right] - \frac{\mathrm{p29} \cdot \mathrm{p28} \cdot \left[\mathrm{cG}\right]}{\mathrm{p29} + \mathrm{m19} + \mathrm{p17} \cdot \left[\mathrm{cE3n}\right]}}{\mathrm{vol}\left(\mathrm{def}\right)} \end{aligned} \tag{254}$$

9.49 Reaction cG_cZTL_assoc

This is a reversible reaction of two reactants forming one product influenced by three modifiers.

Name cG_cZTL_assoc

Reaction equation

$$\mathrm{cG} + \mathrm{cZTL} \overset{\mathrm{cG,\ cZG,\ cZTL}}{\rightleftharpoons} \mathrm{cZG} \tag{255}$$

Reactants

Table 104: Properties of each reactant.

Id	Name	SBO
cG	cG	
cZTL	cZTL	

Modifiers

Table 105: Properties of each modifier.

Id	Name	SBO
cG	cG	
cZG	cZG	
cZTL	cZTL	

Product

Table 106: Properties of each product.

Id	Name	SBO
cZG	cZG	

Kinetic Law

Derived unit contains undeclared units

$$v_{49} = \mathrm{vol}\left(\mathrm{def}\right) \cdot \mathrm{function\_4\_cG\_cZTL\_assoc}\left(\mathrm{D}, \mathrm{L}, [\mathrm{cG}], [\mathrm{cZG}], [\mathrm{cZTL}], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{p12}, \mathrm{p13}\right) \tag{256}$$

$$\begin{aligned} &\mathrm{function\_4\_cG\_cZTL\_assoc}\left(\mathrm{D}, \mathrm{L}, [\mathrm{cG}], [\mathrm{cZG}], [\mathrm{cZTL}], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{p12}, \mathrm{p13}\right) \\ &= \frac{\mathrm{p12} \cdot \mathrm{L} \cdot [\mathrm{cZTL}] \cdot [\mathrm{cG}] - \mathrm{p13} \cdot \mathrm{D} \cdot [\mathrm{cZG}]}{\mathrm{vol}\left(\mathrm{def}\right)} \end{aligned} \tag{257}$$

$$\begin{aligned} &\mathrm{function\_4\_cG\_cZTL\_assoc}\left(\mathrm{D}, \mathrm{L}, [\mathrm{cG}], [\mathrm{cZG}], [\mathrm{cZTL}], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{p12}, \mathrm{p13}\right) \\ &= \frac{\mathrm{p12} \cdot \mathrm{L} \cdot [\mathrm{cZTL}] \cdot [\mathrm{cG}] - \mathrm{p13} \cdot \mathrm{D} \cdot [\mathrm{cZG}]}{\mathrm{vol}\left(\mathrm{def}\right)} \end{aligned} \tag{258}$$

9.50 Reaction cZTL_trsl

This is an irreversible reaction of no reactant forming one product.

Name cZTL_trsl

Reaction equation

$$\emptyset \longrightarrow \mathrm{cZTL} \tag{259}$$

Product

Table 107: Properties of each product.

Id	Name	SBO
cZTL	cZTL	

Kinetic Law

Derived unit contains undeclared units

$$v_{50} = \mathrm{vol}\left(\mathrm{def}\right) \cdot \mathrm{function\_4\_cZTL\_trsl\_1}\left(\mathrm{vol}\left(\mathrm{def}\right), \mathrm{p14}\right) \tag{260}$$

$$\mathrm{function\_4\_cZTL\_trsl\_1}\left(\mathrm{vol}\left(\mathrm{def}\right), \mathrm{p14}\right) = \frac{\mathrm{p14}}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{261}$$

$$\mathrm{function\_4\_cZTL\_trsl\_1}\left(\mathrm{vol}\left(\mathrm{def}\right), \mathrm{p14}\right) = \frac{\mathrm{p14}}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{262}$$

9.51 Reaction cZTL_degr

This is an irreversible reaction of one reactant forming no product influenced by one modifier.

Name cZTL_degr

Reaction equation

$$\mathrm{cZTL} \xrightarrow{\mathrm{cZTL}} \emptyset \tag{263}$$

Reactant

Table 108: Properties of each reactant.

Id	Name	SBO
cZTL	cZTL	

Modifier

Table 109: Properties of each modifier.

Id	Name	SBO
cZTL	cZTL	

Kinetic Law

Derived unit contains undeclared units

$$v_{51} = \mathrm{vol}\left(\mathrm{def}\right) \cdot \mathrm{function\_4\_cZTL\_degr\_1}\left(\left[\mathrm{cZTL}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m20}\right) \tag{264}$$

$$\mathrm{function\_4\_cZTL\_degr\_1}\left(\left[\mathrm{cZTL}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m20}\right) = \frac{\mathrm{m20} \cdot \left[\mathrm{cZTL}\right]}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{265}$$

$$\mathrm{function\_4\_cZTL\_degr\_1}\left(\left[\mathrm{cZTL}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m20}\right) = \frac{\mathrm{m20} \cdot \left[\mathrm{cZTL}\right]}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{266}$$

9.52 Reaction `cZG_degr`

This is an irreversible reaction of one reactant forming no product influenced by one modifier.

Name cZG_degr

Reaction equation

$$\mathrm{cZG} \xrightarrow{\mathrm{cZG}} \emptyset \tag{267}$$

Reactant

Table 110: Properties of each reactant.

Id	Name	SBO
`cZG`	cZG	

Modifier

Table 111: Properties of each modifier.

Id	Name	SBO
`cZG`	cZG	

Kinetic Law

Derived unit contains undeclared units

$$v_{52} = \mathrm{vol}\left(\mathrm{def}\right) \cdot \mathrm{function\_4\_cZG\_degr\_1}\left(\left[\mathrm{cZG}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m21}\right) \tag{268}$$

$$\text{function\_4\_cZG\_degr\_1}\left([\text{cZG}], \text{vol}\left(\text{def}\right), \text{m21}\right) = \frac{\text{m21} \cdot [\text{cZG}]}{\text{vol}\left(\text{def}\right)} \tag{269}$$

$$\text{function\_4\_cZG\_degr\_1}\left([\text{cZG}], \text{vol}\left(\text{def}\right), \text{m21}\right) = \frac{\text{m21} \cdot [\text{cZG}]}{\text{vol}\left(\text{def}\right)} \tag{270}$$

9.53 Reaction cG_cE3_assoc

This is an irreversible reaction of two reactants forming one product influenced by two modifiers.

Name cG_cE3_assoc

Reaction equation

$$\text{cE3} + \text{cG} \xrightarrow{\text{cE3, cG}} \text{cEG} \tag{271}$$

Reactants

Table 112: Properties of each reactant.

Id	Name	SBO
cE3	cE3	
cG	cG	

Modifiers

Table 113: Properties of each modifier.

Id	Name	SBO
cE3	cE3	
cG	cG	

Product

Table 114: Properties of each product.

Id	Name	SBO
cEG	cEG	

Kinetic Law

Derived unit contains undeclared units

$$v_{53} = \mathrm{vol}\left(\mathrm{def}\right) \cdot \mathrm{function\_4\_cG\_cE3\_assoc\_1}\left(\left[\mathrm{cE3}\right], \left[\mathrm{cG}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{p17}\right) \tag{272}$$

$$\mathrm{function\_4\_cG\_cE3\_assoc\_1}\left(\left[\mathrm{cE3}\right], \left[\mathrm{cG}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{p17}\right) = \frac{\mathrm{p17} \cdot \left[\mathrm{cE3}\right] \cdot \left[\mathrm{cG}\right]}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{273}$$

$$\mathrm{function\_4\_cG\_cE3\_assoc\_1}\left(\left[\mathrm{cE3}\right], \left[\mathrm{cG}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{p17}\right) = \frac{\mathrm{p17} \cdot \left[\mathrm{cE3}\right] \cdot \left[\mathrm{cG}\right]}{\mathrm{vol}\left(\mathrm{def}\right)} \tag{274}$$

9.54 Reaction cEG_degr

This is an irreversible reaction of one reactant forming no product influenced by eleven modifiers.

Name cEG_degr

Reaction equation

$$\mathrm{cEG} \xrightarrow{\mathrm{cCOP1c},\ \mathrm{cCOP1d},\ \mathrm{cCOP1n},\ \mathrm{cE3n},\ \mathrm{cG},\ \mathrm{cCOP1c},\ \mathrm{cCOP1d},\ \mathrm{cCOP1n},\ \mathrm{cE3n},\ \mathrm{cEG},\ \mathrm{cG}} \emptyset \tag{275}$$

Reactant

Table 115: Properties of each reactant.

Id	Name	SBO
cEG	cEG	

Modifiers

Table 116: Properties of each modifier.

Id	Name	SBO
cCOP1c	cCOP1c	
cCOP1d	cCOP1d	
cCOP1n	cCOP1n	
cE3n	cE3n	
cG	cG	
cCOP1c	cCOP1c	

Id	Name	SBO
cCOP1d	cCOP1d	
cCOP1n	cCOP1n	
cE3n	cE3n	
cEG	cEG	
cG	cG	

Kinetic Law

Derived unit contains undeclared units

$$v_{54} = \mathrm{vol}\left(\mathrm{def}\right) \cdot \mathrm{function\_4\_cEG\_degr\_1}\left(\left[\mathrm{cCOP1c}\right], \left[\mathrm{cCOP1d}\right], \left[\mathrm{cCOP1n}\right], \left[\mathrm{cE3n}\right], \left[\mathrm{cEG}\right], \left[\mathrm{cG}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m10}, \mathrm{m19}, \mathrm{m9}, \mathrm{p17}, \mathrm{p18}, \mathrm{p28}, \mathrm{p29}, \mathrm{p31}\right) \tag{276}$$

$$\begin{aligned} &\mathrm{function\_4\_cEG\_degr\_1}\left(\left[\mathrm{cCOP1c}\right], \left[\mathrm{cCOP1d}\right], \left[\mathrm{cCOP1n}\right], \left[\mathrm{cE3n}\right], \right. \\ &\left. \left[\mathrm{cEG}\right], \left[\mathrm{cG}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m10}, \mathrm{m19}, \mathrm{m9}, \mathrm{p17}, \mathrm{p18}, \mathrm{p28}, \mathrm{p29}, \right. \\ &\left. \mathrm{p31}\right) = \frac{\mathrm{m9} \cdot \left[\mathrm{cEG}\right] \cdot \left[\mathrm{cCOP1c}\right] + \mathrm{p18} \cdot \left[\mathrm{cEG}\right] - \frac{\mathrm{p31} \cdot \left(\mathrm{p18} \cdot \left[\mathrm{cEG}\right] + \frac{\mathrm{p17} \cdot \left[\mathrm{cE3n}\right] \cdot \mathrm{p28} \cdot \left[\mathrm{cG}\right]}{\mathrm{p29} + \mathrm{m19} + \mathrm{p17} \cdot \left[\mathrm{cE3n}\right]}\right)}{\mathrm{m9} \cdot \left[\mathrm{cCOP1n}\right] + \mathrm{m10} \cdot \left[\mathrm{cCOP1d}\right] + \mathrm{p31}}}{\mathrm{vol}\left(\mathrm{def}\right)} \end{aligned} \tag{277}$$

$$\begin{aligned} &\mathrm{function\_4\_cEG\_degr\_1}\left(\left[\mathrm{cCOP1c}\right], \left[\mathrm{cCOP1d}\right], \left[\mathrm{cCOP1n}\right], \left[\mathrm{cE3n}\right], \right. \\ &\left. \left[\mathrm{cEG}\right], \left[\mathrm{cG}\right], \mathrm{vol}\left(\mathrm{def}\right), \mathrm{m10}, \mathrm{m19}, \mathrm{m9}, \mathrm{p17}, \mathrm{p18}, \mathrm{p28}, \mathrm{p29}, \right. \\ &\left. \mathrm{p31}\right) = \frac{\mathrm{m9} \cdot \left[\mathrm{cEG}\right] \cdot \left[\mathrm{cCOP1c}\right] + \mathrm{p18} \cdot \left[\mathrm{cEG}\right] - \frac{\mathrm{p31} \cdot \left(\mathrm{p18} \cdot \left[\mathrm{cEG}\right] + \frac{\mathrm{p17} \cdot \left[\mathrm{cE3n}\right] \cdot \mathrm{p28} \cdot \left[\mathrm{cG}\right]}{\mathrm{p29} + \mathrm{m19} + \mathrm{p17} \cdot \left[\mathrm{cE3n}\right]}\right)}{\mathrm{m9} \cdot \left[\mathrm{cCOP1n}\right] + \mathrm{m10} \cdot \left[\mathrm{cCOP1d}\right] + \mathrm{p31}}}{\mathrm{vol}\left(\mathrm{def}\right)} \end{aligned} \tag{278}$$

9.55 Reaction cEC_form

This is an irreversible reaction of no reactant forming one product influenced by ten modifiers.

Name cEC_form

Reaction equation

$$\emptyset \xrightarrow{\mathrm{cCOP1d,\ cCOP1n,\ cE3n,\ cE4,\ cLUX,\ cCOP1d,\ cCOP1n,\ cE3n,\ cE4,\ cLUX}} \mathrm{cEC} \tag{279}$$

Modifiers

Table 117: Properties of each modifier.

Id	Name	SBO
cCOP1d	cCOP1d	
cCOP1n	cCOP1n	
cE3n	cE3n	
cE4	cE4	
cLUX	cLUX	
cCOP1d	cCOP1d	
cCOP1n	cCOP1n	
cE3n	cE3n	
cE4	cE4	
cLUX	cLUX	

Product

Table 118: Properties of each product.

Id	Name	SBO
cEC	cEC	

Kinetic Law

Derived unit contains undeclared units

$$v_{55} = \mathrm{vol}\,(\mathrm{def}) \cdot \mathrm{function\_4\_cEC\_form\_1}\,([\mathrm{cCOP1d}], [\mathrm{cCOP1n}], [\mathrm{cE3n}], [\mathrm{cE4}], [\mathrm{cLUX}], \mathrm{vol}\,(\mathrm{def}), \mathrm{m36}, \mathrm{m37}, \mathrm{p21}, \mathrm{p25}, \mathrm{p26}) \tag{280}$$

$$\mathrm{function\_4\_cEC\_form\_1}\,([\mathrm{cCOP1d}], [\mathrm{cCOP1n}], [\mathrm{cE3n}], [\mathrm{cE4}], [\mathrm{cLUX}], \mathrm{vol}\,(\mathrm{def}), \mathrm{m36}, \mathrm{m37}, \mathrm{p21}, \mathrm{p25}, \mathrm{p26}) = \frac{\frac{\mathrm{p26}\cdot[\mathrm{cLUX}]\cdot\mathrm{p25}\cdot[\mathrm{cE4}]\cdot[\mathrm{cE3n}]}{\mathrm{p26}\cdot[\mathrm{cLUX}]+\mathrm{p21}+\mathrm{m37}\cdot[\mathrm{cCOP1d}]+\mathrm{m36}\cdot[\mathrm{cCOP1n}]}}{\mathrm{vol}\,(\mathrm{def})} \tag{281}$$

$$\mathrm{function\_4\_cEC\_form\_1}\,([\mathrm{cCOP1d}], [\mathrm{cCOP1n}], [\mathrm{cE3n}], [\mathrm{cE4}], [\mathrm{cLUX}], \mathrm{vol}\,(\mathrm{def}), \mathrm{m36}, \mathrm{m37}, \mathrm{p21}, \mathrm{p25}, \mathrm{p26}) = \frac{\frac{\mathrm{p26}\cdot[\mathrm{cLUX}]\cdot\mathrm{p25}\cdot[\mathrm{cE4}]\cdot[\mathrm{cE3n}]}{\mathrm{p26}\cdot[\mathrm{cLUX}]+\mathrm{p21}+\mathrm{m37}\cdot[\mathrm{cCOP1d}]+\mathrm{m36}\cdot[\mathrm{cCOP1n}]}}{\mathrm{vol}\,(\mathrm{def})} \tag{282}$$

9.56 Reaction cEC_degr

This is an irreversible reaction of one reactant forming no product influenced by eleven modifiers.

Name cEC_degr

Reaction equation

$$\text{cEC} \xrightarrow{\text{cCOP1d, cCOP1n, cE3n, cEG, cG, cCOP1d, cCOP1n, cE3n, cEC, cEG, cG}} \emptyset \quad (283)$$

Reactant

Table 119: Properties of each reactant.

Id	Name	SBO
cEC	cEC	

Modifiers

Table 120: Properties of each modifier.

Id	Name	SBO
cCOP1d	cCOP1d	
cCOP1n	cCOP1n	
cE3n	cE3n	
cEG	cEG	
cG	cG	
cCOP1d	cCOP1d	
cCOP1n	cCOP1n	
cE3n	cE3n	
cEC	cEC	
cEG	cEG	
cG	cG	

Kinetic Law

Derived unit contains undeclared units

$$v_{56} = \text{vol}\left(\text{def}\right) \cdot \text{function\_4\_cEC\_degr}\left(\text{L}, [\text{cCOP1d}], [\text{cCOP1n}], [\text{cE3n}], [\text{cEC}], [\text{cEG}], [\text{cG}], \text{d}, \text{vol}\left(\text{def}\right), \text{g7}, \text{m10}, \text{m19}, \text{m32}, \text{m36}, \text{m37}, \text{m9}, \text{p17}, \text{p18}, \text{p24}, \text{p28}, \text{p29}, \text{p31}\right) \quad (284)$$

$$\text{function\_4\_cEC\_degr}\left(\text{L}, [\text{cCOP1d}], [\text{cCOP1n}], [\text{cE3n}], [\text{cEC}], [\text{cEG}], [\text{cG}], \text{d}, \text{vol}\left(\text{def}\right), \text{g7}, \text{m10}, \text{m19}, \text{m32}, \text{m36}, \text{m37}, \text{m9}, \text{p17}, \text{p18}, \text{p24}, \text{p28}, \text{p29}, \text{p31}\right) \tag{285}$$

$$= \frac{\text{m36} \cdot [\text{cCOP1n}] \cdot [\text{cEC}] + \text{m37} \cdot [\text{cCOP1d}] \cdot [\text{cEC}] + \text{m32} \cdot [\text{cEC}] \cdot \left(1 + \frac{\text{p24} \cdot \text{L} \cdot \left(\frac{\text{p28} \cdot [\text{cG}]}{\text{p29}+\text{m19}+\text{p17} \cdot [\text{cE3n}]} + \frac{\text{p18} \cdot [\text{cEG}] + \frac{\text{p17} \cdot [\text{cE3n}] \cdot \text{p28} \cdot [\text{cG}]}{\text{p29}+\text{m19}+\text{p17} \cdot [\text{cE3}}}{\text{m9} \cdot [\text{cCOP1n}] + \text{m10} \cdot [\text{cCOP1d}] + \text{p}}\right)^{\text{d}}}{\left(\frac{\text{p28} \cdot [\text{cG}]}{\text{p29}+\text{m19}+\text{p17} \cdot [\text{cE3n}]} + \frac{\text{p18} \cdot [\text{cEG}] + \frac{\text{p17} \cdot [\text{cE3n}] \cdot \text{p28} \cdot [\text{cG}]}{\text{p29}+\text{m19}+\text{p17} \cdot [\text{cE3n}]}}{\text{m9} \cdot [\text{cCOP1n}] + \text{m10} \cdot [\text{cCOP1d}] + \text{p31}}\right)^{\text{d}}} -$$

$$\text{function\_4\_cEC\_degr}\left(\text{L}, [\text{cCOP1d}], [\text{cCOP1n}], [\text{cE3n}], [\text{cEC}], [\text{cEG}], [\text{cG}], \text{d}, \text{vol}\left(\text{def}\right), \text{g7}, \text{m10}, \text{m19}, \text{m32}, \text{m36}, \text{m37}, \text{m9}, \text{p17}, \text{p18}, \text{p24}, \text{p28}, \text{p29}, \text{p31}\right) \tag{286}$$

$$= \frac{\text{m36} \cdot [\text{cCOP1n}] \cdot [\text{cEC}] + \text{m37} \cdot [\text{cCOP1d}] \cdot [\text{cEC}] + \text{m32} \cdot [\text{cEC}] \cdot \left(1 + \frac{\text{p24} \cdot \text{L} \cdot \left(\frac{\text{p28} \cdot [\text{cG}]}{\text{p29}+\text{m19}+\text{p17} \cdot [\text{cE3n}]} + \frac{\text{p18} \cdot [\text{cEG}] + \frac{\text{p17} \cdot [\text{cE3n}] \cdot \text{p28} \cdot [\text{cG}]}{\text{p29}+\text{m19}+\text{p17} \cdot [\text{cE3}}}{\text{m9} \cdot [\text{cCOP1n}] + \text{m10} \cdot [\text{cCOP1d}] + \text{p}}\right)^{\text{d}}}{\left(\frac{\text{p28} \cdot [\text{cG}]}{\text{p29}+\text{m19}+\text{p17} \cdot [\text{cE3n}]} + \frac{\text{p18} \cdot [\text{cEG}] + \frac{\text{p17} \cdot [\text{cE3n}] \cdot \text{p28} \cdot [\text{cG}]}{\text{p29}+\text{m19}+\text{p17} \cdot [\text{cE3n}]}}{\text{m9} \cdot [\text{cCOP1n}] + \text{m10} \cdot [\text{cCOP1d}] + \text{p31}}\right)^{\text{d}}} -$$

10 Derived Rate Equations

When interpreted as an ordinary differential equation framework, this model implies the following set of equations for the rates of change of each species.

Identifiers for kinetic laws highlighted in gray cannot be verified to evaluate to units of SBML `substance` per `time`. As a result, some SBML interpreters may not be able to verify the consistency of the units on quantities in the model. Please check if

- parameters without an unit definition are involved or
- volume correction is necessary because the `hasOnlySubstanceUnits` flag may be set to `false` and `spacialDimensions`> 0 for certain species.

10.1 Species `cCOP1c`

Name cCOP1c

Initial concentration $0.3269\ \text{nmol} \cdot \mu\text{l}^{-1}$

This species takes part in nine reactions (as a reactant in `cCOP1c_degr`, `cCOP1n_import` and as a product in `cCOP1c_trsl` and as a modifier in `cE3_degr`, `cE3_degr`, `cCOP1c_degr`, `cCOP1n_import`, `cEG_degr`, `cEG_degr`).

$$\frac{\text{d}}{\text{d}t}\text{cCOP1c} = v_{39} - v_{40} - v_{41} \tag{287}$$

10.2 Species cCOP1d

Name cCOP1d

Initial concentration $0.2566\ \mathrm{nmol} \cdot \mu\mathrm{l}^{-1}$

This species takes part in 15 reactions (as a reactant in cCOP1d_degr and as a product in cCOP1d_activ and as a modifier in cE4_degr, cE4_degr, cE3n_degr, cE3n_degr, cLUX_degr, cLUX_degr, cCOP1d_degr, cEG_degr, cEG_degr, cEC_form, cEC_form, cEC_degr, cEC_degr).

$$\frac{\mathrm{d}}{\mathrm{d}t}\mathrm{cCOP1d} = v_{43} - v_{44} \tag{288}$$

10.3 Species cCOP1n

Name cCOP1n

Initial concentration $0.65\ \mathrm{nmol} \cdot \mu\mathrm{l}^{-1}$

This species takes part in 17 reactions (as a reactant in cCOP1n_degr, cCOP1d_activ and as a product in cCOP1n_import and as a modifier in cE4_degr, cE4_degr, cE3n_degr, cE3n_degr, cLUX_degr, cLUX_degr, cCOP1n_degr, cCOP1d_activ, cEG_degr, cEG_degr, cEC_form, cEC_form, cEC_degr, cEC_degr).

$$\frac{\mathrm{d}}{\mathrm{d}t}\mathrm{cCOP1n} = v_{41} - v_{42} - v_{43} \tag{289}$$

10.4 Species cE3

Name cE3

Initial concentration $0.1503\ \mathrm{nmol} \cdot \mu\mathrm{l}^{-1}$

This species takes part in seven reactions (as a reactant in cE3_degr, cE3n_import, cG_cE3_assoc and as a product in cE3_trsl and as a modifier in cE3_degr, cE3n_import, cG_cE3_assoc).

$$\frac{\mathrm{d}}{\mathrm{d}t}\mathrm{cE3} = v_{31} - v_{32} - v_{33} - v_{53} \tag{290}$$

10.5 Species cE3_m

Name cE3_m

Initial concentration $0.2991\ \mathrm{nmol} \cdot \mu\mathrm{l}^{-1}$

This species takes part in five reactions (as a reactant in cE3_m_degr and as a product in cE3_m_trscr and as a modifier in cE3_m_degr, cE3_trsl, cE3_trsl).

$$\frac{\mathrm{d}}{\mathrm{d}t}\mathrm{cE3\_m} = v_{29} - v_{30} \tag{291}$$

10.6 Species cE3n

Name cE3n

Initial concentration $0.0286\ \mathrm{nmol} \cdot \mu\mathrm{l}^{-1}$

This species takes part in 16 reactions (as a reactant in cE3n_degr and as a product in cE3n_import and as a modifier in cE4_degr, cE4_degr, cE3n_import, cE3n_degr, cLUX_degr, cLUX_degr, cG_degr, cG_degr, cEG_degr, cEG_degr, cEC_form, cEC_form, cEC_degr, cEC_degr).

$$\frac{\mathrm{d}}{\mathrm{d}t}\mathrm{cE3n} = v_{33} - v_{34} \tag{292}$$

10.7 Species cE4

Name cE4

Initial concentration $0.207\ \mathrm{nmol} \cdot \mu\mathrm{l}^{-1}$

This species takes part in nine reactions (as a reactant in cE4_degr and as a product in cE4_trsl and as a modifier in cE4_degr, cE3n_degr, cE3n_degr, cLUX_degr, cLUX_degr, cEC_form, cEC_form).

$$\frac{\mathrm{d}}{\mathrm{d}t}\mathrm{cE4} = v_{27} - v_{28} \tag{293}$$

10.8 Species cE4_m

Name cE4_m

Initial concentration $0.1012\ \mathrm{nmol} \cdot \mu\mathrm{l}^{-1}$

This species takes part in five reactions (as a reactant in cE4_m_degr and as a product in cE4_m_trscr and as a modifier in cE4_m_degr, cE4_trsl, cE4_trsl).

$$\frac{\mathrm{d}}{\mathrm{d}t}\mathrm{cE4\_m} = v_{25} - v_{26} \tag{294}$$

10.9 Species cEC

Name cEC

Initial concentration $0.0709\ \mathrm{nmol} \cdot \mu\mathrm{l}^{-1}$

This species takes part in 13 reactions (as a reactant in cEC_degr and as a product in cEC_form and as a modifier in cP9_m_trscr, cP9_m_trscr, cT_m_trscr, cT_m_trscr, cE4_m_trscr, cE4_m_trscr, cLUX_m_trscr, cLUX_m_trscr, cG_m_trscr, cG_m_trscr, cEC_degr).

$$\frac{\mathrm{d}}{\mathrm{d}t}\mathrm{cEC} = v_{55} - v_{56} \tag{295}$$

10.10 Species cEG

Name cEG

Initial concentration $0.0041\ \text{nmol} \cdot \mu\text{l}^{-1}$

This species takes part in five reactions (as a reactant in cEG_degr and as a product in cG_cE3_assoc and as a modifier in cEG_degr, cEC_degr, cEC_degr).

$$\frac{\mathrm{d}}{\mathrm{d}t}\mathrm{cEG} = v_{53} - v_{54} \tag{296}$$

10.11 Species cG

Name cG

Initial concentration $0.0196\ \text{nmol} \cdot \mu\text{l}^{-1}$

This species takes part in 13 reactions (as a reactant in cG_degr, cG_cZTL_assoc, cG_cE3_assoc and as a product in cG_trsl and as a modifier in cE3n_degr, cE3n_degr, cG_degr, cG_cZTL_assoc, cG_cE3_assoc, cEG_degr, cEG_degr, cEC_degr, cEC_degr).

$$\frac{\mathrm{d}}{\mathrm{d}t}\mathrm{cG} = v_{47} - v_{48} - v_{49} - v_{53} \tag{297}$$

10.12 Species cG_m

Name cG_m

Initial concentration $0.1017\ \text{nmol} \cdot \mu\text{l}^{-1}$

This species takes part in five reactions (as a reactant in cG_m_degr and as a product in cG_m_trscr and as a modifier in cG_m_degr, cG_trsl, cG_trsl).

$$\frac{\mathrm{d}}{\mathrm{d}t}\mathrm{cG\_m} = v_{45} - v_{46} \tag{298}$$

10.13 Species cL

Name cL

Initial concentration $0.506\ \text{nmol} \cdot \mu\text{l}^{-1}$

This species takes part in 19 reactions (as a reactant in cL_degr and as a product in cL_trsl and as a modifier in cL_degr, cL_modif, cL_modif, cP9_m_trscr, cP9_m_trscr, cP7_m_trscr, cP7_m_trscr, cT_m_trscr, cT_m_trscr, cE4_m_trscr, cE4_m_trscr, cE3_m_trscr, cE3_m_trscr, cLUX_m_trscr, cLUX_m_trscr, cG_m_trscr, cG_m_trscr).

$$\frac{\mathrm{d}}{\mathrm{d}t}\mathrm{cL} = v_{3} - v_{4} \tag{299}$$

10.14 Species cLUX

Name cLUX

Initial concentration $0.576\ \text{nmol} \cdot \mu\text{l}^{-1}$

This species takes part in nine reactions (as a reactant in cLUX_degr and as a product in cLUX_trsl and as a modifier in cE4_degr, cE4_degr, cE3n_degr, cE3n_degr, cLUX_degr, cEC_form, cEC_form).

$$\frac{\mathrm{d}}{\mathrm{d}t}\text{cLUX} = v_{37} - v_{38} \tag{300}$$

10.15 Species cLUX_m

Name cLUX_m

Initial concentration $0.1012\ \text{nmol} \cdot \mu\text{l}^{-1}$

This species takes part in five reactions (as a reactant in cLUX_m_degr and as a product in cLUX_m_trscr and as a modifier in cLUX_m_degr, cLUX_trsl, cLUX_trsl).

$$\frac{\mathrm{d}}{\mathrm{d}t}\text{cLUX\_m} = v_{35} - v_{36} \tag{301}$$

10.16 Species cL_m

Name cL_m

Initial concentration $1.0151\ \text{nmol} \cdot \mu\text{l}^{-1}$

This species takes part in five reactions (as a reactant in cL_m_degr and as a product in cL_m_trscr and as a modifier in cL_m_degr, cL_trsl, cL_trsl).

$$\frac{\mathrm{d}}{\mathrm{d}t}\text{cL\_m} = v_{1} - v_{2} \tag{302}$$

10.17 Species cLm

Name cLm

Initial concentration $0.0788\ \text{nmol} \cdot \mu\text{l}^{-1}$

This species takes part in seven reactions (as a reactant in cLm_degr and as a product in cL_modif and as a modifier in cLm_degr, cP7_m_trscr, cP7_m_trscr, cNI_m_trscr, cNI_m_trscr).

$$\frac{\mathrm{d}}{\mathrm{d}t}\text{cLm} = v_{5} - v_{6} \tag{303}$$

10.18 Species cNI

Name cNI

Initial concentration $0.0697\ \text{nmol} \cdot \mu\text{l}^{-1}$

This species takes part in five reactions (as a reactant in cNI_degr and as a product in cNI_trsl and as a modifier in cL_m_trscr, cL_m_trscr, cNI_degr).

$$\frac{\text{d}}{\text{d}t}\text{cNI} = v_{19} - v_{20} \tag{304}$$

10.19 Species cNI_m

Name cNI_m

Initial concentration $0.0731\ \text{nmol} \cdot \mu\text{l}^{-1}$

This species takes part in five reactions (as a reactant in cNI_m_degr and as a product in cNI_m_trscr and as a modifier in cNI_m_degr, cNI_trsl, cNI_trsl).

$$\frac{\text{d}}{\text{d}t}\text{cNI\_m} = v_{17} - v_{18} \tag{305}$$

10.20 Species cP

Name cP

Initial concentration $0.956\ \text{nmol} \cdot \mu\text{l}^{-1}$

This species takes part in twelve reactions (as a reactant in cP_degr and as a product in cP_trsl and as a modifier in cL_m_trscr, cL_m_trscr, cP_trsl, cP_degr, cP9_m_trscr, cP9_m_trscr, cCOP1d_activ, cCOP1d_activ, cG_m_trscr, cG_m_trscr).

$$\frac{\text{d}}{\text{d}t}\text{cP} = v_{7} - v_{8} \tag{306}$$

10.21 Species cP7

Name cP7

Initial concentration $0.1167\ \text{nmol} \cdot \mu\text{l}^{-1}$

This species takes part in seven reactions (as a reactant in cP7_degr and as a product in cP7_trsl and as a modifier in cL_m_trscr, cL_m_trscr, cP7_degr, cNI_m_trscr, cNI_m_trscr).

$$\frac{\text{d}}{\text{d}t}\text{cP7} = v_{15} - v_{16} \tag{307}$$

10.22 Species cP7_m

Name cP7_m

Initial concentration $0.4016\ \text{nmol} \cdot \mu\text{l}^{-1}$

This species takes part in five reactions (as a reactant in cP7_m_degr and as a product in cP7_m_trscr and as a modifier in cP7_m_degr, cP7_trsl, cP7_trsl).

$$\frac{\mathrm{d}}{\mathrm{d}t}\text{cP7\_m} = v_{13} - v_{14} \tag{308}$$

10.23 Species cP9

Name cP9

Initial concentration $0.0238\ \text{nmol} \cdot \mu\text{l}^{-1}$

This species takes part in seven reactions (as a reactant in cP9_degr and as a product in cP9_trsl and as a modifier in cL_m_trscr, cL_m_trscr, cP9_degr, cP7_m_trscr, cP7_m_trscr).

$$\frac{\mathrm{d}}{\mathrm{d}t}\text{cP9} = v_{11} - v_{12} \tag{309}$$

10.24 Species cP9_m

Name cP9_m

Initial concentration $0.0658\ \text{nmol} \cdot \mu\text{l}^{-1}$

This species takes part in five reactions (as a reactant in cP9_m_degr and as a product in cP9_m_trscr and as a modifier in cP9_m_degr, cP9_trsl, cP9_trsl).

$$\frac{\mathrm{d}}{\mathrm{d}t}\text{cP9\_m} = v_{9} - v_{10} \tag{310}$$

10.25 Species cT

Name cT

Initial concentration $0.0435\ \text{nmol} \cdot \mu\text{l}^{-1}$

This species takes part in five reactions (as a reactant in cT_degr and as a product in cT_trsl and as a modifier in cL_m_trscr, cL_m_trscr, cT_degr).

$$\frac{\mathrm{d}}{\mathrm{d}t}\text{cT} = v_{23} - v_{24} \tag{311}$$

10.26 Species cT_m

Name cT_m

Initial concentration $0.0977\ \text{nmol} \cdot \mu\text{l}^{-1}$

This species takes part in five reactions (as a reactant in cT_m_degr and as a product in cT_m_trscr and as a modifier in cT_m_degr, cT_trsl, cT_trsl).

$$\frac{\mathrm{d}}{\mathrm{d}t}\text{cT\_m} = v_{21} - v_{22} \tag{312}$$

10.27 Species cZG

Name cZG

Initial concentration $0.0755\ \text{nmol} \cdot \mu\text{l}^{-1}$

This species takes part in six reactions (as a reactant in cZG_degr and as a product in cG_cZTL_assoc and as a modifier in cT_degr, cT_degr, cG_cZTL_assoc, cZG_degr).

$$\frac{\mathrm{d}}{\mathrm{d}t}\text{cZG} = v_{49} - v_{52} \tag{313}$$

10.28 Species cZTL

Name cZTL

Initial concentration $0.2505\ \text{nmol} \cdot \mu\text{l}^{-1}$

This species takes part in seven reactions (as a reactant in cG_cZTL_assoc, cZTL_degr and as a product in cZTL_trsl and as a modifier in cT_degr, cT_degr, cG_cZTL_assoc, cZTL_degr).

$$\frac{\mathrm{d}}{\mathrm{d}t}\text{cZTL} = v_{50} - v_{49} - v_{51} \tag{314}$$

SBML2LaTeX was developed by Andreas Dräger[a], Hannes Planatscher[a], Dieudonné M Wouamba[a], Adrian Schröder[a], Michael Hucka[b], Lukas Endler[c], Martin Golebiewski[d] and Andreas Zell[a]. Please see http://www.ra.cs.uni-tuebingen.de/software/SBML2LaTeX for more information.

[a]Center for Bioinformatics Tübingen (ZBIT), Germany
[b]California Institute of Technology, Beckman Institute BNMC, Pasadena, United States
[c]European Bioinformatics Institute, Wellcome Trust Genome Campus, Hinxton, United Kingdom
[d]EML Research gGmbH, Heidelberg, Germany