
# Family "Tnx0Vax1"

March 5, 2008

## 1 Tree "alphanx0Vax1"

## 1.1 graphe



#### 1.2 comments

Adjective complement. Simple declarative tree.

Joe felt angry
Everyone thought Joe had been feeling angry.


```
S_r.b:<extracted> = -
S_r.b:<inv> = -
S_r.b:<assign-comp> = VP.t:<assign-comp>
```

```
S_r.b:<mode> = VP.t:<mode>
S_r.b:<comp> = nil
S_r.b:<tense> = VP.t:<tense>
NP_0:<agr> = S_r.b:<agr>
NP_0:<case> = S_r.b:<assign-case>
NP_0:<wh> = -
S_r.b:<wh> = NP_0:<wh>
S_r.b:<agr> = VP.t:<agr>
```

```
S_r.b:<assign-case> = VP.t:<assign-case>
VP.b:<passive> = V.t:<passive>
V.t:<passive> = -
VP.b:<agr> = V.t:<agr>
VP.b:<assign-case> = V.t:<assign-case>
VP.b:<assign-comp> = V.t:<assign-comp>
VP.b:<mode> = V.t:<mode>
VP.b:<tense> = V.t:<tense>
VP.b:<mainv> = V.t:<mainv>
VP.b:<compar> = -
S_r.b:<control> = NP_O.t:<control>
S_r.b:S_r.b:S_r.b:S_r.b:S_r.b:S_r.b:S_r.b:S_r.b:S_r.b:S_r.b:S_r.b:S_r.b:S_r.b:S_r.b:S_r.b:S_r.b:S_r.b:S_r.b:S_r.b:S_r.b:S_r.b:S_r.b:S_r.b:S_r.b:S_r.b:S_r.b:S_r.b:<mainv> = VP.t:<mainv>
```

## 2 Tree "alphaW0nx0Vax1"

## 2.1 graphe



### 2.2 comments

Adjective complement. wh-extraction on the subject.

Who felt angry? Who did everyone think had been feeling angry?

#### 2.3 features


 $S_q.b:<extracted> = +$ 

S\_q.b:<inv> = S\_r.t:<inv>
S\_q.b:<wh> = NP\_0:<wh>
S\_r.t:<comp> = nil
S\_r.b:<assign-comp> = VP.t:<assign-comp>

```
S_q.b:<comp> = nil
S_q.b:<mode> = S_r.t:<mode>
S_r.b:<mode> = VP.t:<mode>
S_r.b:<comp> = nil
S_r.b:<tense> = VP.t:<tense>
S_r.b:<inv> = -
S_r.b:<assign-case> = NP.t:<case>
S_r.b:\langle agr \rangle = NP.t:\langle agr \rangle
NP.t:<trace> = NP_0.t:<trace>
NP.t:\langle agr \rangle = NP_0.t:\langle agr \rangle
NP.t:<case> = NP_0.t:<case>
NP.t: < wh> = NP_0.t: < wh>
NP_0:<wh> = +
S_r.b:<agr> = VP.t:<agr>
S_r.b:<assign-case> = VP.t:<assign-case>
VP.b:<passive> = V.t:<passive>
V.t:<passive> = -
VP.b:<agr> = V.t:<agr>
VP.b:<assign-case> = V.t:<assign-case>
VP.b:<assign-comp> = V.t:<assign-comp>
VP.b:<mode> = V.t:<mode>
VP.b:<tense> = V.t:<tense>
VP.b:<mainv> = V.t:<mainv>
VP.b:<compar> = -
S_r.t:<conj> = nil
S_r.b:<assign-comp> = inf_nil/ind_nil/ecm
```

## 3 Tree "betaN0nx0Vax1"

### 3.1 graphe



#### 3.2 comments

Adjective complement. Relative clause on the subject.

[the guy] who felt angry
[the first one] to feel angry
[the woman] that had been feeling angry

#### 3.3 features


S\_r.b:<assign-comp> = VP.t:<assign-comp>

```
S_r.b:<mode> = VP.t:<mode>
S_r.t:<mode> = ind/inf
S_r.b:<comp> = nil
S_r.b:<tense> = VP.t:<tense>
S_r.t:<inv> = -
S_r.b:<assign-case> = NP_0.t:<case>
S_r.b:<agr> = NP_0.t:<agr>
S_r.b:<agr> = VP.t:<agr>
S_r.b:<assign-case> = VP.t:<assign-case>
VP.t:<assign-case>
VP.t:<assign-case>
VP.t:<assign-case>
VP.t:<assign-case>
VP.b:<passive> = V.t:<passive>
V.t:<passive> = V.t:<agr>
VP.b:<agr> = V.t:<agr> = V.t:<agr>
```

```
VP.b:<assign-case> = V.t:<assign-case>
VP.b:<assign-comp> = V.t:<assign-comp>
VP.b:<mode> = V.t:<mode>
VP.b:<tense> = V.t:<tense>
VP.b:<mainv> = V.t:<mainv>
VP.b:<compar> = -
S_r.t:\langle conj \rangle = nil
NP_r.b:<wh> = NP_f.t:<wh>
NP_r.b:<agr> = NP_f.t:<agr>
NP_r.b:<case> = NP_f.t:<case>
NP_w.t:<trace> = NP_0.b:<trace>
NP_w.t:<case> = NP_0.b:<case>
NP_w.t:\langle agr \rangle = NP_0.b:\langle agr \rangle
NP_w.t:<wh> = +
S_r.t:<comp> = nil
NP_r.b:<rel-clause> = +
NP_f.b:<case> = nom/acc
```

## 4 Tree "alphaWA1nx0Vax1"

## 4.1 graphe



#### 4.2 comments


Adjective complement. wh-extraction of the adjective complement.

How did Joe felt?
How did everyone think Joe had felt?

```
S_q.b:<extracted> = +
S_q.b:<inv> = S_r.t:<inv>
S_q.b:<inv> = S_q.b:<invlink>
AP_1.t:<wh> = S_q.b:<wh>
S_r.t:<comp> = nil
S_r.b:<assign-comp> = VP.t:<assign-comp>
S_q.b:<comp> = nil
S_q.b:<mode> = S_r.t:<mode>
S_r.b:<inv> = -
S_r.b:<mode> = VP.t:<mode>
S_r.b:<comp> = nil
S_r.b:<tense> = VP.t:<tense>
S_r.b:\langle agr \rangle = NP_0.t:\langle agr \rangle
S_r.b:<assign-case> = NP_0.t:<case>
AP.t:<trace> = AP_1.t:<trace>
AP.t: < wh> = AP_1.t: < wh>
S_r.b:\langle agr \rangle = VP.t:\langle agr \rangle
S_r.b:<assign-case> = VP.t:<assign-case>
VP.b:<passive> = V.t:<passive>
V.t:<passive> = -
VP.b:<agr> = V.t:<agr>
VP.b:<assign-case> = V.t:<assign-case>
VP.b:<assign-comp> = V.t:<assign-comp>
VP.b:<mode> = V.t:<mode>
VP.b:<tense> = V.t:<tense>
VP.b:<mainv> = V.t:<mainv>
VP.b:<compar> = -
S_r.t:<conj> = nil
S_r.b:<control> = NP_0.t:<control>
S_r.b:cpregressive> = VP.t:cpregressive>
S_r.b:<perfect> = VP.t:<perfect>
S_r.b:<passive> = VP.t:<passive>
S_r.b:<mainv> = VP.t:<mainv>
```

## 5 Tree "alphaInx0Vax1"

### 5.1 graphe



#### 5.2 comments

Adjective complement. Imperative.

Feel angry! Look happy.


```
S_r.b:<extracted> = -
S_r.b:<inv> = -
S_r.b:<mode> = imp
S_r.t:<assign-comp> = inf_nil/ind_nil
S_r.b:<assign-comp> = VP.t:<assign-comp>
S_r.b:<comp> = nil
S_r.b:<tense> = VP.t:<tense>
```

```
NP_0:<agr> = S_r.b:<agr>
NP_0:<case> = S_r.b:<assign-case>
NP_0:<wh> = -
NP_0:<agr pers> = 2
NP_0:<agr num> = plur/sing
NP_0:<agr num> = plur/sing
NP_0:<case> = nom
S_r.b:<wh> = NP_0:<wh>
S_r.b:<agr> = VP.t:<agr>
S_r.b:<assign-case> = VP.t:<assign-case>
VP.t:<neg> = -
VP.t:<mode> = base
VP.b:<mode> = V.t:<mode>
VP.b:<passive> = V.t:<passive>
V.t:<passive> = -
```

```
VP.t:<tense> = pres
VP.b:<agr> = V.t:<agr>
VP.b:<assign-case> = V.t:<assign-case>
VP.b:<assign-comp> = V.t:<assign-comp>
VP.b:<tense> = V.t:<tense>
VP.b:<mainv> = V.t:<mainv>
VP.b:<compar> = -
S_r.b:S_r.b:Cprogressive> = VP.t:S_r.b:Cprofect> = VP.t:Cprofect>
S_r.b:Cprofect> = VP.t:Cprofect>
S_r.b:<mainv> = VP.t:<mainv>
```

## 6 Tree "betaNpxnx0Vax1"

## 6.1 graphe



#### 6.2 comments

Adjective complement. Simple declarative tree.

Joe felt angry Everyone thought Joe had been feeling angry.


#### 6.3 features

S\_r.b:<extracted> = S\_r.b:<inv> = S\_r.b:<assign-comp> = VP.t:<assign-comp>

```
S_r.b:<mode> = VP.t:<mode>
S_r.b:<comp> = nil
S_r.b:<tense> = VP.t:<tense>
NP_0:\langle agr \rangle = S_r.b:\langle agr \rangle
NP_0:<case> = S_r.b:<assign-case>
NP_0:<wh> = -
S_r.b:\langle agr \rangle = VP.t:\langle agr \rangle
S_r.b:<assign-case> = VP.t:<assign-case>
VP.b:<passive> = V.t:<passive>
V.t:<passive> = -
VP.b:\langle agr \rangle = V.t:\langle agr \rangle
VP.b:<assign-case> = V.t:<assign-case>
VP.b:<assign-comp> = V.t:<assign-comp>
VP.b:<mode> = V.t:<mode>
VP.b:<tense> = V.t:<tense>
VP.b:<mainv> = V.t:<mainv>
VP.b:<compar> = -
S_r.b:<control> = NP_0.t:<control>
S_r.t:<inv> = -
PP_w.t:<wh> = +
NP_r.b:<wh> = NP_f.t:<wh>
NP_r.b:<agr> = NP_f.t:<agr>
NP_r.b:<case> = NP_f.t:<case>
NP_f.b:<case> = acc/nom
S_r.t:<comp> = nil
NP_r.b: < rel-clause > = +
NP_f.b:<case> = nom/acc
S_r.b:cpregressive> = VP.t:cpregressive>
S_r.b:<perfect> = VP.t:<perfect>
S_r.b:<passive> = VP.t:<passive>
S_r.b:<mainv> = VP.t:<mainv>
```

## 7 Tree "betaNc0nx0Vax1"

## 7.1 graphe



#### 7.2 comments

Relative clause of subject

```
[the guy] who felt angry
[the first one] to feel angry
[the woman] that had been feeling angry
```

#### 7.3 features


S\_r.b:<assign-comp> = VP.t:<assign-comp>

```
S_r.b:<mode> = VP.t:<mode>
S_r.b:<comp> = nil
S_r.b:<tense> = VP.t:<tense>
S_r.t:<inv> = -
S_r.b:<assign-case> = NP_0.t:<case>
S_r.b:<agr> = NP_0.t:<agr>
S_r.b:<agr> = VP.t:<agr>
S_r.b:<assign-case> = VP.t:<assign-case>
VP.b:<passive> = V.t:<passive>
V.t:<passive> = -
VP.b:<asr> = V.t:<agr>
VP.b:<assign-case> = V.t:<assign-case>
VP.b:<assign-comp> = V.t:<assign-comp>
VP.b:<mode> = V.t:<mode>
```

```
VP.b:<tense> = V.t:<tense>
VP.b:<mainv> = V.t:<mainv>
VP.b:<compar> = -
S_r.t:\langle conj \rangle = nil
NP_r.b:<wh> = NP_f.t:<wh>
NP_r.b:<agr> = NP_f.t:<agr>
NP_r.b:<case> = NP_f.t:<case>
NP_w.t:<trace> = NP_0.b:<trace>
NP_w.t:<case> = NP_0.b:<case>
NP_w.t:\langle agr \rangle = NP_0.b:\langle agr \rangle
NP_r.b:<rel-clause> = +
S_r.t:<mode> = inf/ger/ind
S_r.t:<nocomp-mode> = inf/ger
VP.t:<assign-comp> = that/ind_nil/inf_nil/ecm
S_r.b:<nocomp-mode> = S_r.b:<mode>
NP_f.b:<case> = nom/acc
```

### 8 Tree "betaNcnx0Vax1"

### 8.1 graphe



#### 8.2 comments

Adjective complement. Simple declarative tree.

Joe felt angry Everyone thought Joe had been feeling angry.


#### 8.3 features

 $S_r.b:<extracted> = -$ 

```
S_r.b:<inv> = -
S_r.b:<assign-comp> = VP.t:<assign-comp>
S_r.b:<mode> = VP.t:<mode>
S_r.b:<comp> = nil
S_r.b:<tense> = VP.t:<tense>
NP_0:\langle agr \rangle = S_r.b:\langle agr \rangle
NP_0:<case> = S_r.b:<assign-case>
NP_0:<wh> = -
S_r.b:\langle agr \rangle = VP.t:\langle agr \rangle
S_r.b:<assign-case> = VP.t:<assign-case>
VP.b:<passive> = V.t:<passive>
V.t:<passive> = -
VP.b:<agr> = V.t:<agr>
VP.b:<assign-case> = V.t:<assign-case>
VP.b:<assign-comp> = V.t:<assign-comp>
VP.b:<mode> = V.t:<mode>
VP.b:<tense> = V.t:<tense>
VP.b:<mainv> = V.t:<mainv>
VP.b:<compar> = -
S_r.b:<control> = NP_0.t:<control>
NP_r.b:<wh> = NP_f.t:<wh>
NP_r.b:<agr> = NP_f.t:<agr>
NP_r.b:<case> = NP_f.t:<case>
NP_f.b:<case> = acc/nom
S_r.t:<inv> = -
S_r.t:<mode> = ind/inf
S_r.t:<nocomp-mode> = ind
VP.t:<assign-comp> = that/for/ind_nil
S_r.b:<nocomp-mode> = S_r.b:<mode>
NP_r.b:<rel-clause> = +
NP_f.b:<case> = nom/acc
S_r.b:cpregressive> = VP.t:cpregressive>
S_r.b:<perfect> = VP.t:<perfect>
S_r.b:<passive> = VP.t:<passive>
S_r.b:<mainv> = VP.t:<mainv>
```

# $9\quad Tree "alpha Gnx 0 Vax 1"$

## 9.1 graphe



#### 9.2 comments

Adjective complement - NP Gerund:

[Joe('s) feeling unhappy] bothered his mother.


```
NP_r.b:<case> = nom/acc
NP_r.b:<agr num> = sing
NP_r.b:<agr pers> = 3
NP_r.b:<agr 3rdsing> = +
NP_r.b:<gerund> = +
NP_c.b:<gerund> = +
NP_c.b:<mode> = ger

VP.b:<mode> = ger

VP.b:<mode> = V.t:<mode>
VP.b:<passive> = V.t:<passive>
V.t:<passive> = -
VP.b:<compar> = -
NP_0:<case> = acc/gen
```

## 10 Tree "alphaGnx0Vax1-PRO"

## 10.1 graphe



#### 10.2 comments

Adjective complement NP gerund w/ PRO subject


[PRO feeling unhappy] bothered Joe.

#### 10.3 features

```
NP_r.b:<case> = nom/acc
NP_r.b:<agr num> = sing
NP_r.b:<agr pers> = 3
NP_r.b:<agr 3rdsing> = +
NP_r.b:<gerund> = +
NP_0:<wh> = NP_r.b:<wh>
NP_0.t:<wh> = -
NP_0.t:<case> = none
VP.t:<mode> = ger
VP.b:<mode> = V.t:<mode>
VP.b:<passive> = V.t:<passive>
V.t:<passive> = -
VP.b:<compar> = -
```

## 11 Tree "alphanx0Vax1-PRO"

## 11.1 graphe



#### 11.2 comments

Adjective complement w/ PRO subject

Joe wanted [PRO to feel jolly]. While [PRO becoming angry] Joe watched his face turn red.

```
S_r.b:<extracted> = -
S_r.b:<inv> = -
S_r.b:<assign-comp> = VP.t:<assign-comp>
S_r.b:<mode> = VP.t:<mode>
S_r.b:<comp> = nil
S_r.b:<tense> = VP.t:<tense>
NP_0:\langle agr \rangle = S_r.b:\langle agr \rangle
NP_0:<wh> = -
NP_0.t:<case> = none
S_r.b:<wh> = NP_0:<wh>
S_r.b:<assign-case> = NP_0.t:<case>
S_r.b:\langle agr \rangle = VP.t:\langle agr \rangle
VP.b:<passive> = V.t:<passive>
V.t:<passive> = -
VP.b:\langle agr \rangle = V.t:\langle agr \rangle
VP.b:<assign-comp> = V.t:<assign-comp>
VP.b:<mode> = V.t:<mode>
VP.b:<tense> = V.t:<tense>
VP.b:<mainv> = V.t:<mainv>
VP.b:<compar> = -
S_r.b:<control> = NP_0.t:<control>
S_r.b:cpregressive> = VP.t:cpregressive>
S_r.b:<perfect> = VP.t:<perfect>
S_r.b:<passive> = VP.t:<passive>
S_r.b:<mainv> = VP.t:<mainv>
VP.t:<mode> = inf/ger
```