# Meta-regression analyses of log hazard ratios and baseline cardiovascular mortality rate



## MACE




## Myocardial infarction



## Stroke




## Hospitalization for Heart Failure






```
##
## Meta-regression coefficients, by drug class
## ================================================================
##              Outcome       Class   Slope   CI.lb   CI.ub  P-value
## ----------------------------------------------------------------
## 1          allcauseMort    GLP1   -0.068  -0.366   0.229   0.653
## 2             CVMort       GLP1   -0.047  -0.422   0.329   0.807
## 3              MACE        GLP1    0.043  -0.307   0.393   0.810
## 4               MI         GLP1   -0.159  -0.580   0.262   0.458
## 5            stroke        GLP1    0.263  -0.229   0.755   0.295
## 6        HospHeartFailure  GLP1   -0.155  -0.586   0.276   0.481
## 7          sustGFRdecl     GLP1    0.432  -0.367   1.231   0.289
## 8          allcauseMort   SGLT2i  -0.004  -0.100   0.092   0.931
## 9             CVMort      SGLT2i  -0.021  -0.115   0.073   0.662
## 10             MACE       SGLT2i  -0.080  -0.203   0.044   0.206
## 11              MI        SGLT2i  -0.051  -0.287   0.184   0.668
## 12           stroke       SGLT2i  -0.100  -0.471   0.272   0.599
## 13       HospHeartFailure SGLT2i  -0.006  -0.080   0.068   0.871
## 14         sustGFRdecl    SGLT2i   0.121  -0.047   0.288   0.158
## ----------------------------------------------------------------
## Log hazard ratio and baseline cardiovascular mortality rate
```