```
0xA\overset{a}{C}\dot{6}20014
 0x0082082A
 a = (1010110001100010000000000010100)_2
 b = \\ (000000010000010000010000010101010)_2
opcode_a = a[31:26] = (16)
  \begin{array}{c} 261 \\ (101011)_2 = \\ (43)_{10} \longrightarrow \\ store \end{array} 
 a[25:
 21 = 
21] = (00011)_2 = (3)_{10} \longrightarrow r_t = a[20 : 16] = (00010)_{10} = a
(00010)_2 = (2)_{10} \longrightarrow v_0

immediate = a[15:0] = (2)_{10} \longrightarrow v_0
 (0000000000010100)_2 =
 (20)_{10} \longrightarrow sw\$v_0, 20(\$v_1)
opcode_b = b[31 : 26] = (000000)_2 = (0)_{10} \longrightarrow R- Type
 \begin{cases} r_s = \\ b[25:\\21] = \\ \end{cases} 
 (00100)_2 = (4)_{10} \longrightarrow a_0
r_t = b[20:
 16] = (00010)_2 =
 (2)_{10} \longrightarrow (2)_{10} \longrightarrow (2)_{10} = b[15:
[11] = (20001)
\begin{array}{l}
11j - \\
(00001)_2 = \\
(1)_{10} \longrightarrow \\
a_t \\
function = \\
b[5: \\
0] = \\
(101010)
\end{array}
 \begin{array}{c} (101010)_2 \longrightarrow \\ set onless than - \\ slt\$a_t,\$a_0,\$v_0 \end{array}
 \begin{array}{c} output = \\ (01000001000001000001010101000)_2 = \end{array}
 (20820A8)_{16}
```

 $[width = \\ 0.7]figs/4$