

# AsciiDoc Article Title

## Table of Contents

Text formatting

- Line breaks

- Links

- Replacements

Horizontal rule

Images

- Standard image handling

Use Instagramm-like filters

- CSSgram

- Usage

Footnotes

Headings

- Second level heading

  - Third level heading

    - Fourth level heading

      - Fifth level heading

Lists

- Unordered lists

- Ordered lists

- Labelled lists

- Mixed lists

Blocks

Tables

Collapsible Content

Quotes

Abstracts

- Chapter Abstract

- Other Abstracts

Admonitions

- Admonition blocks

---

Content entered directly below the header but before the first section heading is called the preamble.

## Text formatting

This is a paragraph of regular text.

This is a paragraph with a **bold** word and an *italicized* word. ***bold italic*** is also possible.

# Horizontal rule


This is a paragraph followed by a horizontal rule

---

followed by a new paragraph

*Markdown-style horizontal rules*

These are four horizontal rules written with Markdown syntax



# Images

## Standard image handling



*Figure 1. Image caption*

---

## Use Instagramm-like filters

# CSSgram

Thanks to the [CSSgram](#) library you can use Instagram-like filters in your Asciidoctor document by simply adding a role to an imageblock.



This filters are not supported by most PDF renderers and therefore apply only when rendered on a screen.

## Usage

### Sample syntax

```
.Image with role "insta-aden"  
[.insta-aden]  
image::resources/frenchbull-small.jpg[insta-aden]
```

### ▼ Supported roles

- insta-1977
- insta-aden
- insta-brannan
- insta-brooklyn
- insta-clarendon
- insta-earlybird
- insta-gingham
- insta-hudson
- insta-lark
- insta-lofi
- insta-maven
- insta-mayfair
- insta-moon
- insta-nashville
- insta-perpetua
- insta-reyes
- insta-rise
- insta-slumber
- insta-stinson
- insta-toaster
- insta-valencia
- insta-walden
- insta-willow

- ▼ Details
  - insta-xpro2

▼ Results  
Here are results



*Figure 2. Original Image with no role*



*Figure 3. Image with role "insta-1977"*



*Figure 4. Image with role "insta-aden"*



*Figure 5. Image with role "insta-brannan"*



*Figure 6. Image with role "insta-brooklyn"*





*Figure 7. Image with role "insta-clarendon"*



*Figure 8. Image with role "insta-earlybird"*



*Figure 9. Image with role "insta-ingham"*



Figure 10. Image with role "insta-hudson"



Figure 11. Image with role "insta-inkwell"



Figure 12. Image with role "insta-kelvin"



Figure 13. Image with role "insta-lark"



Figure 14. Image with role "insta-lofi"



Figure 15. Image with role "insta-maven"





Figure 16. Image with role "insta-mayfair"



Figure 17. Image with role "insta-moon"



Figure 18. Image with role "insta-nashville"



Figure 19. Image with role "insta-perpetua"



Figure 20. Image with role "insta-reyes"



Figure 21. Image with role "insta-rise"



Figure 22. Image with role "insta-slumber"



Figure 23. Image with role "insta-stinson"



Figure 24. Image with role "insta-toaster"



*Figure 25. Image with role "insta-valencia"*



*Figure 26. Image with role "insta-walden"*



*Figure 27. Image with role "insta-willow"*





Figure 28. Image with role "insta-xpro2"

---

## Footnotes

This is another paragraph.<sup>[1]</sup>

---

## Headings

### Second level heading

### Third level heading

### Fourth level heading

### Fifth level heading

---

## Lists

### Unordered lists

*Unordered list title*

- list item 1
  - nested list item
    - nested nested list item 1
    - nested nested list item 2
- list item 2

### Ordered lists

*Ordered list title*

---



1. ordered list item
  - a. nested ordered list item
2. ordered list item
  - a. second level list item
    - i. third level list item
    - ii. another third level list item
    - iii. a final third level list item
  - b. another second level list item

You can override the number scheme for any level by setting its style (the first positional entry in a block attribute list). You can also set the starting number using the start attribute:

- i. Five
- ii. Six
  - a. a
  - b. b
  - c. c
- iii. Seven

## Labelled lists

Here's an example of a labeled list that identifies parts of a computer:

### **CPU**

The brain of the computer.

### **Hard drive**

Permanent storage for operating system and/or user files.

### **RAM**

Temporarily stores information the CPU uses during operation.

### **Keyboard**

Used to enter text or control items on the screen.

### **Mouse**

Used to point to and select items on your computer screen.

### **Monitor**

Displays information in visual form using text and graphics.

*A horizontal labelled list*

- CPU**            The brain of the computer.
- Hard drive**    Permanent storage for operating system and/or user files.
- RAM**            Temporarily stores information the CPU uses during operation.

*Labelled list with bullets*

**Diary**

- Milk
- Eggs

**Bakery**

- Bread

**Produce**

- Bananas

## **Mixed lists**

*Mixed unordered and ordered lists*

1. Linux
  - Fedora
  - Ubuntu
  - Slackware
2. BSD
  - FreeBSD
  - NetBSD

Here's a list that mixes all three types of lists:

**Operating Systems**

1. Linux
  - Fedora
  - Ubuntu
  - Slackware
2. BSD
  - FreeBSD
  - NetBSD

**Cloud Providers**

1. PaaS
  - OpenShift
  - CloudBees

## 2. IaaS

- Amazon EC2
- Rackspace

---

# Blocks

### *Paragraph Block*

This is a paragraph.

### *Example 3. Example block*

Content in an example block is subject to normal substitutions.

This is the second line

### **Sidebar block**

Sidebars contain aside text and are subject to normal substitutions.

This is the second line

### *Listing block*

Content in a listing block is subject to verbatim substitutions.  
Listing block content is commonly used to preserve code input.

This is the second line

### *Literal block*

Literal blocks display output exactly as entered  
This is an indented line  
This is the third line

### *Open block*

Anonymous block that can act as any block.

This is the second line

### *Sourcecode block*

Source code or keyboard input is displayed as entered.  
This is an indented line  
This is the third line

### *Passthrough block*

The next paragraph is entered with a passthrough block.

This is a paragraph in a pathhrough block with *italic* and **bold** characters

---

## Tables

*Table 1. A simple table with a title*

Column heading 1	Column heading 2
Column 1, row 1	Column 2, row 1
Column 1, row 2	Column 2, row 2

*Table 2. A table containing another nested table*

\[X_nY_m\]	<ul style="list-style-type: none"><li>• \(\X\) a ante \(\i\)</li><li>• \(\Y\) a ante \(\j\)</li></ul>	Trad.
		Stock.
		Esteq.

---

## Collapsible Content

► Details

---

## Quotes

“*This is a block quote or a prose excerpt. This is subject to normal substitutions.*

— *firstname lastname*  
*movie title*

This is a verse block.

Indents and endlines are preserved in verse blocks.

— *firstname lastname*  
*poem title and more*

---

## Abstracts

## Chapter Abstract

This is an abstract written as a chapter.

## Other Abstracts

*Optional Abstract Title*

*This is an abstract written as a paragraph.*

The next paragraph is not part of the abstract any more.

*Optional Abstract Title*

*This is an abstract written in an open block.*

*More lines may follow*

---

## Admonitions

There are five admonition labels: Tip, Note, Important, Caution and Warning.



This is important.



This is a warning.



Caution — be careful!



This is a note.



This is a tip.



# Admonition blocks

*A "NOTE" type admonition*

This is an example of an admonition block.

Unlike an admonition paragraph, it may contain any AsciiDoc content. The style can be any one of the admonition labels:



- NOTE
- TIP
- WARNING
- CAUTION
- IMPORTANT

---

1. This is footnote text and will be displayed at the bottom of the article.