




Report
TELNET

Name /Mohammed Talal Alobaysi



M	Server	Client	Ack	Hex
1	<u>1.1- Do Authentication Option</u> Command: Do (253) Subcommand: Authentication Option		N/A	000c29 3bf2cf0 00c29f8 a53c08 004500

				b25000 000
3	<u>3.1- Suboption Authentication Option</u> Command: Suboption (250) Subcommand: Authentication Option		M2	000c29 3bf2cf0 00c29f8 a53c08 004500 003046 e44000 800600 00b20e 030db2 0e030e 0017c0 67b9ab 31e5c7 872fae5 018010 06a5a0 000ffa 25010f0 0fff0
	<u>3.2- Suboption End</u> Command: Suboption End (240)			
4		4.1- Do Echo Command: Do (253) Subcommand: Echo	M1,2	000c29 3bf2cf0 00c29f8 a53c08 004500 003d46 e24000 800600 00b20e 030db2 0e030e 0017c0 67b9ab 31d0c7 872fab5 018010 06a670 000fffd 25fffb0 1fffb03f ffd27fff d1fffd0 0fffb00 204000
		4.2- Do Suppress Go Ahead Command: Do (253) Subcommand: Suppress Go Ahead	M1,3	
		4.3- Will New Environment Option Command: Will (251) Subcommand: New Environment Option	M1,4	

		4.4- Will Negotiate About Window Size Command: Will (251) Subcommand: Negotiate About Window Size	M1,5	80068d 3fb20e0 30eb20 e030dc 067001 7c7872f c9b9ab 321050 180100f 414000 0ffa25 000f000 028000 000020 000004 e544c
		4.5- Suboption Negotiate About Window Size Command: Suboption (250) Subcommand: Negotiate About Window Size		
		4.6- Suboption End Command: Suboption End (240)		
		4.7- Will Binary Transmission Command: Will (251) Subcommand: Binary Transmission	M1,6	
		4.8- Do Binary Transmission Command: Do (253) Subcommand: Binary Transmission	M1,7	
5	5.1- Suboption New Environment Option Command: Suboption (250) Subcommand: New Environment Option		N/A	000c29 3bf2cf0 00c29f8 a53c08 004500 004b46

	5.2- Suboption End Command: Suboption End (240)			e54000 800600 00b20e 030db2 0e030e 0017c0 67b9ab 31edc7 872fc95 018010 06a750 000ffa 2701ff 0ffa27 010353 465554 4c4e54 564552 035346 55544c 4e544d 4f4445f ff0
	5.3- Suboption New Environment Option Command: Suboption (250) Subcommand: New Environment Option			
	5.4- Suboption End Command: Suboption End (240)			
6		6.1- Suboption Authentication Option Command: Suboption (250) Subcommand: Authentication Option	N/A	000c29f 8a53c0 00c293 bf2cf08 004500 006103 204000 80068d 3fb20e0 30eb20 e030dc 067001 7c7872f c9b9ab 321050 180100f 414000 0ffa25 000f000 028000 000020 000004 e544c4 d53535 000010
		6.2- Suboption End Command: Suboption End (240)		

7	7.1- Suboption Authentication Option Command: Suboption (250) Subcommand: Authentication Option		M6	000c29 3bf2cf0 00c29f8 a53c08 004500 012746 e64000 800600 00b20e 030db2 0e030e 0017c0 67b9ab 3210c7 873002 501801 006b51 0000fff a25020f 0001ee 000000 020000 004e54 4c4d53 535000 020000 001e00 1e0038 000000 15828a e21fcc2 c3f8029 fb88000 000000 000000 098009 800560 000000 603802 500000 00f5700 49004e 002d00 470030 005000 4d0053 004700 380044 003900 340033 000200 1e0057 004900 4e002d 004700
	7.2- Suboption End Command: Suboption End (240)			

				300050 004d00 530047 003800 440053 004700 380044 003900 340033 000700 0800c6 22ebd0 14f9d90 100000 000fff0
8		8.1- Suboption New Environment Option Command: Suboption (250) Subcommand: New Environment Option	M5	000c29f 8a53c0 00c293 bf2cf08 004500 005503 214000 80068d 4ab20e 030eb2 0e030d c06700 17c787 3002b9 ab330f5 01800ff 366000 00ffa2 700fff0f ffa2700 035346 55544c 4e5456 455201 320353 465554 4c4e54 4d4f444
		8.2- Suboption End Command: Suboption End (240)		
		8.3- Suboption New Environment Option Command: Suboption (250) Subcommand: New Environment Option		
		8.4- Suboption End Command: Suboption End (240)		

				501436f 6e736f6 c65fff0
9		9.1- Suboption Authentication Option Command: Suboption (250) Subcommand: Authentication Option		000c29f 8a53c0 00c293 bf2cf08 004500 024003 224000 80068b 5eb20e 030eb2 0e030d c06700 17c787 302fb9a b330f50 1800ff1 96e000 0ffa25

			000f000 206020 000020 000004 e544c4 d53535 000030 000001 800180 09e000 000400 14001b 600000 01e001 e00580 000000 a000a0 076000 0001e0 01e008 000000 010001 000f601 000015 8288e2 0601b1 1d0000 000f0d0 8621afe 1043e0 6d5fb6 b82699 2b7257 004900 4e002d 003700 50004e 00404a 000000 000000 00bb0a 26ba03 430db5 dbb867 71c1b9 d6bc01 010000 000000 00c622 300040 01e005 700490 04e002 d00470 030005
--	--	--	--

9.2- Suboption End
Command:
Suboption End (240)

10	10.1- Suboption Authentication Option Command: Suboption (250) Subcommand: Authentication Option		000c29 3bf2cf0 00c29f8 a53c08 004500 00e746 e84000 800600 00b20e 030db2 0e030e 0017c0 67b9ab 330fc78 732475 01800fe 6b1100 00ffa2 5020f00 04fff00 d0a546 56c6e6 574207 365727 665722 0636f75 6c6420 6e6f742 06c6f67 20796f7 520696 e20757 3696e6 7204e5 44c4d2 061757 468656 e74696 361746 96f6e2e 0d0a59 6f75722 070617 373776f 726420 6d6179 206861 766520 657870 697265 642e0d 0a4c6f6 7696e2 075736 96e672
	10.2- Suboption End Command: Suboption End (240)		
	10.3- Data: \r\n		
	10.4- Data: Telnet server could not log you in using NTLM authentication.\r\n		
	10.5- Data: Your password may have expired.\r\n		
	10.6- Data: Login using username and password\r\n		
	10.7- Data: \r\n		
	10.8- Data: Welcome to Microsoft Telnet Service \r\n		
	10.9- Data: \n		
	10.10- Data: \rlogin:		

				075736 5726e6 16d652 0616e6 420706 173737 76f7264 0d0a0d 0a5765 6c636f6 d65207 46f204d 696372 6f736f6 674205 4656c6 e65742 053657 276696 365200 d0a0a0 d6c6f67 696e3a 20
11		1- Data A	M10, 10	000c29f 8a53c0 00c293 bf2cf08 004500 002903 244000 80068d 73b20e 030eb2 0e030d c06700 17c787 3247b9 ab33ce 501800f e31ce0 0006b0 000000 000
12	1- Data A		M11	000c29 3bf2cf0 00c29f8 a53c08 004500 002946 e94000 800600 00b20e

				030db2 0e030e 0017c0 67b9ab 33cec7 873248 501800f e6a530 0006b
13		1- Data d	N/A	000c29f 8a53c0 00c293 bf2cf08 004500 002903 254000 80068d 72b20e 030eb2 0e030d c06700 17c787 3248b9 ab33cf5 01800fe 29cc00 007300 000000 00
14	1- Data d		M13	000c29 3bf2cf0 00c29f8 a53c08 004500 002946 ea4000 800600 00b20e 030db2 0e030e 0017c0 67b9ab 33cfc78 732495 01800fe 6a5300 0073
15		1- Data m	N/A	000c29f 8a53c0 00c293 bf2cf08

				004500 002903 264000 80068d 71b20e 030eb2 0e030d c06700 17c787 3249b9 ab33d0 501800f e27ca0 000750 000000 000
16	1- Data m		M15	000c29 3bf2cf0 00c29f8 a53c08 004500 002946 eb4000 800600 00b20e 030db2 0e030e 0017c0 67b9ab 33d0c7 87324a 501800f e6a530 00075
17		1- Data \r\n	N/A	000c29f 8a53c0 00c293 bf2cf08 004500 002a03 284000 80068d 6eb20e 030eb2 0e030d c06700 17c787 324ab9 ab33d1 501800f e8fbd0 0000d0

				a00000 000
18	1- Data: \n		M17	000c29 3bf2cf0 00c29f8 a53c08 004500 003446 ec4000
	2- Data: \rpassword:		N/A	800600 00b20e 030db2 0e030e 0017c0 67b9ab 33d1c7 87324c 501800f e6a5e0 0000a0 d70617 373776f 72643a 20
19		1- Data M	M18, 2	000c29f 8a53c0 00c293 bf2cf08 004500 002903 2a4000 80068d 6db20e 030eb2 0e030d c06700 17c787 324cb9 ab33dd 501800f e5bba0 000410 000000 000
20		1- Data m	N/A	000c29f 8a53c0 00c293 bf2cf08 004500 002903 2b4000


				80068d 6cb20e 030eb2 0e030d c06700 17c787 324db9 ab33dd 501800f e3bb90 000610 000000 000
21		1- Data 1	N/A	000c29f 8a53c0 00c293 bf2cf08 004500 002903 2c4000 80068d 6bb20e 030eb2 0e030d c06700 17c787 324eb9 ab33dd 501800f e6bb80 000310 000000 000
22		1- Data \r\n		000c29f 8a53c0 00c293 bf2cf08 004500 002a03 2d4000 80068d 69b20e 030eb2 0e030d c06700 17c787 324fb9a b33dd5 01800fe 8fac000 00d0a0 000000 0

23	1- Do Terminal Type Command: Do (253) Subcommand: Terminal Type			000c29 3bf2cf0 00c29f8 a53c08 004500 002b46f 040008 006000 0b20e0 30db20 e030e0 017c06 7b9ab3 3ddc78 732515 01800fd 6a5500 00fffd1 8
24		1- Will Terminal Type Command: Will (251) Subcommand: Terminal Type	M23	000c29f 8a53c0 00c293 bf2cf08 004500 002b03 2e4000 80068d 67b20e 030eb2 0e030d c06700 17c787 3251b9 ab33e0 501800f e84b40 000fffb 180000 00
25	1- Suboption Terminal Type Command: Suboption (250) Subcommand: Terminal Type 2- Suboption End Command: Suboption End (240)		M24	000c29 3bf2cf0 00c29f8 a53c08 004500 002e46f 140008 006000 0b20e0 30db20 e030e0 017c06 7b9ab3 3e0c78

				732545 01800fd 6a5800 00ffa1 801fff0
26		1- Suboption Terminal Type Command: Suboption (250) Subcommand: Terminal Type 2- Suboption End Command: Suboption End (240)	M25	000c29f 8a53c0 00c293 bf2cf08 004500 003203 2f40008 0068d5f b20e03 0eb20e 030dc0 670017 c78732 54b9ab 33e650 1800fef 01c000 0ffa18 00414e 5349fff 0
27	Data [truncated]: \033[1;1H*===== ===== ===== \033[2;1HMicrosoft Telnet Server. \033[3;1H*===== =====		M26	000c29 3bf2cf0 00c29f8 a53c08 004500 025446f 340008 006000 0b20e0 30db20 e030e0 017c06 7b9ab3 3e6c78 7325e5 01800fd 6c7e00 001b5b 313b31 482a3d 3d3d3d b5b323 b31484 d69637 26f736f 667420 54656c

Client

Server



Client

Server

