

Daniel<sip:Collins@work.com>

sip:Server.work.com

sip:Server.home.net

Boss<Manager@pc1.home.net>



1
INVITE sip:manager@work.com
SIP/2.0
Via: SIP/2.0/UDP station1.work.com;
branch=z9hG4bK123
Max-Forwards: 70
From: Daniel<sip:Collins@work.com>;
tag=44551
Contact:
sip:Collins@station1.work.com
To: Boss<Manager@pc1.home.net>
Call-ID: 123456@station1.work.com
CSeq: 1 INVITE
Subject: Vacation
Content-Length: xxx
Content-Type: application/sdp
Content-Disposition: session

2
SIP/2.0 302 Moved Temporarily
Via: SIP/2.0/UDP station1.work.com;
branch=z9hG4bK123
From: Daniel<sip:Collins@work.com>;
tag=44551
To: Boss<Manager@pc1.home.net>
Call-ID: 123456@station1.work.com
CSeq: 1 INVITE
Contact: sip:Manager@home.net

3
ACK sip:manager@work.com SIP/2.0
Via: SIP/2.0/UDP station1.work.com;
branch=z9hG4bK123
Max-Forwards: 70
From: Daniel<sip:Collins@work.com>;
tag=44551
To: Boss<Manager@pc1.home.net>
Call-ID: 123456@station1.work.com
CSeq: 1 ACK

4
INVITE sip:manager@work.com SIP/2.0
Via: SIP/2.0/UDP
station1.work.com; branch=z9hG4bK7890
Max-Forwards: 70
From: Daniel<sip:Collins@work.com>;
To: Boss<Manager@pc1.home.net>
Call-ID: 123456@station1.work.com
CSeq: 1 INVITE

5
INVITE sip:manager@work.com SIP/2.0
Via: SIP/2.0/UDP server.homr.net;
branch=z9hG4bKxyz1
Via: SIP/2.0/UDP
station1.work.com; branch=z9hG4bK7890
Max-Forwards: 69
Record-route:server.homr.net
From: Daniel<sip:Collins@work.com>;
To: Boss<Manager@pc1.home.net>
Call-ID: 123456@pc1.home.net
CSeq: 1 INVITE

6
SIP/2.0 100 Trying
Via: SIP/2.0/UDP
station1.work.com; branch=z9hG4bK7890
From: Daniel<sip:Collins@work.com>;
To: Boss<Manager@pc1.home.net>Call-ID:
123456@pc1.home.net
CSeq: 1 INVITE

7
SIP/2.0 200 OK
Via: SIP/2.0/UDP server.homr.net;
branch=z9hG4bKxyz1
Via: SIP/2.0/UDP
station1.work.com; branch=z9hG4bK7890
Max-Forwards: 69
Record-route:server.homr.net
From: Daniel<sip:Collins@work.com>;
To: Boss<Manager@pc1.home.net>
Call-ID: 123456@pc1.home.net
CSeq: 1 INVITE

8


9

SIP/2.0 200 OK
Via: SIP/2.0/UDP
station1.work.com; branch=z9hG4bK7890
Max-Forwards: 69
Record-route:server.homr.net
From: Daniel<sip:Collins@work.com>;
To: Boss<Manager@pc1.home.net>
Call-ID: 123456@pc1.home.net
CSeq: 1 INVITE

ACK sip:manager@work.com
SIP/2.0Via: SIP/2.0/UDP
station1.work.com; branch=z9hG4bK7890
Max-Forwards: 69
From: Daniel<sip:Collins@work.com>;
To: Boss<Manager@pc1.home.net>
Call-ID: 123456@pc1.home.net
CSeq: 1 ACK

10

ACK sip:manager@work.com SIP/2.0
Via: SIP/2.0/UDP server.home.net;
branch=z9hG4bKxyz2
Via: SIP/2.0/UDP
station1.work.com; branch=z9hG4bK7890
Max-Forwards: 69
From: Daniel<sip:Collins@work.com>;
To: Boss<Manager@pc1.home.net>
Call-ID: 123456@pc1.home.net
CSeq: 1 ACK



9

SIP/2.0 200 OK
Via: SIP/2.0/UDP
station1.work.com; branch=z9hG4bK7890
Max-Forwards: 69
Record-route:server.homr.net
From: Daniel<sip:Collins@work.com>;
To: Boss<Manager@pc1.home.net>
Call-ID: 123456@pc1.home.net
CSeq: 1 INVITE

ACK sip:manager@work.com
SIP/2.0Via: SIP/2.0/UDP
station1.work.com; branch=z9hG4bK7890
Max-Forwards: 69
From: Daniel<sip:Collins@work.com>;
To: Boss<Manager@pc1.home.net>
Call-ID: 123456@pc1.home.net
CSeq: 1 ACK

10

ACK sip:manager@work.com SIP/2.0
Via: SIP/2.0/UDP server.home.net;
branch=z9hG4bKxyz2
Via: SIP/2.0/UDP
station1.work.com; branch=z9hG4bK7890
Max-Forwards: 69
From: Daniel<sip:Collins@work.com>;
To: Boss<Manager@pc1.home.net>
Call-ID: 123456@pc1.home.net
CSeq: 1 ACK