




Report

SSH

Name /Mohammed Talal Alobaysi



M

client

Server


Hex

1	Protocol: SSH-2.0-PuTTY_Release_0.83		5353482d322e302d50755454595f52656c656173655f302e38330d0a
2		Protocol: SSH-2.0-RebexSSH_5.0.9055.0	5353482d322e302d52656265785353485f352e302e393035352e300d0a
3		: Key Exchange Init (20)	000003b40714cb541dcc5b18d801d9b3e9ea0d9e1c02000010e637572766532353531392d7368613235362c637572766532353531392d736861323536406c69627373682e6f72672c656364682d736861322d6e697374703532312c656364682d736861322d6e697374703338342c656364682d736861322d6e697374703235362c6469666669652d68656c6c6d616e2d67726f757031362d7368613531322c6469666669652d68656c6c6d616e2d67726f757031352d7368613531322c6469666669652d68656c6c6d616e2d67726f75702d65786368616e67652d7368613235362c6469666669652d68656c6c6d616e2d67726f757031342d7368613235362c6578742d696e666f2d732c6b65782d7374726963742d732d763030406f70656e7373682e636f6d000000787373682d656432353531392c65636473612d736861322d6e697374703532312c65636473612d736861322d6e697374703338342c65636473612d736861322d6e697374703235362c7273612d736861322d3531322c7373682d7273612d736861323536407373682e636f6d2c7273612d736861322d323536000000996165733235362d67636d406f70656e7373682e636f6d2c6165733132382d67636d406f70656e7373682e636f6d2c6165733235362d6374722c6165733139322d6374722c6165733132382d6374722c6368616368613c656364682d736861322d6e697374703338342c656364682d736861322d6e697374703532312c6469666669652d68656c6c6d616e2d67726f75702d65786368616e67652d7368613235362c6469666669652d68656c6c6d616e2d67726f75702d65786368616e67652d736861312c6469666669652d68
4	Key Exchange Init (20)		000006ac0914198f2321ca955736e80e8900bf0c80c300000251736e747275703736317832353531392d7368613531322c736e747275703736317832353531392d736861353132406f70656e7373682e636f6d2c6d6c6b656d3736387832353531392d7368613235362c6d6c6b656d313032346e697374703338342d7368613338342c6d6c6b656d3736386e697374703235362d7368613235362c63757276653434382d7368613531322c637572766532353531392d7368613235362c637572766532353531392d736861323536406c69627373682e6f72672c656364682d736861322d6e697374703235362c656364682d736861322d6e697374703338342c656364682d736861322d6e697374703532312c6469666669652d68656c6c6d616e2d67726f75702d65786368616e67652d7368613235362c6469666669652d68656c6c6d616e2d67726f75702d65786368616e67652d736861312c6469666669652d68

8		Encrypted Packet [...]: e5c9a359cc3ec0213f2b2f645bb91fce7709e3492154d485256367342d9325f0bf2a08cf0d0ea6a4662b1578bee63d1b6063c2205fdc7e84794d9b76072b99f5784a420f40e95e3d458f57aa7a10a6af6092b9830befa622a2ac17dd6e33b6471bf3216fa82de17f5e76ef719eb84ee1295a0ee13d57070443e4c5d28aeff2bbf53f13dcd7ae0122016833c9e2a97472e03ce6872bdcc795c20546f0e51ecb8464c82767c6afcd326d61a71d35e96f1f209f5d9fa89a5b123a16c73690a9828d4b9c1a0572bd90a4f8eb462506bb0b196723ae2435cd6342ee64a36c5fc04c6d4f200623530abf4110bd6ad99f1ce6f478b804378555b0efde1377ba0081535b8249a38b68f7ddd3a1def4d162ca7c47e38b9446985001fe46594b99c963e126f082b0da542c00185e0f5f40459138a38fc21b1d9eace65b54845a1b6a627	7ead015de5c9a359cc3ec0213f2b2f645bb91fce7709e3492154d485256367342d9325f0bf2a08cf0d0ea6a4662b1578bee63d1b6063c2205fdc7e84794d9b76072b99f5784a420f40e95e3d458f57aa7a10a6af6092b9830befa622a2ac17dd6e33b6471bf3216fa82de17f5e76ef719eb84ee1295a0ee13d57070443e4c5d28aeff2bbf53f13dcd7ae0122016833c9e2a97472e03ce6872bdcc795c20546f0e51ecb8464c82767c6afcd326d61a71d35e96f1f209f5d9fa89a5b123a16c73690a9828d4b9c1a0572bd90a4f8eb462506bb0b196723ae2435cd6342ee64a36c5fc04c6d4f200623530abf4110bd6ad99f1ce6f478b804378555b0efde1377ba0081535b8249a38b68f7ddd3a1def4d162ca7c47e38b9446985001fe46594b99c963e126f082b0da542c00185e0f5f40459138a38fc21b1d9eace65b54845a1b6a627
9	Encrypted Packet: 0e499859915300296c289d12bc90090d61a6540761db680c8c4e5d52		0000000c0a15882151092e98acca5ffd1aa680c70e499859915300296c289d12bc90090d61a6540761db680c8c4e5d521372b25bc2793e5cdca72519ede3f6795c678301dd0fc4e660e4063e9eb2d705

client

Server



M1:

```
SSH Protocol
Protocol: SSH-2.0-PuTTY_Release_0.83
[Direction: client-to-server]
```

M2:

```
SSH Protocol
Protocol: SSH-2.0-RebexSSH_5.0.9055.0
[Direction: server-to-client]
```

M3:

```
SSH Protocol
SSH Version 2 (encryption:aes256-ctr mac:hmac-sha2-256 compression:none)
Packet Length: 948
Padding Length: 7
Key Exchange (method:curve25519-sha256)
Message Code: Key Exchange Init (20)
Algorithms
Cookie: cb541dcc5b18d801d9b3e9ea0d9e1c02
kex_algorithms length: 270
kex_algorithms string [...]: curve25519-sha256,curve25519-sha256@libssh.org,ecdh-sha2-nistp521,ecdh-sha2-nistp384,
server_host_key_algorithms length: 120
server_host_key_algorithms string: ssh-ed25519,ecdsa-sha2-nistp521,ecdsa-sha2-nistp384,ecdsa-sha2-nistp256,rsa-s
encryption_algorithms_client_to_server length: 153
encryption_algorithms_client_to_server string: aes256-gcm@openssh.com,aes128-gcm@openssh.com,aes256-ctr,aes192-c
encryption_algorithms_server_to_client length: 153
encryption_algorithms_server_to_client string: aes256-gcm@openssh.com,aes128-gcm@openssh.com,aes256-ctr,aes192-c
mac_algorithms_client_to_server length: 87
mac_algorithms_client_to_server string: hmac-sha2-512-etm@openssh.com,hmac-sha2-256-etm@openssh.com,hmac-sha2-51
mac_algorithms_server_to_client length: 87
mac_algorithms_server_to_client string: hmac-sha2-512-etm@openssh.com,hmac-sha2-256-etm@openssh.com,hmac-sha2-51
compression_algorithms_client_to_server length: 4
compression_algorithms_client_to_server string: none
compression_algorithms_server_to_client length: 4
compression_algorithms_server_to_client string: none
languages_client_to_server length: 0
languages_client_to_server string:
languages_server_to_client length: 0
languages_server_to_client string:
First KEX Packet Follows: 0
Reserved: 00000000
[hashhServerAlgorithms [...]: curve25519-sha256,curve25519-sha256@libssh.org,ecdh-sha2-nistp521,ecdh-sha2-nistp384
[hashhServer: 0bba726acfb3ddde7e72a2abdda647f1]
Padding String: 9b40a8c6049b4e
[Sequence number: 0]
[Direction: server-to-client]
```

M4:

```
SSH Protocol
  SSH Version 2 (encryption:aes256-ctr mac:hmac-sha2-256 compression:none)
    Packet Length: 1708
    Padding Length: 9
  Key Exchange (method:curve25519-sha256)
    Message Code: Key Exchange Init (20)
    Algorithms
      Cookie: 198f2321ca955736e80e8900bf0c80c3
      kex_algorithms length: 593
      kex_algorithms string [...]: sntrup761x25519-sha512,sntrup761x25519-sha512@openssh.com,mlkem768x25519-sha256,mlkem1024n
      server_host_key_algorithms length: 123
      server_host_key_algorithms string: ssh-ed448,ssh-ed25519,ecdsa-sha2-nistp256,ecdsa-sha2-nistp384,ecdsa-sha2-nistp521,
      encryption_algorithms_client_to_server length: 235
      encryption_algorithms_client_to_server string [...]: aes256-ctr,aes256-cbc,rijndael-cbc@lysator.liu.se,aes192-ctr,aes19
      encryption_algorithms_server_to_client length: 235
      encryption_algorithms_server_to_client string [...]: aes256-ctr,aes256-cbc,rijndael-cbc@lysator.liu.se,aes192-ctr,aes19
      mac_algorithms_client_to_server length: 199
      mac_algorithms_client_to_server string: hmac-sha2-256,hmac-sha2-512,hmac-sha1,hmac-sha1-96,hmac-md5,hmac-sha2-256-etm
      mac_algorithms_server_to_client length: 199
      mac_algorithms_server_to_client string: hmac-sha2-256,hmac-sha2-512,hmac-sha1,hmac-sha1-96,hmac-md5,hmac-sha2-256-etm
      compression_algorithms_client_to_server length: 26
      compression_algorithms_client_to_server string: none,zlib,zlib@openssh.com
      compression_algorithms_server_to_client length: 26
      compression_algorithms_server_to_client string: none,zlib,zlib@openssh.com
      languages_client_to_server length: 0
      languages_client_to_server string:
      languages_server_to_client length: 0
      languages_server_to_client string:
      First KEX Packet Follows: 0
      Reserved: 00000000
      [hasshAlgorithms [...]: sntrup761x25519-sha512,sntrup761x25519-sha512@openssh.com,mlkem768x25519-sha256,mlkem1024nistp3
      [hassh: 4a3e3c55af41b23589ff4c9d6aee4404]
      Padding String: eef8f5e74905a66ddc
      [Sequence number: 0]
    [Direction: client-to-server]
```

M5:

```
SSH Protocol
  SSH Version 2 (encryption:aes256-ctr mac:hmac-sha2-256 compression:none)
    Packet Length: 44
    Padding Length: 6
  Key Exchange (method:curve25519-sha256)
    Message Code: Elliptic Curve Diffie-Hellman Key Exchange Init (30)
    ECDH client's ephemeral public key length: 32
    ECDH client's ephemeral public key (Q_C): 1a51ca3fd350e37fafa9870d663ecc4b15436625e4acba04cb0e7bfb646d5156
    Padding String: 4610bf946ed4
    [Sequence number: 1]
    [Direction: client-to-server]
```

M6:

```
SSH Protocol
  SSH Version 2 (encryption:aes256-ctr mac:hmac-sha2-256 compression:none)
    Packet Length: 188
    Padding Length: 8
  Key Exchange (method:curve25519-sha256)
    Message Code: Elliptic Curve Diffie-Hellman Key Exchange Reply (31)
    KEX host key (type: ssh-ed25519)
      Host key length: 51
      Host key type length: 11
      Host key type: ssh-ed25519
      EdDSA public key length: 32
      EdDSA public key: e757cc5f89c7fc2f101ba7e5fc62f0540adf49a22d914d0f4af1918c0d718944
      ECDH server's ephemeral public key length: 32
      ECDH server's ephemeral public key (Q_S): 82c0676358d26b0eab7e67506720dcf0df71503f96a87754cb19446b892c037b
    KEX host signature (type: ssh-ed25519)
      Host signature length: 83
      Host signature type length: 11
      Host signature type: ssh-ed25519
      Host signature data: 00000040708e397152c23d3afa7897d37a1edc8ba7a69d7a72e76815bdb3019e56187ffff298c348cb5a7839adb9187164
    Padding String: 4d52482aec6acf95
    [Sequence number: 1]
    [Direction: server-to-client]
```

M7:

```
SSH Protocol
  SSH Version 2 (encryption:aes256-ctr mac:hmac-sha2-256 compression:none)
    Packet Length: 12
    Padding Length: 10
    Key Exchange (method:curve25519-sha256)
      Message Code: New Keys (21)
      Padding String: f28df6986ac8f70ad520
      [Sequence number: 2]
    [Direction: server-to-client]
```

M8:

```
SSH Protocol
  SSH Version 2 (encryption:aes256-ctr mac:hmac-sha2-256 compression:none)
    Packet Length (encrypted): 7ead015d
    Encrypted Packet [...]: e5c9a359cc3ec0213f2b2f645bb91fce7709e3492154d485256367342d9325f0bf2a08cf0d0ea6a4662b1578bee63d1b60
    MAC: 72fd7d9bdeb4ac93ea180c0f339526fd49a3ce99610b9ae574180f8ccd8460fe
    [Direction: server-to-client]
```

M9:

```
SSH Version 2 (encryption:aes256-ctr mac:hmac-sha2-256 compression:none)
  Packet Length: 12
  Padding Length: 10
  Key Exchange (method:curve25519-sha256)
    Message Code: New Keys (21)
    Padding String: 882151092e98acca5ffd
    [Sequence number: 2]
  SSH Version 2 (encryption:aes256-ctr mac:hmac-sha2-256 compression:none)
    Packet Length (encrypted): 1aa680c7
    Encrypted Packet: 0e499859915300296c289d12bc90090d61a6540761db680c8c4e5d52
    MAC: 1372b25bc2793e5cdca72519ede3f6795c678301dd0fc4e660e4063e9eb2d705
    [Direction: client-to-server]
```

The screenshot displays the Wireshark network protocol analyzer interface. The top menu bar includes File, Edit, View, Go, Capture, Analyze, Statistics, Telephony, Wireless, Tools, and Help. The packet list pane on the left shows a list of 1878 packets, with packet 1627 selected. The packet details pane on the right shows the structure of the selected packet, and the packet bytes pane shows the raw data.

No.	Time	Source	Destination	Protocol	Length	Info
1613	51.657562	172.20.10.6	194.108.117.16	SSHv2	82	Client: Protocol (SSH-2.0-PuTTY_Release_0.83)
1614	51.861529	194.108.117.16	172.20.10.6	SSHv2	83	Server: Protocol (SSH-2.0-RebexSSH_5.0.9055.0)
1615	51.861530	194.108.117.16	172.20.10.6	SSHv2	1006	Server: Key Exchange Init
1618	51.882274	172.20.10.6	194.108.117.16	SSHv2	366	Client: Key Exchange Init
1619	51.882275	172.20.10.6	194.108.117.16	SSHv2	102	Client: Elliptic Curve Diffie-Hellman Key Exchange Init
1621	52.066385	194.108.117.16	172.20.10.6	SSHv2	246	Server: Elliptic Curve Diffie-Hellman Key Exchange Reply
1622	52.066389	194.108.117.16	172.20.10.6	SSHv2	70	Server: New Keys
1623	52.066390	194.108.117.16	172.20.10.6	SSHv2	454	Server: Encrypted packet (len=400)
1627	57.334206	172.20.10.6	194.108.117.16	SSHv2	134	Client: New Keys, Encrypted packet (len=64)
1628	57.493286	194.108.117.16	172.20.10.6	SSHv2	118	Server: Encrypted packet (len=64)
1642	69.986459	172.20.10.6	194.108.117.16	SSHv2	134	Client: Encrypted packet (len=80)
1643	70.190302	194.108.117.16	172.20.10.6	SSHv2	182	Server: Encrypted packet (len=128)
1644	70.190303	194.108.117.16	172.20.10.6	SSHv2	134	Server: Encrypted packet (len=80)
1646	70.196376	172.20.10.6	194.108.117.16	SSHv2	166	Client: Encrypted packet (len=112)
1647	70.394814	194.108.117.16	172.20.10.6	SSHv2	134	Server: Encrypted packet (len=80)
1661	90.675325	172.20.10.6	194.108.117.16	SSHv2	326	Client: Encrypted packet (len=272)
1662	90.875499	194.108.117.16	172.20.10.6	SSHv2	134	Server: Encrypted packet (len=80)
1663	90.879264	172.20.10.6	194.108.117.16	SSHv2	166	Client: Encrypted packet (len=112)
1664	91.081866	194.108.117.16	172.20.10.6	SSHv2	134	Server: Encrypted packet (len=80)
1669	103.404790	172.20.10.6	194.108.117.16	SSHv2	326	Client: Encrypted packet (len=272)
1670	103.675977	194.108.117.16	172.20.10.6	SSHv2	134	Server: Encrypted packet (len=80)
1728	129.064342	172.20.10.6	194.108.117.16	SSHv2	326	Client: Encrypted packet (len=272)
1729	129.378500	194.108.117.16	172.20.10.6	SSHv2	134	Server: Encrypted packet (len=80)
1732	139.205909	172.20.10.6	194.108.117.16	SSHv2	326	Client: Encrypted packet (len=272)
1733	139.414805	194.108.117.16	172.20.10.6	SSHv2	102	Server: Encrypted packet (len=48)
1734	139.416251	172.20.10.6	194.108.117.16	SSHv2	134	Client: Encrypted packet (len=80)
1735	139.610936	194.108.117.16	172.20.10.6	SSHv2	118	Server: Encrypted packet (len=64)
1736	139.620048	172.20.10.6	194.108.117.16	SSHv2	230	Client: Encrypted packet (len=176)
1737	139.824200	194.108.117.16	172.20.10.6	SSHv2	102	Server: Encrypted packet (len=48)
1738	139.824202	194.108.117.16	172.20.10.6	SSHv2	118	Server: Encrypted packet (len=64)
1739	139.824206	194.108.117.16	172.20.10.6	SSHv2	102	Server: Encrypted packet (len=48)
1740	139.824206	194.108.117.16	172.20.10.6	SSHv2	166	Server: Encrypted packet (len=112)
1783	153.401132	172.20.10.6	194.108.117.16	SSHv2	118	Client: Encrypted packet (len=64)

> Frame 1627: 134 bytes on wire (1072 bits), 134 bytes captured (1072 bits) on interface \Device\NPF_{5480DE38-B22A-4E88-9F00-17AA5844800} (0000 4a 35 2b 54 09 64 00 0c 29 ba 3c 3b 08 00 45 00 35+T d . .)
> Ethernet II, Src: VMware ba:3c:3b (00:0c:29:ba:3c:3b), Dst: 4a:35:2b:54:09:64 (4a:35:2b:54:09:64) (0010 00 78 01 93 40 00 00 06 0b 56 ac 14 0a 06 c2 6c .x .@ . . \

SSH Protocol: Protocol Packets: 1878 - Displayed: 74 (3.9%) Profile: Default