

Mysql Table Structure

1. company_master

```
CREATE TABLE company_master (  
  company_id INT AUTO_INCREMENT PRIMARY KEY,  
  company_code VARCHAR(20) UNIQUE,  
  company_name VARCHAR(200),  
  industry_type VARCHAR(100),  
  website VARCHAR(200),  
  registration_number VARCHAR(50),  
  gst_number VARCHAR(50),  
  employee_strength INT,  
  address TEXT,  
  contact_person VARCHAR(100),  
  contact_email VARCHAR(100),  
  contact_mobile VARCHAR(20),  
  status ENUM('Active','Inactive'),  
  created_date DATETIME,  
  updated_date DATETIME);
```

2. language_master

```
CREATE TABLE language_master (  
  language_id INT AUTO_INCREMENT PRIMARY KEY,  
  language_name VARCHAR(50),  
  created_date DATETIME,  
  updated_date DATETIME);
```

3. company_languages

```
CREATE TABLE company_languages (  
  id INT AUTO_INCREMENT PRIMARY KEY,  
  company_id INT,  
  language_id INT,  
  created_date DATETIME,  
  updated_date DATETIME,  
  FOREIGN KEY(company_id)  
  REFERENCES company_master(company_id) );
```

4. role_master

```
CREATE TABLE role_master (  
  role_id INT AUTO_INCREMENT PRIMARY KEY,  
  role_name VARCHAR(50),  
  created_date DATETIME,  
  updated_date DATETIME);
```

Values: 1 Super Admin 2 Company Admin 3 HR 4 Employee

5. permission_master

```
CREATE TABLE permission_master (  
permission_id INT AUTO_INCREMENT PRIMARY KEY,  
permission_name VARCHAR(100),  
created_date DATETIME,  
updated_date DATETIME);
```

Values: 1 Dashboard_View 2 Reports_View 3 Employee_Upload
 4 Training_Assign 5 Video_View 6 Assessment_Take 7 Certificate_Download

6. role_permission

```
CREATE TABLE role_permission (  
id INT AUTO_INCREMENT PRIMARY KEY,  
role_id INT,  
permission_id INT,  
created_date DATETIME,  
updated_date DATETIME,  
FOREIGN KEY(role_id)  
REFERENCES role_master(role_id),  
FOREIGN KEY(permission_id)  
REFERENCES permission_master(permission_id) );
```

7. video_master

```
CREATE TABLE video_master (  
video_id INT AUTO_INCREMENT PRIMARY KEY,  
title VARCHAR(200),  
description TEXT,  
language_id INT,  
duration_minutes INT,  
category VARCHAR(100),  
video_url VARCHAR(500),  
storage_type ENUM('AWS S3','Azure Blob','Local'),  
status ENUM('Draft','Published','Archived'),  
created_date DATETIME,  
updated_date DATETIME );
```

8. certificate_template

```
CREATE TABLE certificate_template (  
template_id INT AUTO_INCREMENT PRIMARY KEY,  
template_name VARCHAR(100),  
logo_path VARCHAR(255),  
font_name VARCHAR(50),  
signature_path VARCHAR(255),  
color_code VARCHAR(20),  
status ENUM('Active','Inactive'),  
created_date DATETIME,  
updated_date DATETIME );
```

9. certificates

```
CREATE TABLE certificates (  
  certificate_id BIGINT AUTO_INCREMENT PRIMARY KEY,  
  user_id BIGINT,  
  company_id INT,  
  template_id INT,  
  certificate_number VARCHAR(100) UNIQUE,  
  course_name VARCHAR(200),  
  completion_date DATE,  
  issue_date DATE,  
  qr_code_path VARCHAR(255),  
  pdf_path VARCHAR(255),  
  status ENUM('Valid','Revoked'),  
  created_date DATETIME,  
  updated_date DATETIME,  
  
  FOREIGN KEY(user_id)  
  REFERENCES user_master(user_id),  
  
  FOREIGN KEY(company_id)  
  REFERENCES company_master(company_id),  
  
  FOREIGN KEY(template_id)  
  REFERENCES certificate_template(template_id)  
);
```

10. audit_logs

```
CREATE TABLE audit_logs (  
  log_id INT AUTO_INCREMENT PRIMARY KEY,  
  user_id INT,  
  action VARCHAR(255),  
  table_name VARCHAR(100),  
  record_id INT,  
  log_time DATETIME,  
  updated_date DATETIME );
```

11. user_master

The user_master table stores information about every user in the POSH Training Platform. Each row represents one user (Employee, HR, Manager, Company Admin, etc.).

Purpose The table maintains:

Employee details	Login information	Role-based access	Company association
Reporting hierarchy	Language preference	Account status	

```
CREATE TABLE user_master (  
  user_id BIGINT AUTO_INCREMENT PRIMARY KEY,  
  company_id INT NOT NULL,  
  employee_id VARCHAR(30) UNIQUE NOT NULL,  
  first_name VARCHAR(100) NOT NULL,  
  last_name VARCHAR(100),
```

```
email VARCHAR(100) UNIQUE NOT NULL,  
mobile VARCHAR(20),  
department VARCHAR(100),  
designation VARCHAR(100),  
role_id INT NOT NULL,  
manager_id BIGINT NULL,  
login_type ENUM('Email','SSO','Entra ID') DEFAULT 'Email',  
username VARCHAR(100) UNIQUE NOT NULL,  
password_hash VARCHAR(255),  
language_preference INT,  
status ENUM('Active','Inactive') DEFAULT 'Active',  
joining_date DATE,  
created_date TIMESTAMP DEFAULT CURRENT_TIMESTAMP,  
updated_date TIMESTAMP DEFAULT CURRENT_TIMESTAMP  
    ON UPDATE CURRENT_TIMESTAMP,  
FOREIGN KEY (company_id)  
    REFERENCES company_master(company_id),  
FOREIGN KEY (role_id)  
    REFERENCES role_master(role_id),  
FOREIGN KEY (manager_id)  
    REFERENCES user_master(user_id) );
```