

TECHNICAL & PERFORMANCE SPECIFICATION FOR MEDICAL EQUIPMENTS

التجهيزات الطبية

مراكز الرعاية الصحية

Item Code	4455260010107	GROUP #	PHC202
ITEM DESCRIPTION	WINDOWS CURTAINS	اسم البند	ستارة نافذة

MODEL OFFERED	MANUFACTURER	COUNTRY OF ORIGIN

#	TECHNICAL PARAMETERS	SPECIFIED	RESULT
1	CURTAIN - WINDOW WITH TRACK		
2	1 WINDOW curtain	Yes	
3	2 fabric	Bioactive,	
4	2.1 Weight	300 g/sqm Min.	
5	2.2 Light reflexion	50% Min.	
6	2.3 light transmission	30 % Min.	
7	2.4 Solar reflexion	50% Min.	
8	2.5 Solar transmission	30 % Min.	
9	2.6 Cleaning	machine washable up to degrees Celsius Enviromental friendly , 100% Free of PVC ,	
10	2.7 Fullness	1 to 1.50 per Meter	
11	2.8 Colour	Variety	
12	dimensions	Covers an area of the window and 20 cm from all boundaries of the window	
13	3 Curtain tracks	Yes	
14	3.1 Material	any material resist corrosion	
15	4 other		
16	4.1 The vendor is responsible for installation of window curtains with all accessories needed	Yes	
17	4.2 Has permanent antimicrobial effect without additional finishing agent	Yes	
18	4.3 Agent cannot be washed out , since integrated into fibre	Yes	
19	4.4 Minimises the risk of transferring bacteria	Yes	
20	4.5 Antimicrobial effect certified	Yes	
21	4.6 Satisfies highest hygienic demands	Yes	
22	4.8 Easy care , hardwearing , Low- crease and dimensionally stable	Yes	
23	4.9 Short wash cycles at low temp. save water , detergent and energy	Yes	
24	4.10 High colour brilliance and fastness to light	Yes	
25	4.11 Does not decay or mould	Yes	
26	4.13 Flame retardant fibre and filament yarns are free of toxic substances	Yes	
27	4.14 Meets all important international fire protection standards e.g. DIN 4102 Part 1/B1; OENORM3820/B1, NF P 92501-7/M1;BS5867, Part 2 type C; UNI VF 8456/l ; UNE 23721-27/M1 and EN 1021 Part I 1+2	Yes	
28	4.15 No after-glow and only very slight development of fumes in the event of fire	Yes	
29	4.16 Meets all important international fire protection standards	Yes	
30	4.17 No after-glow and only very slight development of fumes in the event of fire	Yes	
31	4.18 Supported by general test certification	Yes	

THE BIDDER MUST COMPLY WITH ALL ABOVE SPECS. AND MUST FILL HIS OFFER IN THE "OFFERED" COLUMN THEN STAMP AND SIGN THE SHEET.



يلتزم مقدم العطاء بكافة المواصفات الفنية الموضحة أعلاه كما يلتزم بتعبئة عرضه المقدم على أوراق المواصفة بالخانة الموضحة مع ختمها وتوقيعها

TECHNICAL & PERFORMANCE SPECIFICATION FOR MEDICAL EQUIPMENTS

#	TECHNICAL PARAMETERS	SPECIFIED	RESULT
32	5 warranty	Yes	
33	5.1at least 2 years , fabric,track and components installation to the ceiling for the entire project	Yes	
34	6 important	supplier must visit site to provide correct dimension, and submit certificate of visit signed by respective moh /signed by hospital authority with the offer to ensure correct dimension and type of casework will be supplied) upon visiting the site ,suppl	
35	7 Price		
36	7.1 SUPPLIER MUST PROVIDE THE PRICE AND THE QTY OF EACH PART OF THE CURTIN ACCORDING TO THE NEXT ROWS:	Yes	
37	7.2 TOTAL LENGTH METER OF TRUCK FOR THE PROJECT (METER)	Yes	
38	7.3 ONE LENGTH METER OF TRUCK (PRICE)	Yes	
39	7.4 A) TOTAL PRICE FOR TRACK	Yes	
40	7.5 TOTAL SQUAR METER FOR THE PROJECT (SQ METER)	Yes	
41	7.6 ONE SQUAR METER OF FABRIC (PRICE)	Yes	
42	7.7 B) TOTAL PRICE FOR FABRIC	Yes	
43	7.8 TOTAL PRICE FOR THE PROJECT A+B	Yes	
44	OTHER SPECIFICATION		

THE BIDDER MUST COMPLY WITH ALL ABOVE SPECS. AND MUST FILL HIS OFFER IN THE "OFFERED" COLUMN THEN STAMP AND SIGN THE SHEET.



يلتزم مقدم العطاء بكافة المواصفات الفنية الموضحة أعلاه كما يلتزم بتقديم عرضة المقدم على أوراق المواصفة بالخانة الموضحة مع ختمها وتوقيعها