

TECHNICAL & PERFORMANCE SPECIFICATION FOR MEDICAL EQUIPMENTS

التجهيزات الطبية

مراكز الرعاية الصحية

Item Code	4455260010112	GROUP #	PHC207
ITEM DESCRIPTION	WORKING TABLE SS - WITH SINK	اسم البند	طاولة عمل مع حوض سائل

MODEL OFFERED	MANUFACTURER	COUNTRY OF ORIGIN

#	TECHNICAL PARAMETERS	SPECIFIED	RESULT
1	CASEWORK WITH SINK	Yes	
2	APPLICATION	CASEWORK FOR UTILITY ROOM,ICU,ECO... ETC. AS THE FUNCTION NEEDED	
3	COMPONENTS	SOLID BODY WILL NOT RUST, DENT OR CHIP,MATERIAL MANUFACTURED WITH ANTIBACTERIAL GROWTH INHIBITOR (INTERNATIONAL CERTIFICATE) APPROVED.	
4	CABINETS	*89-91 CM HIGH ,60 CM DEEP , HIGH QUALITY DOUBLE 4 TO 5 DRAWER /DOOR COMBO UNITS , MINIMUM 50 CM WIDTH. *DOOR UNITS WITH MINIMUM 120 DEG. SAFETY ANCHORS , *.MUST BE SEALD PROFICIENTALLY FROM THE BACKSIDE TO ENSURE ALL PIPING CONNECTIONS ARE WELL HIDDEN WITH ACCESS FOR MAINTENANCE.	
5	DRAWER PULL COLOR	DRAWER PULLS COLOR WILL MATCH ROOM COMPONENTS.	
6	CABINET TOP/FINISH	*AT LEAST 12 Mm CORIAN WITH SINK OF THE SAME MATERIAL WITH ANTIBACTERIAL GROWTH INHIBITOR . VARIETY OF COLORS.	
7	OTHER SPECIFICATIONS "VERY IMPORTANT AND MUST BE MET FOR ELIGIBILITY".	1-IT IS PROHIBITED TO INTERNALLY DOUBLE PAD CASEWORK BASE CABINET SHELL USING ACRYLIC OR TRESPA LAYERS BECAUSE IT WORKS AS A RICH CLIMATE FOR BACTERIAL AND GERMS GROWTH THEREFORE CASEWORK SHELL BE MADE OF FULLY MOLDED AND STURDY BODY CONSTRUCTION. 2CASEWORK SHOULD BE MAD OF AUTHENTIC ANTIBACTERIAL HOSPITAL ENVIRONMENTALLY SAFE MATERIAL WHICH CAN STAND HUMID WEATHER AND HARD WEATHER CONDITIONS IN DIFFERENT PARTS OF THE KINGDOM OF SAUDI ARABIA.	

THE BIDDER MUST COMPLY WITH ALL ABOVE SPECS. AND MUST FILL HIS OFFER IN THE "OFFERED "COLUMN THEN STAMP AND SIGN THE SHEET.



يلتزم مقدم العطاء بكافة المواصفات الفنية الموضحة أعلاه كما يلتزم بتعبئة عرضه المقدم على أوراق المواصفة بالخانة الموضحة مع ختمها وتوقيعها