



VIT[®]
B H O P A L
www.vitbhopal.ac.in

Project Activity

Fake News Detection using ML

Members:

Shaan Mathur 23BCE10377

Mohak Gupta 23BCE10507

Shreya Gupta 23BCE11050

Supervisor: Dr. Komarasamy G

Senior Associate Professor (Grade-1)

School of Computing Science Engineering and Artificial Intelligence

VIT Bhopal University, Bhopal-Indore Highway

Kothri Kalan, Sehore, Madhya Pradesh - 466114

Contents

- **Abstract**
- **Objectives**
- **Introduction**
- **Literature Work**
- **Existing work**
- **Proposed work**
- **System Flow and Architecture diagram**
- **Software Used**
- **Experimental results**
- **Conclusion and future work**
- **Reference**

Abstract

- Fake news on social media is an escalating global concern requiring accurate and scalable detection techniques.
- Traditional source-based methods are limited and do not adapt well to evolving misinformation.
- This project utilizes machine learning combined with NLP to detect fake news directly from article text.
- Models evaluated include Support Vector Machine (SVM), Naive Bayes, Feedforward Neural Network, and Long Short-Term Memory (LSTM).
- Comparative analysis shows SVM achieves the highest accuracy of 99.43% with a well-balanced F1-Score of 99.41%.
- Feedforward Neural Network closely follows with 99.22% accuracy, while LSTM shows comparatively lower recall reflecting challenges in pattern recognition.
- The system detects both individual fake news articles and unreliable news sources, providing a scalable solution for social media misinformation reduction.

Objectives

Objective-1

To design and develop an intelligent system that leverages NLP and ML algorithms to classify news articles as real or fake based on their textual content.

Objective-2

To train and evaluate the performance of various classification models, including Naive Bayes, SVM, and multiple Neural Network architectures, to identify the most accurate approach for fake news detection.

Objective-3

To compare the performance of the proposed models with existing methods and identify the most effective algorithm, as demonstrated by the highest classification accuracy on the given dataset.

Objective-4

To develop a solution that focuses on identifying entire fake news sources and propose its application for reducing the visibility of misinformation on social media platforms.

Introduction

The Area: The Digital Information Ecosystem

- Social media has reshaped the global information landscape, becoming a primary, often unfiltered news source.
- Platforms like Facebook and X enable rapid and widespread sharing of news and opinions.
- This digital ecosystem facilitates community building and information access but also allows misinformation to spread easily.

The Issues

- Fake news undermines public trust in credible sources and institutions.
- Difficulty in distinguishing true from false information can lead to public cynicism and disengagement.
- Fake news manipulates opinions, affects elections, and can incite social unrest.
- Rapid spread on social media means misinformation often goes viral before being debunked.
- Manual fact-checking is too slow and resource-heavy to handle the volume of fake news.

Session Contents Overview

- **Abstract:** Summary of the project's purpose and findings.
- **Objectives:** Specific research and implementation goals.
- **Introduction:** Detailed background and motivation behind tackling fake news.
- **Literature Work:** Review of existing research on misinformation detection.
- **Existing Work:** Analysis of current fake news detection methods and their drawbacks.
- **Proposed Work:** Explanation of the new approach and selected algorithms.
- **System Flow and Architecture:** Diagrammatic representation of the system design.
- **Software Used:** Listing of tools and libraries employed.
- **Experimental Results:** Presentation of model accuracy and performance metrics.
- **Conclusion and Future Work:** Summary of achievements and future directions.
- **References:** Citation of all sources and materials used.

Literature Work

S. No.	Title of the Paper	Journal Name (Only Scopus and SCI papers)	Problem Addressed / Problem Statement	Methods/ Technologies Used	Author Contribution	Shortcomings/ Deficiency / Assumption Made (Research Gap)
1.	A Smart System for Fake News Detection Using Machine Learning	IEEE Xplore (Scopus-indexed conference)	Developing a smart system capable of identifying fake news using machine learning approaches	Supervised machine learning algorithms (Naïve Bayes, Decision Tree, SVM); feature extraction using NLP	Built a fake news detection system prototype and compared performance of different ML models on benchmark datasets	Dataset size and scope not clearly defined; limited evaluation on deep learning methods
2.	Fake News Detection: A Systematic Literature Review of Machine Learning Algorithms and Datasets	<i>Journal on Interactive Systems</i> , Vol. 14, No. 1 (Scopus-indexed, 2023)	Comprehensive review of ML techniques and datasets for fake news detection	Systematic review of ML algorithms (SVM, RF, DL models) and benchmark datasets	Summarized strengths, limitations, and use-cases of ML techniques across major datasets	No new model proposed; limited to reviewed literature; lacks empirical validation

3.	A Comprehensive Survey on Fake News Detection Using Machine Learning	Journal of Computer Science (Scopus, 2025)	Reviewed ML methods for fake news detection	NLP features, ML/DL models, dataset comparison	Summarized key algorithms, datasets, metrics	No new model; no experimental results
4.	A Machine Learning-Based Scientometric Evaluation for Fake News Detection	ICCK Transactions on Intelligent Systematics (2025)	Evaluated trends and impact of ML techniques in fake news detection	Scientometric analysis, bibliometrics, ML taxonomy	Analyzed literature trends, author networks, keyword clusters	No new detection model; focus on analysis, not implementation
5.	Detecting Fake News Using Machine Learning: A Systematic Literature Review	(Review article; likely Scopus-indexed; 2021 publication)	Reviewing use of machine learning classifiers in fake-news detection	Systematic review; supervised classifiers (SVM, Naïve Bayes, Logistic Regression)	Collected and analyzed ~26 studies; summarized key classifiers and outcomes	No experimental results; limited to supervised methods
6.	Towards Data- and Compute-Efficient Fake-News Detection: An Approach Combining Active Learning and Pre-Trained Language Models	SN Computer Science (Springer, Scopus)	Reducing labeled data and compute needs for fake-news detection	Pre-trained BERT + Active Learning	Developed semi-supervised pipeline with minimal labeling	Relies on availability of expert labeling; ignores social/propagation signals

7.	LingML: Linguistic-Informed Machine Learning for Enhanced Fake News Detection	arXiv preprint (submitted to journal)	Enhancing detection with linguistic cues for better accuracy and explainability	Linguistic feature extraction + classical ML models	Developed interpretable models with high accuracy (~1.8% error rate)	Limited dataset testing; journal publication pending
8.	A Comprehensive Survey on Machine Learning Approaches for Fake News Detection	Multimedia Tools and Applications (Springer, SCI)	Broad analysis of ML approaches for fake news detection	Literature survey on content/context/propagation models	Structured taxonomy of techniques and datasets	Survey-based—no empirical evaluation; assumes methodological consistency
9.	Fake News Detection on social media Through Machine Learning Techniques	Springer LNNS (Scopus Conference)	Comparison of classical ML for fake news detection in Indian context	Decision Trees, Naïve Bayes, Random Forest	Evaluated ML classifiers on social datasets	Traditional ML; lacks context/semantic/deep-learning signals
10.	Fake News Detector Using Machine Learning	IOP Conf. Series: Materials Science & Engineering (Scopus)	Building simple ML-based fake-news classifiers	Count Vectorizer, Tfidf + ML classifiers	Implemented comparative baseline pipeline	Lacks innovation; simple techniques; small-scale datasets

11.	Fake News Detection Using Machine Learning Techniques	Journal of Computer Networks, Architecture and HPC (Scopus)	Improving text-based fake news detection pipelines	Text preprocessing + SVM, RF, Logistic Regression	Built and compared ML classifiers using standard datasets	Doesn't use deep or contextual methods; dataset size unclear
12.	Adapting Detection to LLM Era	Findings of NAACL 2024 (Scopus)	LLM-generated fake news	LLMs + human vs AI content training	Proposed hybrid dataset strategies	Bias risk; rapid LLM changes
13.	Fake News Detection on Social Media: A Data Mining Perspective	arXiv preprint (2024)	Fake news detection on social media.	Data mining perspective.	Comprehensive review of fake news detection methods and future directions.	Struggle with the large, noisy, and unstructured nature of social media data.
14.	Detection via Geometric Deep Learning	arXiv preprint (2019)	Use propagation/social features	Graph neural networks	Captured early social signals well	Twitter-only; generalization limits
15.	Systematic Review – ML in Fake News	Various (Likely Scopus, 2021)	Review ML classifiers for fake news	SVM, Naïve Bayes, LR	Analyzed ~26 studies	Analyzed ~26 studies

Existing work

- **Classic ML Models:** Early fake news detection relied on supervised algorithms such as Naïve Bayes, SVM, Decision Trees, and Random Forest, using text features from TF-IDF and Count Vectorizer. These provided a baseline but had limited expressiveness.
- **Deep Learning Advances:** Models like CNNs, RNNs, LSTMs, and Transformer-based architectures (e.g., BERT) improved detection by capturing complex semantics and contextual relationships in text.
- **Multimodal and Ensemble Techniques:** Recent work integrates textual data with images, videos, and social context to enhance robustness. Ensemble models combining linguistic and network features show improved generalization. Graph Neural Networks (GNNs) are used to model misinformation spread via user interaction patterns.
- **Datasets Used:** Twitter, Weibo, COVID-19 specific, and Arabic language datasets are popular, yet many datasets are small-scale, domain-specific, or poor in real-time diversity, limiting generalization.

Research Gaps and Challenges

- **Dataset Issues:** Limited data diversity, scale, and multimodality reduce model applicability across topics, languages, and cultures.
- **Limited Empirical Innovation:** Many studies are literature reviews without novel experimental results.
- **Content-Focused Models:** Insufficient use of social and propagation context, which are crucial for understanding misinformation spread.
- **Dynamic Misinformation:** Rapid emergence of AI-generated fake news (via LLMs) challenges static, outdated models lacking continuous adaptation.
- **Adversarial Vulnerability:** Detecting and defending against adversarial manipulation is underexplored.
- **Annotation Bottlenecks:** Heavy reliance on large labeled datasets; semi-supervised methods remain less developed.
- **Explainability Deficit:** Deep models lack transparency, limiting trust and acceptance.
- **Early Detection Challenge:** Limited early-stage data hinders timely detection to prevent viral spread.
- **Multilingual Limitations:** Most focus is on English data; global, multilingual fake news detection needs strengthening.

Proposed work

Objective

- To develop a robust machine learning system that identifies fake news sources rather than just individual articles.
- By focusing on sources, the system can improve reliability, tolerate article-level misclassification, and provide scalable solutions for social media platforms.

Key Features and Uniqueness

- Source-Level Focus:
The system aggregates multiple articles from the same news source to evaluate overall credibility, mitigating misclassification caused by isolated sensational or satirical articles.
- Scalability and Efficiency:
Instead of analyzing each article, the model assigns visibility weights to entire sources, enabling large-scale application on social platforms to reduce misinformation prominence automatically.
- Real-World Applicability:
The system is designed to integrate with social media platforms, addressing information overload and slowing misinformation spread effectively.

System Modules and Algorithms

Our project is structured around several interconnected modules, each designed to achieve a specific objective.

Objective-1

To design and develop an intelligent system that leverages NLP and ML algorithms to classify news articles as real or fake based on their textual content.

- Uniqueness: Unlike traditional keyword-based or metadata-driven approaches, our system focuses on the semantic *content* of articles by applying advanced preprocessing techniques such as lemmatization, stopword removal, and TF-IDF/word embedding representations.
- Modules and Steps:
 1. Data Collection and Integration: Merge datasets of real (True.csv) and fake (Fake.csv) articles.
 2. Text Preprocessing Module:
 - Convert text to lowercase.
 - Remove URLs, special characters, punctuation, mentions, and hashtags.
 - Tokenize the text using NLTK.
 - Perform lemmatization and remove stopwords.
 - Combine article titles and body text into one field for improved semantic representation.
 3. Feature Extraction:
 - TF-IDF vectorization for classical ML models.
 - Tokenization and padded sequences for Deep Learning architectures.

Objective-2

To train and evaluate the performance of various classification models, including Naive Bayes, SVM, and multiple Neural Network architectures, to identify the most accurate approach for fake news detection.

- Uniqueness: The project employs a hybrid framework, testing both classical ML and modern DL models within the same pipeline for performance benchmarking.
- Modules and Steps:
 1. Classical ML Models:
 - Naive Bayes: Based on probabilistic modeling with TF-IDF inputs, used as a baseline due to low complexity.
 - Support Vector Machine (SVM): Linear kernel SVM applied on TF-IDF features to capture high-dimensional relationships.
 2. Deep Learning Models:
 - Feedforward Neural Network: Dense architecture on TF-IDF matrix.
 - LSTM Network: Sequential embedding-based model capable of capturing long-term contextual dependencies in text.
 - CNN Network: Embedding + Convolution + Global Max Pooling to capture local contextual features and n-gram patterns.
 3. Training Procedure:
 - Train using stratified train-test data split (80–20).
 - Use Adam optimizer with early stopping to prevent overfitting.
 - Validation split (10%) for model tuning.

Objective-3

To compare the performance of the proposed models with existing methods and identify the most effective algorithm, as demonstrated by the highest classification accuracy on the given dataset.

- Uniqueness: A systematic performance benchmarking approach is adopted. Unlike prior works evaluating only one model, our system performs a comparative evaluation within the same experimental setup.
- Modules and Steps:
 1. Evaluation Metrics: Accuracy, Precision, Recall, and F1-score for balanced performance evaluation.
 2. Confusion Matrix Analysis: Provides detailed insights into false positives (misclassified real news) and false negatives (misclassified fake news).
 3. Visualization Module: Horizontal bar charts plot accuracy across models (SVM, Naive Bayes, Feedforward NN, LSTM, CNN).
 4. Best Model Selection: Select the highest-performing model with justifications for deployment.

This ensures not only *accuracy maximization* but also interpretable comparative results aligned with research standards.

Objective-4

To develop a solution that focuses on identifying entire fake news sources and propose its application for reducing the visibility of misinformation on social media platforms.

- Uniqueness: Beyond classifying articles, the system can be extended to source-level detection by aggregating results per publisher or domain. This is rarely addressed in existing works.
- Modules and Steps:
 1. Article Aggregation Module: Group predictions by publisher/source metadata.
 2. Source Reliability Scoring:
 - Calculate proportion of fake articles associated with a given source.
 - Classify sources on a credibility scale.
 3. Application Integration: Propose integration into content moderation pipelines of social media/news platforms, reducing visibility of systematically unreliable sources.

This extension ensures the system's real-world applicability in combating *systematic misinformation campaigns*, not just isolated fake articles.

Aspect	Existing Work	Proposed Work
Models	Classic ML (Naive Bayes, SVM, Decision Trees), DL (CNN, LSTM, Transformers)	Classic ML (SVM, Naive Bayes) + DL (Feedforward NN, LSTM, CNN) in one pipeline
Multimodality	Uses text, images, social context, network features, GNNs	Text only, with optional source-level aggregation
Feature Engineering	TF-IDF, Count Vectorizer, embeddings, social signals	Advanced NLP cleaning, lemmatization, TF-IDF, embeddings
Datasets	Small, domain-specific, mostly English	Combined true/fake dataset; pipeline adaptable
Challenges	Data diversity, adversarial attacks, explainability, early/multilingual detection	Focused on classification and source detection; no adversarial/multilingual focus yet
Evaluation	Varied metrics, often limited visualizations	Standardized metrics, confusion matrix, accuracy charts
Application	Some social media propagation and user profiling	Article classification + source credibility scoring

System Flow and Architecture diagram

Input

- **News Articles datasets** (True.csv and Fake.csv), each record with a title and news text, labelled as true or fake.

Process

1. Data Preprocessing:

- Combine title and body, lowercase, clean text, tokenize, lemmatize, remove stopwords.

2. Feature Engineering:

- Classical ML: TF-IDF vectorization.
- Deep Learning: Tokenization and padding sequences.

3. Model Training & Testing:

- Train and validate SVM, Naive Bayes, Feedforward NN, LSTM, and CNN models.

4. Evaluation:

- Compute metrics (accuracy, precision, recall, F1), generate confusion matrix and summary charts.

5. (Optional) Source Aggregation:

- Group by publisher/source for source reliability ranking.


Output

- **Predicted label** (Fake/Real) for each article.
- **Performance metrics and best model** for deployment.
- **List of unreliable sources** for further action.

Dataset separated in two files:

Fake.csv (23502 fake news article)

True.csv (21417 true news article)



	A	B	C	D	E	F	G	H	I	J
	title	text	subject	date						
1	Donald Trump Sen	Donald Trump just couldn t wish all Americans a Happy		31-Dec-17						
2	Drunk Bragging Tr	House Intelligence Committee Chairman Devin Nunes News		31-Dec-17						
3	Sheriff David Clark	On Friday, it was revealed that former Milwaukee She		30-Dec-17						
4	Trump Is So Obses	On Christmas day, Donald Trump announced that he		29-Dec-17						
5	Pope Francis Just	C Pope Francis used his annual Christmas Day message		25-Dec-17						
6	Racist Alabama Co	The number of cases of cops brutalizing and killing pe		25-Dec-17						
7	Fresh Off The Golf	Donald Trump spent a good portion of his day at his g		23-Dec-17						
8	Trump Said Some I	In the wake of yet another court decision that derails		23-Dec-17						
9	Former CIA Directo	Many people have raised the alarm regarding the fact		22-Dec-17						
10	WATCH: Brand-Ne	Just when you might have thought we d get a break f		21-Dec-17						
11	Papa John&C's Fo	A centerpiece of Donald Trump s campaign, and now		21-Dec-17						
12	WATCH: Paul Ryan	Republicans are working overtime trying to sell their		21-Dec-17						
13	Bad News For Trum	Republicans have had seven years to come up with a		21-Dec-17						
14	WATCH: Lindsey Gr	The media has been talking all day about Trump and		20-Dec-17						
15	Heiress To Disney	Abigail Disney is an heiress with brass ovaries who wi		20-Dec-17						
16	Tone Deaf Trump:	Donald Trump just signed the GOP tax scam into law.		20-Dec-17						
17	The Internet Brutal	A new animatronic figure in the Hall of Presidents at		19-Dec-17						
18	Mueller Spokesma	Trump supporters, and the so-called president s fa		17-Dec-17						


Dataset columns:

Title: title of news article

Text: body text of news article

Subject: subject of news article

Date: publish date of news article




	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q
	title	text	subject	date													
1	As U.S. budget fight looms, Re	WASHINGTON (Reuters) - The head of politics		31-Dec-17													
2	U.S. military to accept transge	WASHINGTON (Reuters) - Transgender politics		29-Dec-17													
3	Senior U.S. Republican smashes	WASHINGTON (Reuters) - The special politics		31-Dec-17													
4	FBI Russia probe helped by Aa	WASHINGTON (Reuters) - Trump camp politics		30-Dec-17													
5	Trump wants Postal Service to	SEATTLE/WASHINGTON (Reuters) - Pr politics		29-Dec-17													
6	White House, Congress prepar	WEST PALM BEACH, Fla./WASHINGTON politics		29-Dec-17													
7	Trump says Russia probe will	WEST PALM BEACH, Fla. (Reuters) - Pre politics		29-Dec-17													
8	Factbox: Trump on Twitter (De	The following statementsA were posts politics		29-Dec-17													
9	Trump on Twitter (Dec 28) - A	The following statementsA were posts politics		29-Dec-17													
10	Alabama official to certify	Sen WASHINGTON (Reuters) - Alabama Se politics		28-Dec-17													
11	Jones certified U.S. Senate w	(Reuters) - Alabama officials on Thurs politics		28-Dec-17													
12	New York governor questions	NEW YORK/WASHINGTON (Reuters) - politics		28-Dec-17													
13	Factbox: Trump on Twitter (De	The following statementsA were posts politics		28-Dec-17													
14	Trump on Twitter (Dec 27) - I	The following statementsA were posts politics		28-Dec-17													
15	Man says he delivered manure	In Dec. 25 story, in second paragraph politics		28-Dec-17													
16	Virginia officials postpone	lott (Reuters) - A lottery drawing to settle politics		27-Dec-17													
17	U.S. lawmakers question busi	WASHINGTON (Reuters) - A Georgian politics		27-Dec-17													
18	Trump on Twitter (Dec 26) - H	The following statementsA were posts politics		26-Dec-17													
19	U.S. appeals court rejects chal	(Reuters) - A U.S. appeals court in War politics		26-Dec-17													
20	Treasury Secretary Mnuchin w	(Reuters) - A gift-wrapped package ad politics		26-Dec-17													
21	Federal judge partially lifts	Tru WASHINGTON (Reuters) - A federal ju politics		26-Dec-17													
22	Exclusive: U.S. memo weakens	NEW YORK (Reuters) - The U.S. Justice politics		23-Dec-17													
23	Trump travel ban should not a	(Reuters) - A U.S. appeals court on Fri politics		23-Dec-17													
24	Second court rejects Trump b	WASHINGTON (Reuters) - A federal ag politics		23-Dec-17													
25	Palled vote to oust president	s LIMA (Reuters) - Peru&C's President F politics		23-Dec-17													
26	Trump signs tax, government	s WASHINGTON (Reuters) - U.S. Preside politics		22-Dec-17													

System Architecture Diagram



Fake News Detection Flow Diagram



Software Used

Programming Language

- **Python 3:** Primary language for implementation, modeling, preprocessing, and visualization. [github+1](#)

IDE / Environments

- **Anaconda** (recommended): For dependency management and workspace. [github](#)
- **Jupyter Notebook** or any Python IDE: For writing, testing, and running scripts.

Data Manipulation and Analysis

- **Pandas:** Handling datasets, DataFrames, merging, and cleaning.
- **NumPy:** Numerical operations and data handling.0

Natural Language Processing

- **NLTK (Natural Language Toolkit):** Tokenization, stopwords removal, lemmatization.
- **Regular Expressions (re module):** Text cleaning and pattern matching.

Classical Machine Learning

- Scikit-learn (sklearn):
 - Model building (SVM, Naive Bayes, train_test_split)
 - Label encoding, TF-IDF vectorization
 - Model evaluation (accuracy, recall, etc.)

Deep Learning

- TensorFlow + Keras:
 - Tokenizer, sequence padding, model architectures (Sequential, Embedding, LSTM, CNN, Dense layers)
 - Model training (fit, callbacks like EarlyStopping)
 - Model evaluation


Data Visualization

- Matplotlib: Plotting confusion matrices, accuracy bar charts.
- Seaborn: More sophisticated visualization (heatmaps etc.).


Utilities

- os module: File/directory handling.
- warnings: For handling warning messages during execution.
- string module: Character handling in preprocessing.


Naive Bayes




Support Vector Machine (SVM)



Feedforward Neural Network



LSTM



Experimental results

To evaluate the effectiveness of our proposed models, we conducted a series of experiments and recorded their classification accuracies. The results demonstrate a clear progression in performance from traditional machine learning models to more sophisticated deep learning architectures. The findings confirm our hypothesis that neural networks, particularly the SVM model, are the most effective at identifying fake news based on textual content.

Model Accuracy Comparison


The following chart visually represents the accuracy of each model tested on the provided dataset. As the data shows, the LSTM model significantly outperforms all other methods. [Bar chart of fake news model accuracies]

Observations:


- The SVM model outperformed all models, achieving the highest accuracy and balanced F1-score.
- The Feedforward Neural Network performed closely behind SVM, both exceeding 99% accuracy and F1-score.
- LSTM showed comparatively lower recall, indicating difficulty in capturing some data patterns effectively.
- Naive Bayes performed reasonably but lagged behind SVM and NN models.

	Model	Accuracy	Precision	Recall	F1-Score
0	Support Vector Machine (SVM)	0.9943	0.9930	0.9951	0.9941
1	Naive Bayes	0.9562	0.9534	0.9549	0.9542
2	Feedforward Neural Network	0.9922	0.9882	0.9956	0.9919
3	LSTM Network	0.9094	0.9918	0.8170	0.8959

Comparison of Models




Confusion Matrices



Very high accuracy with only 51 total misclassifications out of 8978 samples.


Excellent balance in detecting both fake and true cases.



Slightly lower performance, especially with more false positives (193) and false negatives (200).


Still maintains decent predictive power but not as precise as SVM or NN.

Confusion Matrices



High false negative rate (784), meaning it often misclassified true items as fake.

Performs well for fake detection (4666/4695) but poorly for true items (3499/4283).



Comparable to SVM with very low false predictions: 70 out of 8978.

High accuracy in both classes, showing strong generalization.

Conclusion and future work

- **Problem** **Addressed:**
The project tackled the urgent problem of identifying fake news on social media, where misinformation rapidly spreads and traditional source-based methods lack adaptability.
- **Methodology** **&** **Implementation:**
A machine learning-NLP pipeline was implemented, using advanced text preprocessing and feature engineering. Multiple models—Naive Bayes, SVM, Feedforward Neural Network, and LSTM—were trained and evaluated on a large news dataset (23,502 fake and 21,417 true articles).
- **Achievements:**
 - a. The SVM model achieved the highest accuracy (0.9943) and a well-balanced F1-Score (0.9941), outperforming both Naive Bayes and LSTM.
 - b. Feedforward Neural Network closely matched SVM, with both models demonstrating robust performance (accuracy and F1-Score above 0.99).
 - c. The system demonstrated the ability to classify both individual news articles and aggregate results at the source level, supporting comprehensive fake news mitigation strategies.
 - d. The experimental comparison confirms that classical ML (SVM) and feedforward deep networks are highly effective for text-based fake news detection, while LSTM performance varies with current feature engineering.
 - e. The project establishes a scalable and adaptable solution suitable for real-world deployment on social platforms.

Future Enhancements

- Integrate Transformer-based models (e.g., BERT) for deeper contextual understanding and improved accuracy.
- Expand to multimodal analysis by including images, videos, and social network cues.
- Develop defense strategies against adversarial attacks and AI-generated misinformation.
- Explore semi-supervised and unsupervised learning to reduce need for large labeled datasets.
- Broaden dataset scope for multilingual and cross-domain adaptability.
- Implement real-time detection for early identification and mitigation.
- Enhance explainability to improve model transparency and user trust.
- Incorporate propagation and source credibility analysis using graph-based models.
- Develop user-friendly interfaces or APIs for deployment on social media platforms.

References

1. Datasets, Kaggle
2. Source Code Repository, GitHub
3. Quoc, L., Mikolov, T., Distributed Representations of Sentences and Documents
4. Christopher, M. Bishop, Pattern Recognition and Machine Learning
5. Goldberg, Y., A Primer on Neural Network Models for Natural Language Processing
6. Hochreiter, S., Jrgen, S., Long short-term memory
7. Vaswani et al., Attention Is All You Need (Transformer paper)
8. Devlin et al., BERT: Pre-training of Deep Bidirectional Transformers
9. Pennington et al., GloVe: Global Vectors for Word Representation
10. Mikolov et al., Efficient Estimation of Word Representations in Vector Space (Word2Vec)
11. Shu et al., Fake News Detection on Social Media: A Data Mining Perspective
12. Ruchansky et al., CSI: A Hybrid Deep Model for Fake News Detection
13. Pérez-Rosas et al., Automatic Detection of Fake News
14. Conroy et al., Automatic Deception Detection: Methods for Finding Fake News
15. Thorne et al., FEVER: A Large-scale Dataset for Fact Extraction and Verification
16. Goodfellow et al., Deep Learning (book)
17. Manning & Schütze, Foundations of Statistical Natural Language Processing

18. Jurafsky & Martin, Speech and Language Processing
19. Zhang & Ghorbani, An Overview of Online Fake News: Characterization, Detection, and Mitigation
Sharma et al., Combating Fake News: A Survey on Identification and Mitigation
20. Recent IEEE/ACM papers (2020–2024) on fake news detection using deep learning/transformers
Jain, A., et al. Detection of Fake News Using Machine Learning and NLP Techniques. Journal of Advances in Information Technology, 2022
21. Al Ayub Ahmed, K. Naryn, et al. Detecting Fake News using Machine Learning: A Systematic Literature Review. arXiv preprint, 2021
22. Hu, B., et al. An overview of fake news detection: From a new perspective. ScienceDirect, 2025
Jouhar, J. Fake News Detection using Python and Machine Learning. Procedia Computer Science, 2024
23. Singh, A., et al. Fake News Detection Using Machine Learning. International Journal of Innovative Science and Advanced Engineering, 2023
24. ACM Digital Library. Fake News Detection Based on Multi-Modal Classifier Ensemble
Informatica Journal. Exploring the Power of Dual Deep Learning for Fake News Detection, 2025
25. Zhou, Xinyi, et al. Fake News Early Detection: A Theory-driven Model. ACM, 2020

Contribution of all the members

S.No	Roll No	Name	Phone No	Contribution
1	23BCE11050	SHREYA GUPTA	8700419188	PPT , Research work
2	23BCE10507	MOHAK GUPTA	7982672859	Model development , comparative analysis of results
3	23BCE10377	SHAAN MATHUR	8209294204	Abstract writing, Literature review