

```
CREATE VIEW SALARAY_VU (Employee, Department, Salary, Grade) AS  
SELECT emp_last_name AS Employee, dept_head AS Department, salary AS Salary, grade AS Grade  
FROM employee;
```

Results Explain Describe Saved SQL History

View created.

0.02 seconds

```
UPDATE employee
SET dept_id = 80
WHERE emp_last_name = 'Matos';
```

Results Explain Describe Saved SQL History

1 row(s) updated.

0.07 seconds

```
desc dept50
```

Results Explain Describe Saved SQL History

Object Type **VIEW** Object **DEPT50**

[illegible]

```
create view Dept50 (emp_id , Emp_last_name , dept_id) as select emp_id , emp_last_name , dept_id from employee;
```

Results Explain Describe Saved SQL History

View created.

0.00 seconds

```
select employee , dept_id from EMPLOYEE_VU;
```

Results Explain Describe Saved SQL History

EMPLOYEE	DEPT_ID
Jay Ganesh	15
Arun Bharathi	7
Akash Durai	4
Mohamed Arasath	30
Savin Kainath	18

5 rows returned in 0.00 seconds

[Download](#)

```
SELECT view_name, text FROM USER_VIEWS;
```

Results Explain Describe Saved SQL History

VIEW_NAME	TEXT
EMPLOYEE_VU	SELECT emp_no, emp_name AS EMPLOYEE, dept_id FROM employee

1 rows returned in 0.07 seconds

[Download](#)

```
SELECT * FROM EMPLOYEE_VU;
```

Results Explain Describe Saved SQL History

EMP_NO	EMPLOYEE	DEPT_ID
4	Jay Ganesh	15
1	Arun Bharathi	7
2	Akash Durai	4
3	Mohamed Arasath	30
5	Savin Kainath	18

5 rows returned in 0.01 seconds

[Download](#)

```
CREATE VIEW EMPLOYEE_VU (emp_no, EMPLOYEE, dept_id) AS SELECT emp_no, emp_name AS EMPLOYEE, dept_id FROM employee;
```

Results Explain Describe Saved SQL History

View created.

0.01 seconds