Agent-Based Retrieval-Augmented Generation Systems

Agent-Based Retrieval-Augmented Generation Systems for Automated Offer Generation: Architectures, Methodologies, and Future Directions

Quick Reference

Key Findings Table

Theme/Aspect	Key Insights	Supporting Citations
Integration & Adaptation	Decentralized, multi-agent RAG systems enable dynamic adaptation, real-time reasoning, and on-the-fly knowledge updates.	1 2 3
Scalability & Latency	Pipeline parallelism, serverless architectures, and in-storage acceleration reduce latency and improve scalability in RAG.	4 5 6
Evaluation & Security	Robust evaluation frameworks and security protocols are needed to address faithfulness, adversarial attacks, and data poisoning.	7 8 9
Hybrid Offer Generation	Combining fuzzy logic, quantitative models, and negotiation strategies improves multi-issue offer generation.	10 11
Self-Correction & Hallucination Mitigation	Self-corrective multi-agent RAG systems use knowledge graphs, adaptive triggers, and credibility-aware attention to reduce errors.	12 13 14
Domain Optimization	Dynamic chunking, hybrid retrieval, and agent workflow-based tuning optimize RAG for specific domains.	15 16 17

Direct Answer

Agent-Based RAG Systems for Automated Offer Generation leverage multi-agent architectures that integrate dynamic data ingestion, decentralized retrieval, and real-time reasoning to generate offers in a domain-specific and adaptive manner. The integration of role-based agents with RAG improves retrieval accuracy, mitigates hallucinations, and supports scalability by balancing latency and retrieval quality, while addressing security through protocols and hybrid evaluation frameworks.

Study Scope

- **Time Period:** 2018–2024 (emphasis on recent advances)
- **Disciplines:** Artificial Intelligence, Multi-Agent Systems, Information Retrieval, Automated Negotiation, Security

- **Methods:** Meta-analysis, empirical studies, architectural reviews, simulation, and benchmark evaluation

Assumptions & Limitations

- Most findings are based on simulation or controlled benchmarks; real-world deployment data is limited.
- Security and evaluation frameworks are evolving; some protocols are not yet standardized.
- Multimodal and multilingual aspects are underexplored in current agent-based RAG research.
- Integration of human-in-the-loop and fully autonomous agents is still an emerging area.

Suggested Further Research

- Develop comprehensive, domain-specific, and multilingual evaluation frameworks for agent-based RAG.
- Advance security protocols for decentralized, multi-agent RAG systems.
- Explore hybrid human–agent workflows and multimodal retrieval for richer offer generation.
- Investigate real-time, edge-based RAG deployments for latency-sensitive applications.

1. Introduction

Automated offer generation is a cornerstone of modern digital negotiation, e-commerce, and personalized service delivery. The increasing complexity and dynamism of negotiation environments—characterized by incomplete information, multi-issue bargaining, and rapidly changing data—demand advanced, adaptive, and secure solutions. Integrating agent-based systems with Retrieval-Augmented Generation (RAG) architectures represents a significant leap forward, enabling real-time reasoning, dynamic knowledge updates, and robust decision-making in automated offer generation workflows [1] [18] [19].

Scope and Motivation

This report synthesizes foundational concepts, current methodologies, and recent innovations at the intersection of agent-based systems and RAG for automated offer generation. The motivation is to bridge theoretical advances with practical architectures, addressing the need for scalable, secure, and context-aware negotiation systems capable of handling uncertainty, subjectivity, and adversarial risks [1] [18] [19].

2. Theoretical Frameworks

2.1 Agent-Based Systems: Principles and Architectures

Agent-based systems are composed of autonomous entities (agents) capable of perceiving their environment, reasoning, and acting independently or collaboratively. Key principles include:

- **Autonomy:** Agents operate without direct human intervention.
- **Perception & Reasoning:** Agents sense their environment and make decisions based on internal models.
- **Decentralized Control:** Distributed architectures allow agents to interact, negotiate, and coordinate without centralized oversight [18] [20] [21].

Architectures:

- **Single-Agent vs. Multi-Agent:** Multi-agent systems (MAS) enable distributed problem-solving and negotiation.
- **Role-Based Coordination:** Agents assume specialized roles (e.g., retriever, generator, verifier) to enhance system robustness and flexibility [21].

2.2 Retrieval-Augmented Generation: System Design and Bottlenecks

RAG systems combine large language models (LLMs) with external knowledge retrieval to improve response accuracy and relevance. Core components include:

- **Retriever:** Identifies relevant documents or data chunks from external sources.
- **Generator:** Produces context-aware responses using both retrieved and internal knowledge.
- **Orchestration:** Manages the flow between retrieval and generation, often using cascading information channels [20] [22] [23] [24].

Cascading Information Channels:

- The system is modeled as a series of information channels (query encoding → retrieval → context integration → generation).
- **Retrieval is the primary bottleneck**; improvements here yield the largest performance gains [22].

Decentralized RAG:

- Retrieval, augmentation, and generation can be distributed across independent entities, improving resource efficiency and data privacy [18].

2.3 Security and Evaluation in RAG Systems

Security Challenges:

- **Data Poisoning:** Malicious data can corrupt retrieval or generation.
- **Privacy Leakage:** Sensitive information may be inadvertently exposed.
- **Bias:** Retrieval and generation may reinforce or amplify biases [25].

Mitigation Strategies:

- Data filtering, adversarial training, output monitoring, and robust infrastructure controls [25].

Evaluation Methodologies:

- Comprehensive benchmarks assess retriever, generator, and knowledge base components.
- Tools like RAGViz and context-ID-aware datasets enhance interpretability and traceability [26] [27].

Synthesis:
The theoretical foundation for agent-based RAG systems is robust, with clear architectural principles and a growing toolkit for security and evaluation. However, the integration of these components in dynamic, real-world negotiation scenarios remains a key challenge.

3. Current Automated Offer Generation Techniques

3.1 Vector Similarity, Fuzzy Logic, and Hybrid Methods

Vector Similarity:

- Effective in incomplete-information negotiations; domain-independent but may lack specificity for complex preferences [28].

Alternating Projection & Reactive Strategies:

- Enable agreement without prior knowledge of opponent preferences; converge near Nash bargaining solutions [29] [30].

Fuzzy Logic Approaches:

- Handle imprecise human input, improving acceptability assessment and trade-off making [31] [32].

Hybrid Methods:

- Combine preference-based and fuzzy similarity techniques, outperforming single-method approaches in utility and agreement rates [10].

3.2 Advanced Fuzzy Logic Models for Multi-Issue Negotiations

- **Intuitionistic Fuzzy Frameworks:**
  Handle subjectivity and uncertainty, avoid rank reversal, and support nuanced offer evaluation [33].
- **Ordered Fuzzy Numbers (OFN):**
  Support linguistic evaluation and consistent rankings, but less nuanced than intuitionistic frameworks [34].
- **Hybrid Fuzzy-Preference Strategies:**
  Enhance offer formulation and negotiation outcomes in multi-issue contexts [10].

3.3 Time-Based and Adaptive Concession Strategies

- **Time-Bounded Frameworks:**
  Incorporate commitment durations and negative commitments for efficient coordination [35].
- **Dynamic Risk & Adaptive Concession:**
  Use opponent modeling and environmental feedback to optimize concession rates [36] [37].
- **Mathematical Models:**
  Adjust reservation values and concession speeds per issue for consensus and utility optimization [38].

3.4 Comparative Analysis: Intuitionistic Fuzzy vs. Ordered Fuzzy Numbers

Aspect	Intuitionistic Fuzzy Frameworks	Ordered Fuzzy Numbers
Uncertainty Handling	High (membership, non-membership, hesitation)	Moderate (structured ranking)
Subjectivity	Explicitly modeled	Less flexible
Ranking Consistency	High, avoids rank reversal	Consistent, but less nuanced
Interpretability	Supports natural language	Rigid structure
Best Use Case	Complex, subjective negotiations	Structured, quantitative

Conclusion: Intuitionistic fuzzy frameworks offer superior handling of uncertainty and subjectivity in multi-issue negotiations [39] [40] [41].

3.5 Hybrid Negotiation Strategies for Qualitative and Quantitative Issues

- **Hybrid Preference-Fuzzy Models:**
  Balance quantitative and qualitative issues, improving utility, agreement, and fairness [10].
- **Emotional and Opponent Modeling:**
  Integrate emotion and opponent preference estimation for more human-like, adaptive negotiation [42] [43].
- **Portfolio Approaches:**
  Dynamically adjust strategies based on context and opponent behavior [42].

Synthesis:
Current automated offer generation techniques are increasingly sophisticated, leveraging hybrid models and advanced fuzzy logic to address the complexity and uncertainty inherent in real-world negotiations. However, integration with dynamic, agent-based RAG systems remains an open frontier.

4. Integration of Agent-Based Systems with Retrieval-Augmented Generation

4.1 Multi-Agent Architectures and Role-Based Coordination

- **ME-RAG:**
  Employs structured, role-based multi-agent discussions, with agents contributing unique perspectives and a summarization agent compiling insights. Outperforms baseline models in information synthesis and decision-making [1] [44].
- **Agentic RAG:**
  Enables dynamic data ingestion and real-time reasoning through adaptive agents, supporting complex simulations and digital twins [1] [45] [46].
- **MMA-RAG:**
  Integrates multi-modal data and agent-based decision-making for high coherence and retrieval precision in

complex domains [47].

4.2 Real-Time Reasoning and Knowledge Updating

- **Adaptive Agents:**
  Function Calling Agents, ReAct agents, and others enable dynamic knowledge base updates and flexible coordination [45].
- **Distributed Semantic Cache:**
  Shares semantic summaries across nodes, reducing redundant retrieval and accelerating response times [46].
- **Collective Intelligence Frameworks:**
  Simulate independent decision-making and multi-granularity reranking for balanced retrieval [44].

4.3 Agent-Driven Metadata Augmentation

- **Continuous Metadata Enrichment:**
  Agents update and enrich metadata, improving retrieval accuracy in dynamic, frequently updated data pools [3].
- **Modern Digital Tools:**
  Advanced search algorithms and analytics adapt to evolving user needs, enhancing relevance and precision [3].

4.4 Self-Corrective Mechanisms for Reducing Hallucinations

- **Knowledge Graph Updates:**
  LLM-assisted mechanisms identify and retrieve missing information, ensuring retrieval sufficiency [12].
- **Adaptive Retrieval Triggers:**
  LLMs' self-aware uncertainty selectively invokes external knowledge, reducing hallucinations [13].
- **Credibility-Aware Attention:**
  Adjusts influence of retrieved documents based on credibility, mitigating misinformation [14].

4.5 Security and Performance Trade-Offs in Agentic RAG Systems

- **Security Challenges:**
  Data poisoning, model manipulation, privacy leakage, and bias require robust protocols and monitoring [25].
- **Performance Trade-Offs:**
  Balancing retrieval relevance and diversity is crucial; some noise can improve LLM accuracy [48].
- **Hybrid Evaluation:**
  Combining automated and manual methods maintains quality and adaptability [49] [50].

Synthesis:
The integration of agent-based systems with RAG enables dynamic, adaptive, and secure offer generation. Multi-agent coordination, real-time reasoning, and self-corrective mechanisms are central to overcoming the limitations of traditional RAG and negotiation systems.

5. Architectural Innovations: Scalability, Latency, and Domain Optimization

5.1 Decentralized and Multi-Agent RAG Architectures

- **ME-RAG & ERI Protocol:**
  Decentralized operation of retrieval, augmentation, and generation by distributed entities, enhancing resource efficiency and data control [1] [18] [45].

- **RAGuru:**
  Automates workload-optimized RAG architectures, balancing cost, latency, and accuracy [51].

5.2 Scalability and Latency in Real-Time Applications

- **Cascading Information Channels:**
  Can introduce latency; efficient coordination and lock-aware mechanisms reduce tail latency and improve throughput [4] [52].

- **Pipeline Parallelism & Serverless Architectures:**
  Reduce generation latency and enable high-throughput, low-latency real-time RAG pipelines [5] [53].

- **In-Storage Acceleration:**
  Offloads query embedding and similarity search to memory devices, improving throughput [6] [54].

5.3 Domain-Specific Optimization and Dynamic Chunking

- **Dynamic Chunking:**
  Agent workflow-based methods adjust chunk sizes based on data types and task priorities, outperforming fixed-chunk RAG [15] [16].

- **Hybrid Retrieval Models:**
  Combine keyword-based and dense embeddings for superior factual correctness and semantic similarity [17].

- **Agent Workflow-Based Tuning:**
  Iterative utility maximization and feedback-driven search personalize retrieval for domain-specific agents [55]
  .

Synthesis:
Architectural innovations in decentralized, multi-agent RAG systems address scalability and latency bottlenecks, enabling real-time, domain-optimized offer generation. Dynamic chunking and hybrid retrieval further enhance adaptability and performance.

6. Research Gaps and Future Directions

6.1 Unaddressed Challenges and Opportunities

- **Dynamic Data Ingestion & Real-Time Reasoning:**
  Limited exploration of architectures enabling continuous knowledge base updates and complex reasoning in dynamic environments [45].

- **Multimodal & Multilingual Retrieval:**
  Most systems are text-centric and monolingual; multimodal and multilingual capabilities are underdeveloped [16].

- **Security & Privacy:**
  Data poisoning, model manipulation, and privacy risks are insufficiently addressed in current agent-based RAG systems [25].

- **Retrieval–Generation Integration:**
  Need for frameworks enabling mutual enhancement between retrieval and generation in multi-agent contexts [56].

6.2 Evaluation Frameworks for Multi-Agent RAG Systems

- **UAEval4RAG, RAGAS, ARES, RAGElo, CuBE:**
  Advanced frameworks measure faithfulness, relevance, and utility, but require further development for domain-specific and multilingual contexts [57] [58] [59] [60].

- **Hybrid Evaluation Approaches:**
  Combine automated and expert-driven assessments for scalable, high-quality evaluation [49].

6.3 Security Protocols and Mitigation Strategies

- **Model Context Protocol (MCP), LLM-Sentry, Federated Learning:**
  Standardized frameworks and human-in-the-loop defenses mitigate data poisoning and manipulation [8] [61] [62].

- **Data Governance:**
  Ensures responsible, secure, and ethical data management throughout the LLM lifecycle [63].

6.4 Limitations of Current Evaluation Metrics

- **Long-Context & Multilingual Assessment:**
  Existing metrics inadequately measure long-context retrieval and multilingual faithfulness [9] [64].

- **Component-Level Evaluation:**
  Lack of modular, granular evaluation of retrieval and generation components [65].

- **Negative Rejection & Counterfactual Robustness:**
  Metrics often fail to capture the system's ability to reject irrelevant or false information [66].

Synthesis:
Addressing these research gaps will require the development of comprehensive, domain-specific, and multilingual evaluation frameworks, robust security protocols, and advanced architectures supporting real-time, adaptive, and multimodal offer generation.

7. Conclusion

Summary of Insights and Impact

The integration of agent-based systems with Retrieval-Augmented Generation for automated offer generation marks a transformative advance in negotiation, personalization, and decision support. Decentralized, role-based multi-agent architectures enable dynamic adaptation, real-time reasoning, and robust knowledge management, overcoming the limitations of traditional RAG and negotiation systems [1] [21]. Architectural innovations in scalability, latency, and domain optimization further enhance system performance, while hybrid models and self-corrective mechanisms address uncertainty, subjectivity, and hallucination risks.

However, significant challenges remain in developing comprehensive evaluation frameworks, securing agent-based RAG systems, and extending capabilities to multimodal and multilingual domains. Future research should focus on hybrid human–agent workflows, advanced security protocols, and real-time, edge-based deployments to fully realize the potential of agent-based RAG systems in automated offer generation and beyond.

Creative Insight:
Emerging systems could integrate both human domain experts and autonomous agents in hybrid workflows, dynamically adjusting retrieval and generation priorities through feedback loops. Multi-modal retrieval (text, image, audio) and edge-based deployments represent promising frontiers for further customization and responsiveness in automated offer generation.

References

1. ME-RAG: Multiagent Ecclesia for Retrieval Augmented Generation Chen, J., Tan, Y. Lecture Notes in Computer Science, 2026 https://www.scopus.com/pages/publications/105019502197?origin=scopusAI

2. AU-RAG: Agent-based Universal Retrieval Augmented Generation Jang, J., Li, W.-S. SIGIR-AP 2024 - Proceedings of the 2024 Annual International ACM SIGIR Conference on Research and Development in Information Retrieval in the Asia Pacific Region, 2024 https://www.scopus.com/pages/publications/85215524400?origin=scopusAI

3. Improving library systems with AI: Applications, approaches, and bibliometric insights Senthilkumar, K.R., Jagajeevan, R. Improving Library Systems with AI: Applications, Approaches, and Bibliometric Insights, 2024 https://www.scopus.com/pages/publications/85195760990?origin=scopusAI

4. Streamrag: A Lock-Aware and Traffic-Aware Query Coordinator in Stream-Based Rag Systems Jeong, Y., Park, K., Park, S. Proceedings - 2025 IEEE 25th International Symposium on Cluster, Cloud and Internet Computing, CCGrid 2025, 2025 https://www.scopus.com/pages/publications/105010822627?origin=scopusAI

5. Serverless RAG-Stream: A Cloud Pipeline for Efficient Real-Time Retrieval-Augmented Generation Lakshmanan, M. 2025 8th International Conference on Circuit, Power and Computing Technologies, ICCPCT 2025, 2025 https://www.scopus.com/pages/publications/105020171206?origin=scopusAI

6. Cosmos: A CXL-Based Full In-Memory System for Approximate Nearest Neighbor Search Ko, S., Shim, H., Doh, W., (...), Ahn, J.H. IEEE Computer Architecture Letters, 2025 https://www.scopus.com/pages/publications/105005183059?origin=scopusAI

7. ARES: An Automated Evaluation Framework for Retrieval-Augmented Generation Systems Saad-Falcon, J., Potts, C., Khattab, O., Zaharia, M. Proceedings of the 2024 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, NAACL 2024, 2024 https://www.scopus.com/pages/publications/85200242774?origin=scopusAI

8. LLM-Sentry: A Model-Agnostic Human-in-the-Loop Framework for Securing Large Language Models Irtiza, S., Akbar, K.A., Yasmeen, A., (...), Thuraisingham, B. Proceedings - 2024 IEEE 6th International Conference on Trust, Privacy and Security in Intelligent Systems, and Applications, TPS-ISA 2024, 2024 https://www.scopus.com/pages/publications/85217836064?origin=scopusAI

9. LONG²RAG: Evaluating Long-Context & Long-Form Retrieval-Augmented Generation with Key Point Recall Qi, Z., Xu, R., Guo, Z., (...), Xu, W. EMNLP 2024 - 2024 Conference on Empirical Methods in Natural Language Processing, Findings of EMNLP 2024, 2024 https://www.scopus.com/pages/publications/85217617894?origin=scopusAI

10. An Effective Negotiation Strategy for Quantitative and Qualitative Issues in Multi-Agent Systems Mansour, K., Al-Lahham, Y., Tawil, S., (...), Al-Qerem, A. Electronics (Switzerland), 2022 https://www.scopus.com/pages/publications/85137757870?origin=scopusAI

11. An automated negotiation model based on agents' attribute preference with emotional deception Wu, J., Sun, Y. Expert Systems with Applications, 2025 https://www.scopus.com/pages/publications/105001331377?origin=scopusAI

12. SCMRAG: Self-Corrective Multihop Retrieval Augmented Generation System for LLM Agents Agrawal, R., Asrani, M., Youssef, H., Narayan, A. Proceedings of the International Joint Conference on Autonomous Agents and Multiagent Systems, AAMAS, 2025 https://www.scopus.com/pages/publications/105009860854?origin=scopusAI

13. SEAKR: Self-aware Knowledge Retrieval for Adaptive Retrieval Augmented Generation Yao, Z., Qi, W., Pan, L., (...), Li, J. Proceedings of the Annual Meeting of the Association for Computational Linguistics, 2025 https://www.scopus.com/pages/publications/105021015465?origin=scopusAI

14. CrAM: Credibility-Aware Attention Modification in LLMs for Combating Misinformation in RAG Deng, B., Wang, W., Zhu, F., (...), Feng, F. Proceedings of the AAAI Conference on Artificial Intelligence, 2025 https://www.scopus.com/pages/publications/105003999866?origin=scopusAI

15. The Effect of Chunk Size on the RAG Performance Hladěna, J., Šteflovič, K., Čech, P., (...), Žváčková, A. Lecture Notes in Networks and Systems, 2025 https://www.scopus.com/pages/publications/105014412546?origin=scopusAI

16. Research on Retrieval-Augmented Generation Methods Based on Agent Workflows and Applications Ma, Z., Li, Q. 2025 7th International Conference on Artificial Intelligence Technologies and Applications, ICAITA 2025, 2025 https://www.scopus.com/pages/publications/105017972042?origin=scopusAI

17. Performance Evaluation for Cost-Effective Retrieval Process for Multi-Document Retrieval-Augmented Generation on a Domain-Specific Dataset Kartiyanta, M.A., Ancilla, E., Jingga, K. Proceedings of the 2025 IEEE International Conference on Industry 4.0, Artificial Intelligence, and Communications Technology, IAICT 2025, 2025 https://www.scopus.com/pages/publications/105014324718?origin=scopusAI

18. An Architecture and Protocol for Decentralized Retrieval Augmented Generation Hecking, T., Sommer, T., Felderer, M. Proceedings - 2025 IEEE 22nd International Conference on Software Architecture, ICSA-C 2025, 2025 https://www.scopus.com/pages/publications/105007945955?origin=scopusAI

19. Scalable and Interpretable Contextual Bandits: A Literature Review and Retail Offer Prototype Tanković, N., Šajina, R. Lecture Notes in Networks and Systems, 2026 https://www.scopus.com/pages/publications/105020671216?origin=scopusAI

20. Retrieval-Augmented Generation Architecture Framework: Harnessing the Power of RAG Shan, R., Shan, T. Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics) , 2025 https://www.scopus.com/pages/publications/85211368920?origin=scopusAI

21. Engineering RAG Systems for Real-World Applications: Design, Development, and Evaluation Hasan, M.T., Waseem, M., Kemell, K.-K., (...), Abrahamsson, P. Lecture Notes in Computer Science, 2026 https://www.scopus.com/pages/publications/105016567836?origin=scopusAI

22. An Information-Theoretic Framework for Retrieval-Augmented Generation Systems Yumuşak, S. Electronics (Switzerland), 2025 https://www.scopus.com/pages/publications/105013103002?origin=scopusAI

23. CRUD-RAG: A Comprehensive Chinese Benchmark for Retrieval-Augmented Generation of Large Language Models Lyu, Y., Li, Z., Niu, S., (...), Chen, E. ACM Transactions on Information Systems, 2025 https://www.scopus.com/pages/publications/85219511377?origin=scopusAI

24. Blended RAG: Improving RAG (Retriever-Augmented Generation) Accuracy with Semantic Search and Hybrid Query-Based Retrievers Sawarkar, K., Mangal, A., Solanki, S.R. Proceedings of the International Conference on Multimedia Information Processing and Retrieval, MIPR, 2024 https://www.scopus.com/pages/publications/85210088653?origin=scopusAI

25. Enhancing Communication and Data Transmission Security in RAG Using Large Language Models Gummadi, V., Udayaraju, P., Sarabu, V.R., (...), Venkataramana, S. 4th International Conference on Sustainable Expert Systems, ICSES 2024 - Proceedings, 2024 https://www.scopus.com/pages/publications/85214782970?origin=scopusAI

26. RAGVIZ: Diagnose and Visualize Retrieval-Augmented Generation Wang, T., He, J., Xiong, C. EMNLP 2024 - 2024 Conference on Empirical Methods in Natural Language Processing, Proceedings of System Demonstrations, 2024 https://www.scopus.com/pages/publications/85216543219?origin=scopusAI

27. Enhancing Traceability and Interpretability of Datasets for RAG Evaluation: A Context-ID-Aware and Graph-Based Visualization Approach Kim, B., Yang, J. Communications in Computer and Information Science, 2026 https://www.scopus.com/pages/publications/105020730066?origin=scopusAI

28. A comparative study on vector similarity methods for offer generation in multi-attribute negotiation Diamah, A., Wagner, M., van den Briel, M. Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics), 2015 https://www.scopus.com/pages/publications/84952669944?origin=scopusAI

29. Automated bilateral multiple-issue negotiation with no information about opponent Zheng, R., Chakraborty, N., Dai, T., (...), Lewis, M. Proceedings of the Annual Hawaii International Conference on System Sciences, 2013 https://www.scopus.com/pages/publications/84875523646?origin=scopusAI

30. Multiagent negotiation on multiple issues with incomplete information Zheng, R., Dai, T., Chakraborty, N., Sycara, K. 12th International Conference on Autonomous Agents and Multiagent Systems 2013, AAMAS 2013, 2013 https://www.scopus.com/pages/publications/84899407910?origin=scopusAI

31. An Atanassov intuitionistic fuzzy constraint based method for offer evaluation and trade-off making in automated negotiation Zhan, J., Luo, X., Jiang, Y. Knowledge-Based Systems, 2018 https://www.scopus.com/pages/publications/85033218794?origin=scopusAI

32. Reaching agreements through fuzzy counter-offers Carbo, J., Molina, J.M., Dávila, J. Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics), 2003 https://www.scopus.com/pages/publications/21144444150?origin=scopusAI

33. The Intuitionistic Fuzzy Framework for Evaluation and Rank Ordering the Negotiation Offers Roszkowska, E. Lecture Notes in Networks and Systems, 2022 https://www.scopus.com/pages/publications/85115209307?origin=scopusAI

34. On application of ordered fuzzy numbers in ranking linguistically evaluated negotiation offers Piasecki, K., Roszkowska, E. Advances in Fuzzy Systems, 2018 https://www.scopus.com/pages/publications/85055736309?origin=scopusAI

35. Time-bounded negotiation framework for multi-agent coordination Lee, K.J., Chang, Y.S. Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics), 1999 https://www.scopus.com/pages/publications/84958050803?origin=scopusAI

36. Bilateral multi-issue negotiation model for a kind of complex environment Hu, J., Zou, L., Xu, R. International Arab Journal of Information Technology, 2018 https://www.scopus.com/pages/publications/85047220973?origin=scopusAI

37. Adaptive conceding strategies for automated trading agents in dynamic, open markets Ren, F., Zhang, M., Sim, K.M. Decision Support Systems, 2009 https://www.scopus.com/pages/publications/58749102025?origin=scopusAI

38. A mathematical model with flexible negotiation strategies for agent based negotiations in dynamic e-commerce environments Haleema, P.K., Iyengar, N.C.S.N. Journal of King Saud University - Computer and Information Sciences, 2018 https://www.scopus.com/pages/publications/85007504755?origin=scopusAI

39. Ranking methods of intuitionistic fuzzy numbers in multicriteria decision making Shen, L., Wang, H., Feng, X. Proceedings - 3rd International Conference on Information Management, Innovation Management and Industrial Engineering, ICIII 2010, 2010 https://www.scopus.com/pages/publications/79951742061?origin=scopusAI

40. Ranking consistency index (RCI) integrated VIKOR method for multicriteria decision making with intuitionistic interval-valued trapezoidal fuzzy number Isabels, K.R., Vinodhini, G.A.F. Recent Innovations in Sciences and Humanities: Highlights the state-of-art developments and innovations which impacts science and engineering, 2025 https://www.scopus.com/pages/publications/85214779936?origin=scopusAI

41. On Some Extension of Intuitionistic Fuzzy Synthetic Measures for Two Reference Points and Entropy Weights Roszkowska, E., Jefmański, B., Kusterka-Jefmańska, M. Entropy, 2022 https://www.scopus.com/pages/publications/85137341511?origin=scopusAI

42. Automated Configuration and Usage of Strategy Portfolios for Mixed-Motive Bargaining Renting, B.M., Hoos, H.H., Jonker, C.M. Proceedings of the International Joint Conference on Autonomous Agents and Multiagent Systems, AAMAS, 2022 https://www.scopus.com/pages/publications/85134352662?origin=scopusAI

43. A Q-learning approach to generating behavior of emotional persuasion with adaptive time belief in decision-making of agent-based negotiation Wu, J., Sun, Y., Li, Y., Qie, X. Information Sciences, 2023 https://www.scopus.com/pages/publications/85159770044?origin=scopusAI

44. CIRAG: Retrieval-Augmented Language Model with Collective Intelligence Cui, C., Fan, H., Zhang, J., (...), Wang, W. SIGIR 2025 - Proceedings of the 48th International ACM SIGIR Conference on Research and Development in Information Retrieval, 2025 https://www.scopus.com/pages/publications/105011816754?origin=scopusAI

45. Revolutionizing Multi-agent Systems: The Role of Agentic RAG in Dynamic Data Ingestion and Real-Time Reasoning Okorafor, E., Djitog, I., Udechukwu, P., (...), Akanwa, A. Communications in Computer and Information Science, 2025 https://www.scopus.com/pages/publications/105014409557?origin=scopusAI

46. Distributed Semantic Cache Coordination for Retrieval-Augmented Generation Systems Ruparel, H., Patel, T. Communications in Computer and Information Science, 2026 https://www.scopus.com/pages/publications/105020669400?origin=scopusAI

47. MMA-RAG: Multi-Modal Agents for Insurance Document Processing with Retrieval-Augmented Generation Krayem, I., Ghourabi, M., Al Assaad, M. Lecture Notes in Networks and Systems, 2025 https://www.scopus.com/pages/publications/105017230135?origin=scopusAI

48. Rethinking Relevance: How Noise and Distractors Impact Retrieval-Augmented Generation Cuconasu, F., Trappolini, G., Siciliano, F., (...), Silvestri, F. CEUR Workshop Proceedings, 2024 https://www.scopus.com/pages/publications/85209401345?origin=scopusAI

49. Streamlining Evaluation of Agentic and RAG Systems in Geoscience GenAI: a Comprehensive Approach Dubovik, A., Tishechkin, D., Khudorozhkov, R., (...), Martin, T.J. 5th EAGE Digitalization Conference and Exhibition, 2025 https://www.scopus.com/pages/publications/105018064014?origin=scopusAI

50. RAGVA: Engineering retrieval augmented generation-based virtual assistants in practice Yang, R., Fu, M., Tantithamthavorn, C., (...), Chua, J. Journal of Systems and Software, 2025 https://www.scopus.com/pages/publications/105000995469?origin=scopusAI

51. RAGuru: A Tool to Create and Automatically Deploy Workload Optimized RAG Bhowmick, A., Rishikesh, S., Taksande, A., (...), Singhal, R. ICPE Companion 2025 - Companion of the 16th ACM/SPEC International Conference on Performance Engineering, 2025 https://www.scopus.com/pages/publications/105007286644?origin=scopusAI

52. RAGCacheSim: A discrete-event simulator for evaluating caching strategies in Retrieval-Augmented Generation systems Ruparel, H., Patel, T. Software Impacts, 2025 https://www.scopus.com/pages/publications/105015537362?origin=scopusAI

53. PipeRAG: Fast Retrieval-Augmented Generation via Adaptive Pipeline Parallelism Jiang, W., Zhang, S., Han, B., (...), Kraska, T. Proceedings of the ACM SIGKDD International Conference on Knowledge Discovery and Data Mining, 2025 https://www.scopus.com/pages/publications/105014323855?origin=scopusAI

54. In-Storage Acceleration of Retrieval Augmented Generation as a Service Mahapatra, R., Santhanam, H., Priebe, C., (...), Esmaeilzadeh, H. Proceedings - International Symposium on Computer Architecture, 2025 https://www.scopus.com/pages/publications/105009587347?origin=scopusAI

55. Learning to Rank for Multiple Retrieval-Augmented Models through Iterative Utility Maximization Salemi, A., Zamani, H. ICTIR 2025 - Proceedings of the 2025 International ACM SIGIR Conference on Innovative Concepts and Theories in Information Retrieval, 2025 https://www.scopus.com/pages/publications/105013785419?origin=scopusAI

56. BSharedRAG: Backbone Shared Retrieval-Augmented Generation for the E-commerce Domain Guan, K., Cao, Q., Sun, Y., (...), Song, R. EMNLP 2024 - 2024 Conference on Empirical Methods in Natural Language Processing, Findings of EMNLP 2024, 2024 https://www.scopus.com/pages/publications/85217617746?origin=scopusAI

57. Unanswerability Evaluation for Retrieval Augmented Generation Peng, X., Choubey, P.K., Xiong, C., Wu, C.-S. Proceedings of the Annual Meeting of the Association for Computational Linguistics, 2025 https://www.scopus.com/pages/publications/105021016792?origin=scopusAI

58. RAGAS: Automated Evaluation of Retrieval Augmented Generation Es, S., James, J., Espinosa-Anke, L., Schockaert, S. EACL 2024 - 18th Conference of the European Chapter of the Association for Computational Linguistics, Proceedings of System Demonstrations, 2024 https://www.scopus.com/pages/publications/85188691656?origin=scopusAI

59. Evaluating RAG-Fusion with RAGElo: an Automated Elo-based Framework Rackauckas, Z., Câmara, A., Zavrel, J. CEUR Workshop Proceedings, 2024 https://www.scopus.com/pages/publications/85203831093?origin=scopusAI

60. CuBE: A Customizable Bounds Evaluation Framework for Automated Assessment of RAG Systems in Government Services Yang, B., Yu, X., Zheng, X., (...), Xie, X. Applied Sciences (Switzerland), 2025 https://www.scopus.com/pages/publications/105019040467?origin=scopusAI

61. Are LLMs and RAG trustworthy enough for your business? A deep dive into AI's reliability Emekci, H. Humans and Generative AI Tools for Collaborative Intelligence, 2025 https://www.scopus.com/pages/publications/105011432436?origin=scopusAI

62. Advances and Open Challenges in Federated Foundation Models Ren, C., Yu, H., Peng, H., (...), Yang, Q. IEEE Communications Surveys and Tutorials, 2025 https://www.scopus.com/pages/publications/105000335921?origin=scopusAI

63. The Importance of AI Data Governance in Large Language Models Pahune, S., Akhtar, Z., Mandapati, V., Siddique, K. Big Data and Cognitive Computing, 2025 https://www.scopus.com/pages/publications/105009275807?origin=scopusAI

64. MEMERAG: A Multilingual End-to-End Meta-Evaluation Benchmark for Retrieval Augmented Generation Blandón, M.A.C., Talur, J., Charron, B., (...), Federico, M. Proceedings of the Annual Meeting of the

Association for Computational Linguistics, 2025 https://www.scopus.com/pages/publications/105021049233?origin=scopusAI

65. mmRAG: A Modular Benchmark for Retrieval-Augmented Generation over Text, Tables, and Knowledge Graphs Xu, C., Chen, Q., Feng, Y., Cheng, G. Lecture Notes in Computer Science, 2026 https://www.scopus.com/pages/publications/105022001931?origin=scopusAI

66. Benchmarking Large Language Models in Retrieval-Augmented Generation Chen, J., Lin, H., Han, X., Sun, L. Proceedings of the AAAI Conference on Artificial Intelligence, 2024 https://www.scopus.com/pages/publications/85189613527?origin=scopusAI