# **IBM Data Science - NTL**

## **Capstone Project- The Battle of Neighborhoods**

## **Optimal Location for Asian Restaurant in London**

#### 1 Introduction

### 1.1 Background

As increasing numbers of consumers wants to dine out or take prepared food home, the operations has skyrocketed from 155,000 about 40 years ago to nearly 960,000 today. Owning and running your own restaurant business is a dream of many people but hard reality is that many restaurants fail during their first year, frequently, due to a lack of planning. There is still a room in the market for restaurant business with decent planning. A restaurant's location is as crucial to its success as great food and service. While choosing your restaurant's location, it is important to identify where your intended customers are located.

London is the capital and largest city of England and the United Kingdom. Opening restaurant in the capital city like London can be challenging as you need to make huge investment but before making such investments you want to be certain about the place to enjoy maximum patrons. London has a large population of people from different foreign countries from Asia, Australia, America, Middle east. The 2011 census recorded that 2,998,264 people or 36.7% of London's population are foreign-born making London the city with the second largest immigrant population, behind New York City. Ethnicity is one of the many factors that play a role in food choices so factors such as the kind of demographics who live there (Racial make-up, ethnic groups) can give investors a good start off. In this project, we aim to find ideal location for opening Asian restaurant in London through analysis of demographics of London to choose best borough and explore neighborhoods of that borough.

### 1.2 Target audience

This report mainly targeting stakeholders interested in opening an Asian restaurant in London, United Kingdom Others who are interested in opening restaurant based on the population of ethnic group by borough may also be interested in this analysis.

## 2 Description of the data

To solve the problem, I need data which will help us to understand demographical representation of London so below data will be used in the analysis.

#### 2.1 Data Sources

- Demonstrate the Ethnic make-up of London(2011 Census). This can also be obtained from below link:
  - https://en.wikipedia.org/wiki/Demography\_of\_London
- 2. Find list of all the **boroughs of London**. This data can be obtained from link below <a href="https://en.wikipedia.org/wiki/London\_boroughs">https://en.wikipedia.org/wiki/London\_boroughs</a>
- 3. Find demography of London which will give more details about **Racial make-up** of London boroughs (2011 Census). This data can be obtained from below link: <a href="https://en.wikipedia.org/wiki/Demography\_of\_London">https://en.wikipedia.org/wiki/Demography\_of\_London</a>
- 4. Find all **Neighbourhoods of Newham** which can be obtained through web scraping from link below <a href="https://en.wikipedia.org/wiki/London\_Borough\_of\_Newham#Districts">https://en.wikipedia.org/wiki/London\_Borough\_of\_Newham#Districts</a>
- 5. Geographical co-ordinates of Boroughs of London and Districts of Newham was obtained with the help of Geopy Library (Geocoding Web Services).
- 6. I will use Foursquare location data (Foursquare API) to explore neighborhoods of Newham and get number of restaurants within defined radius of each neighborhood.

## 2.2 Exploratory Data Analysis Ethnic make-up of London(2011 Census)

To demonstrate ethnic make-up of London, the table showing "ethnic-group of respondents in the 2011 census]" is scraped from Wikipedia page using BeautifulSoup library. The scraped table was then read into pandas dataframe using "read\_html" method. The table scraped from Wikipedia was multi-index table after reading it into pandas dataframe we got multi-index columns with inprecise column names (Fig.1).

:[3]:	Ethnic Group		1991[6]		2001[7]		2011[8]		Change 2001-2011
	Ethnic Group		Number	%	Number	%	Number	76	%
	0	White: British(Note 1)	NaN	Nati	4287861.0	59.79%	3669284	44.09%	14.43%
	1	White: Irish	256470.0	3.83%	220488.0	3.07%	175974	2.15%	20.19%
1	2 White: Gypsy	or Irish Traveller(Note 2)	NaN	Nati	NaN	Nati	8196	0.10%	NaN
	3	White: Other[Note 1]	Nati	Nati	594854.0	8.29%	1033981	12.65%	73.62%
	4	White: Total	5333580.0	79.80%	5103203.0	71.15%	4887435	59.79%	4.23%
		ere",len(london_e		column	s), "colu	mns in	the data	frame")	V.
	print(london_	ethnic_fig.column columns in the dat	s) aframe ', 'Ethni		٠,,	mns in	the data	frame")	

Figure 1. Multi-index columns before Cleaning

Some data cleaning steps needs to be performed to the original dataset to make it easier to create our visualization such as transformation of multi-index columns into single index columns then removed '%' symbol from some columns using regular expression, strip method is used to remove other unnecessary characters from the "ethnic group" column, replaced "NaN" values directly with 0 which were mostly existing in "1991 Census" column, renamed and removed columns that are not informative to us for visualization. (Fig.2)

	let's populate clean table ndon_ethnic_fig						
0 1 2 3 4 5	Ethnic Group	1991 Census[Number]	1991 Census[%]	2001 Census[Number]	2001 Census[%]	2011 Census[Number]	2011 Census[%
0	White: British	0	0.00	4287861	59.79	3669284	44.8
1	White: Irish	256470	3.83	220488	3.07	175974	2.1
2	White: Gypsy or Irish Traveller	0	0.00	0	0.00	8196	0.1
3	White: Other	0	0.00	594854	8.29	1033981	12.6
4	White: Total	5333580	79.80	5103203	71.15	4887435	59.7
5	Asian or Asian British: Indian	347091	5.19	436993	6.09	542857	6.6
6	Asian or Asian British: Pakistani	87816	1.31	142749	1.99	223797	2.7
7	Asian or Asian British: Bangladeshi	85738	1.28	153893	2.15	222127	2.7
8	Asian or Asian British: Chinese	56579	0.84	80201	1.12	124250	1.5
9	Asian or Asian British: Other Asian	112807	1.68	133058	1.86	398515	4.8
10	Asian or Asian British: Total	690031	10.33	946894	13.20	1511546	18.4
11	Black or Black British: African	163635	2.44	378933	5.28	573931	7.0
12	Black or Black British: Caribbean	290968	4.35	343567	4.79	344597	4.2
13	Black or Black British: Other Black	80613	1.20	60349	0.84	170112	2.0
14	Black or Black British: Total	535216	8.01	782849	10.92	1088640	13.3
15	Mixed: White and Black Caribbean	0	0.00	70928	0.99	119425	1.4
16	Mixed: White and Black African	0	0.00	34182	0.48	65479	0.8
17	Mixed: White and Asian	0	0.00	59944	0.84	101500	1.2

Figure 2. Single- index columns post some cleaning steps.

Above figures are giving some insights about the "number of ethnic groups" and "percentages (%) of ethnic group" as per 1991, 2001 and 2011 Census data. Selecting only columns that are essential for better visualization in another dataframe (Fig.3)..




Figure 3. Percentage (%) of ethnic group

Plotted "% of ethnic group" for 1991, 2001 and 2011 Census data on the bar graph using Matboltlib visualization library (Fig.4).




Figure 4. Population in percentages by ethnicity in London

From the above bar charts, it is clear that there is major White of population in London which is obvious but interestingly there is a sharp fall from 71.15% to 59.79% in 2011 census on the other hand Asian proportion of population increased from 13.2% to 18.49% and it is constantly expanding. Although there is huge difference between proportion of White and Asian population it is evident that 2<sup>nd</sup> largest non white groups are Asians. So, opening Asian restaurant in the London would be a great choice considering increasing number of Asian population compared to other ethnic groups. In the further analysis we will find out boroughs with highest Asian population as it will be a key factor to make more profit to the restaurant owner/investor.

## To find list of all boroughs of London

As data is not readily available on the internet, to find the London borough names, I used BeautifulSoup to scrap the Wikipedia page. Some string manipulation is done using regular expression to extract exact names of the boroughs. (Fig. 5)



Figure 5. Boroughs of London

I used geopy library to obtain the geographical coordinates for all boroughs of London. At quick glance on the resulted data frame, the coordinates of borough "Tower Hamlet" looks unusual, so I replaced it with correct co-ordinates (Fig.6).

In [21]:	Lone	don_df		
Out[21]:		London_Borough	latitudes	longitudes
	0	Camden	51.542305	-0.139560
	1	Greenwich	51.482084	-0.004542
	2	Hackney	51.543240	-0.049362
	3	Hammersmith and Fulham	51.492038	-0.223640
	4	Islington	51.538429	-0.099905
	5	Kensington and Chelsea	51.498480	-0.199043
	6	Lambeth	51.501301	-0.117287
	7	Lewisham	51.462432	-0.010133
	8	Southwark	51.502922	-0.103458
	9	Tower Hamlets	51.132500	1.302852
	10	Wandsworth	51.457027	-0.193261
	11	Westminster	51.500444	-0.126540
	12	Barking and Dagenham	51.554117	0.150504
	13	Barnet	51.653090	-0.200226
	14	Bexley	51.441679	0.150488

## Figure 6. Coordinates of all boroughs of London

## Racial make-up of London boroughs (2011 Census).

To analyse Racial make-up of London Wikipedia page is scraped using, BeautifulSoup library. This table in the Wikipedia page shows the proportion of different races by London borough, as found in the 2011 census data. To transform the data into the pandas dataframe "read\_html" method is used. Some string manipulation is done to remove whitespaces in the dataframe (Fig.7).

	London_Borough	White	Mixed	Asian	Black	Other
0	Barnet	64.1	4.8	18.5	7.7	4.8
1	Barking and Dagenham	58.3	4.2	15.9	20.0	1.6
2	Bexley	81.9	2.3	6.6	8.5	0.8
3	Brent	36.3	5.1	34.1	18.8	5.8
4	Bromley	84.3	3.5	5.2	6.0	0.9
5	Camden	66.3	5.6	16.1	8.2	3.8
6	Croydon	55.1	6.6	16.4	20.2	1.8

Figure 7. Racial make-up of London borough (2011 Census)

In the next step, Merging of Racial make-up dataframe with Boroughs of London dataframe is done to visualize the Asian race proportion on the map of London. Below is the output of merged dataframe (Fig.8).




Figure 8. Merged dataframe with London borough and Asian race make-up proportion.

To obtain geographical co-ordinates of London I used Geopy library (Fig.9).

```
In [28]: #Using Geopy to get geographical co-ordinates of London
address = 'London, England'

geolocator = Nominatim(user_agent="london_explorer")
location = geolocator.geocode(address)
latitude = location.latitude
longitude = location.longitude
print('The geograpical coordinate of London, England are {}, {}.'.format(latitude, longitude))

The geograpical coordinate of London, England are 51.5073219, -0.1276474.
```

Figure 9. Geographical coordinates of London, UK

After receiving geographical coordinates of London, I am superimposing Asian race proportion obtained from Racial-make up table on the map of London, using geospatial data and folium visualization library (Fig.10).




Figure 10. Asian ethnic proportion in London

The above map Indicating proportion of different races by London borough. As it can be observed from the above map there are 5-6 boroughs with quite a good number of Asian race populations in London. It is a wonderful news for someone who is looking to open restaurant in London as they have many options in terms of selecting boroughs.

Newham borough stands at 1st position with largest Asian community from many decades (43.5) among all other boroughs of London. Upon some more research I found that Newham borough is topmost borough with max. Asian race population and at 20th position for total population among all other English districts. So based on the demography of London I narrowed down my search for best borough to Newham.

## Neighbourhoods of Newham

From the above analysis, we found best borough for opening Asian restaurant now it is the time to find best neighbourhood in the borough of Newham. So I extracted neighbourhoods of Newham borough by web scraping Wikipedia page which has this information. Again, I used BeautifulSoup library to extract the list of neighbourhoods and build a dataset.

The geographical coordinates of Newham obtained from geopy library. Upon checking dataset I found it gave similar coordinates for "Stratford City" and "Stratford" so I decided to remove data for "Stratford City". The coordinates of Manor park and Upton

were also incorrect so I replaced it with correct coordinates. It is very important to cross check coordinates received from geopy as sometimes due places with similar names it can give wrong coordinates and it may affect our analysis (Fig.11).




Figure 11. Neighbourhoods of Newham with geographical coordinates

There are final 23 neighbourhoods in Newham which I will superimpose on the map of Newham.



Fig.12. Superimposed neighbourhoods on the map of Newham

## 3 Methodology

### 3.1 Soursquare API data analysis

I utilized Foursquare's Places API, to explore neighborhoods/districts in the Newham borough and segment them. The Places API offers real-time access to Foursquare's global database of rich venue data. The function "getNearbyVenues" is created to loop through all the neighborhood/ districts of Newham and created API request URL. To get top venues I set the limit to 100 venues and radius to 1000 meters for each neighborhood from their given latitude and longitude. GET request is then made to Foursquare API and only relevant information for each nearby venue is extracted from it. The data is then appended to a python 'list' and lastly python 'list' is flattened to append it to the dataframe being returned by function. The returned dataframe with top 5 row is as follows: [Fig. 13]

District	District Latitude	District Longitude	Venue	Venue Latitude	Venue Longitude	Venue Category
Beckton	51.51608	0.059426	East london Gymnastics Club	51.514107	0.060155	Gym / Fitness Center
Beckton	51.51608	0.059426	LidI	51.515982	0.054794	Supermarket
Beckton	51.51608	0.059426	Home Bargains	51.516790	0.062967	Discount Store
Beckton	51.51608	0.059426	Lituanica	51.516442	0.062927	Grocery Store
Beckton	51.51608	0.059426	Pets at Home	51.520473	0.070494	Pet Store
	Beckton Beckton Beckton	Beckton         51.51608           Beckton         51.51608           Beckton         51.51608           Beckton         51.51608	Beckton         51.51608         0.059426           Beckton         51.51608         0.059426           Beckton         51.51608         0.059426           Beckton         51.51608         0.059426	Beckton         51.51608         0.059426         East london Gymnastics Club           Beckton         51.51608         0.059426         Lidl           Beckton         51.51608         0.059426         Home Bargains           Beckton         51.51608         0.059426         Lituanica	Beckton         51.51608         0.059426         East london Gymnastics Club         51.514107           Beckton         51.51608         0.059426         Lidl         51.515982           Beckton         51.51608         0.059426         Home Bargains         51.516790           Beckton         51.51608         0.059426         Lituanica         51.516442	Beckton         51.51608         0.059426         East london Gymnastics Club         51.514107         0.060155           Beckton         51.51608         0.059426         Lidl         51.515982         0.054794           Beckton         51.51608         0.059426         Home Bargains         51.516790         0.062967           Beckton         51.51608         0.059426         Lituanica         51.516442         0.062927

Figure 13. Venues nearby neighborhoods of Newham

The merged dataframe has "District", "District Latitude", "District Longitude", "Venue", "Venue Latitude", "Venue Longitude", "Venue Category" columns and total 1043 nearby venues returned by foursquare. Out of total 1043 venues there are 163 unique "venues categories".

The venue categories returned by foursquare included several general venues categories such as Gym / Fitness Center, Park, Bar, Basketball Court, etc. which are not much useful for the analysis. As our main aim is to segment neighborhoods/ districts based on food venues categories to understand neighborhood's food culture and type of restaurant/ food places already exist in the localities.

So, in the next step, I first created a list and then added all the unique categories (163) that were returned by "getNearbyVenues" function in that list. Then, I manually curated a list with general venue categories which I found insignificant for the analysis as described above. The Decision of choosing general categories depends upon the type of analysis you are performing, and this list can be changed/modified as per your analysis requirement. Following categories considered general in this analysis [Fig. 14].

Figure 14. List of general categories

'General categories' were then subtracted from 'unique categories' which gives the 'list of categories' that are relevant for further analysis. Out of 163 unique categories, we are now left with 46 unique "venue categories" which indicates that we removed more than 65% of irrelevant data.

### 3.2 3.2 Analyse each neighborhood/district

Each neighborhood analysed to understand the most common food venue/places within its 1000 meters of vicinity. "Venue category" is a categorical variable and ML algorithm cannot work directly on categorical data so one hot encoding is performed to convert it into a form that can be provided to Machine learning algorithms. Upon conversion of categorical variable "District" column is then added back and size of the new dataframe is examined [Fig. 15]

	District	American Restaurant	Asian Restaurant	Bed & Breakfast	Bistro	Breakfast Spot	Bulgarian Restaurant	Burger Joint	Café	Chinese Restaurant	Chocolate Shop	Coffee Shop	Comfort Food Restaurant	Dessert Shop	Diner	Do Restau
0	Beckton	0	0	0	0	0	0	0	0	0	0	1	0	0	0	
1	Beckton	0	0	0	0	0	0	0	0	0	0	1	0	0	0	
2	Beckton	0	0	0	0	0	0	0	1	0	0	0	0	0	0	
3	Canning Town	0	0	0	0	0	0	0	0	0	0	1	0	0	0	
4	Canning Town	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
4																•

Figure. 15 Dataframe after One- hot encoding

In the next step, grouped rows by "Districts" and by calculating mean of the frequency of occurrence of each category. Based on the mean values, the top 10 venues for each neighborhood can be found out. This top 10 most common venues are then added to the dataframe [Fig 16]

	District	1st Most Common Venue	2nd Most Common Venue	3rd Most Common Venue	4th Most Common Venue	5th Most Common Venue	6th Most Common Venue	7th Most Common Venue	8th Most Common Venue	9th Most Common Venue	10th Most Common Venue
0	Beckton	Coffee Shop	Café	Comfort Food Restaurant	Food & Drink Shop	Fish & Chips Shop	Fast Food Restaurant	English Restaurant	Eastern European Restaurant	Donut Shop	Doner Restaurant
1	Canning Town	Coffee Shop	Café	Fast Food Restaurant	Sandwich Place	Italian Restaurant	Diner	Food & Drink Shop	Turkish Restaurant	Breakfast Spot	Burger Joint
2	Custom House	Coffee Shop	Café	Tapas Restaurant	Chinese Restaurant	Restaurant	Bistro	Italian Restaurant	Lebanese Restaurant	Middle Eastern Restaurant	American Restaurant
3	Cyprus	Coffee Shop	Comfort Food Restaurant	Food & Drink Shop	Fish & Chips Shop	Fast Food Restaurant	English Restaurant	Eastern European Restaurant	Donut Shop	Doner Restaurant	Diner
4	East Ham	Indian Restaurant	Fast Food Restaurant	Coffee Shop	Sandwich Place	Pizza Place	Vegetarian / Vegan Restaurant	English Restaurant	Eastern European Restaurant	Donut Shop	Doner Restaurant

Fig.16 top 10 Most common venues in each neighborhood

**3.3 K-Means Machine learning algorithm** k-means is an unsupervised machine learning algorithm that creates clusters of data points aggregated together because of certain similarities. This algorithm will be used to count neighborhoods for each cluster label for variable cluster size.

To implement this algorithm, it is very important to determine the optimal number of clusters (i.e., k). The Elbow method was then run on the data to find the optimal cluster number of clusters.

#### **Elbow Method**:

The Elbow Method calculates the sum of squared distances of samples to their closest cluster centre for different values of 'k'. The optimal number of clusters is the value after which there is no significant decrease in the sum of squared distances.




Figure 17. Elbow Method

From the result of K- means it observed that K=4 is the best choice for clustering.

The neighborhoods can be grouped into 4 clusters based on their most common venues. The K- Means algorithm is then applied with K = 4 and clustering labels were added and finally "Newham\_neighborhood" dataframe is added to "Newham\_merged" dataframe [Fig. 17]

	District	Borough	Latitude	Longitude	Cluster Labels	1st Most Common Venue	2nd Most Common Venue	3rd Most Common Venue	4th Most Common Venue	5th Most Common Venue	6th Most Common Venue	7th Most Common Venue	8th Most Common Venue	9th Most Common Venue	10 Cc Ve
0	Beckton	Newham	51.516080	0.059426	2	Coffee Shop	Café	Comfort Food Restaurant	Food & Drink Shop	Fish & Chips Shop	Fast Food Restaurant	English Restaurant	Eastern European Restaurant	Donut Shop	
1	Canning Town	Newham	51.513989	0.008299	1	Coffee Shop	Café	Fast Food Restaurant	Sandwich Place	Italian Restaurant	Diner	Food & Drink Shop	Turkish Restaurant	Breakfast Spot	
2	Custom House	Newham	51.509597	0.028292	1	Coffee Shop	Café	Tapas Restaurant	Chinese Restaurant	Restaurant	Bistro	Italian Restaurant	Lebanese Restaurant	Middle Eastern Restaurant	Re
3	Cyprus	Newham	51.508478	0.063969	2	Coffee Shop	Comfort Food Restaurant	Food & Drink Shop	Fish & Chips Shop	Fast Food Restaurant	English Restaurant	Eastern European Restaurant	Donut Shop	Doner Restaurant	
4	East Ham	Newham	51.532963	0.055320	0	Indian Restaurant	Fast Food Restaurant	Coffee Shop	Sandwich Place	Pizza Place	Vegetarian / Vegan Restaurant	English Restaurant	Eastern European Restaurant	Donut Shop	

Figure. 17. Final Merged table with cluster labels for each district

## 4 Result

Resulted clusters then visualized on the map of Newham using 'Folium' library Fig [18].




Figure. 18 Neighborhoods of Newham clustering

## **Examine each cluster**

### Cluster 0:

	District	Borough	Latitude	Longitude	Cluster Labels	1st Most Common Venue	2nd Most Common Venue	3rd Most Common Venue	4th Most Common Venue	5th Most Common Venue	6th Most Common Venue	7th Most Common Venue	8th Most Common Venue	9th Most Common Venue
1	Canning Town	Newham	51.513989	0.008299	0	Coffee Shop	Café	Fast Food Restaurant	Sandwich Place	Italian Restaurant	Diner	Food & Drink Shop	Turkish Restaurant	Breakfast Spot
2	Custom House	Newham	51.509597	0.028292	0	Coffee Shop	Café	Tapas Restaurant	Chinese Restaurant	Restaurant	Bistro	Italian Restaurant	Lebanese Restaurant	Middle Eastern Restaurant
5	East Village	Newham	51.548108	-0.009177	0	Café	Italian Restaurant	Vegetarian / Vegan Restaurant	Eastern European Restaurant	loe Cream Shop	Dessert Shop	Mexican Restaurant	Modern European Restaurant	Coffee Shop
9	Mill Meads	Newham	51.530370	-0.003497	0	Café	Food & Drink Shop	Thai Restaurant	Fish & Chips Shop	Street Food Gathering	Comfort Food Restaurant	Fast Food Restaurant	English Restaurant	Eastern European Restaurant
10	North Woolwich	Newham	51.500407	0.064154	0	Coffee Shop	Breakfast Spot	Sandwich Place	Italian Restaurant	Chinese Restaurant	Dessert Shop	Fish & Chips Shop	Fast Food Restaurant	English Restaurant
11	Plaistow	Newham	51.531154	0.016683	0	Coffee Shop	Bulgarian Restaurant	Food & Drink Shop	Fish & Chips Shop	Café	Fried Chicken Joint	Breakfast Spot	Doner Restaurant	Asian Restaurant
12	Plashet	Newham	51.540008	0.039274	0	Indian Restaurant	Fast Food Restaurant	Sandwich Place	Asian Restaurant	loe Cream Shop	Vegetarian / Vegan Restaurant	Comfort Food Restaurant	English Restaurant	Eastern European Restaurant
14	Stratford	Newham	51.541289	-0.003547	0	Café	Coffee Shop	Italian Restaurant	Burger Joint	Sandwich Place	Pizza Place	lce Cream Shop	Dessert Shop	Donut Shop
15	Stratford Marsh	Newham	51.539325	-0.009594	0	Café	Restaurant	Burger Joint	English Restaurant	Sandwich Place	Coffee Shop	Pizza Place	Ice Cream Shop	Italian Restaurant
16	Stratford New Town	Newham	51.550878	0.002977	0	Restaurant	Pizza Place	Café	Indian Restaurant	Italian Restaurant	Coffee Shop	Food Truck	English Restaurant	Eastern European Restaurant
17	Temple Mills	Newham	51.550617	-0.007472	0	Coffee Shop	Café	Burger Joint	Italian Restaurant	Pizza Place	loe Cream Shop	Latin American Restaurant	Dessert Shop	English Restaurant
18	Upton Park	Newham	51.535106	0.033984	0	Fish & Chips Shop	Asian Restaurant	Fast Food Restaurant	Sandwich Place	lce Cream Shop	Indian Restaurant	Pizza Place	Comfort Food Restaurant	English Restaurant
22	Upton	Newham	51.542278	0.026435	0	Fast Food Restaurant	Asian Restaurant	Sandwich Place	lce Cream Shop	Indian Restaurant	Café	Comfort Food Restaurant	Vegetarian / Vegan Restaurant	Dessert Shop

In Cluster 0, most common venues are café/Coffee shops, Sandwich place, Italian restaurant, Asian restaurant, Indian restaurant, fast food restaurant are quite eminent.

## Cluster1:

	District	Borough	Latitude	Longitude	Cluster Labels	1st Most Common Venue	2nd Most Common Venue	3rd Most Common Venue	4th Most Common Venue	5th Most Common Venue	6th Most Common Venue	7th Most Common Venue	8th Most Common Venue	9th Most Common Venue
4	East Ham	Newham	51.532963	0.055320	1	Indian Restaurant	Fast Food Restaurant	Coffee Shop	Sandwich Place	Pizza Place	Vegetarian / Vegan Restaurant	English Restaurant	Eastern European Restaurant	Don Sho
7	Little Ilford	Newham	51.550298	0.062522	1	Indian Restaurant	Fast Food Restaurant	Ice Cream Shop	Restaurant	Vegetarian / Vegan Restaurant	Comfort Food Restaurant	English Restaurant	Eastern European Restaurant	Don Sho
8	Maryland	Newham	51.546053	0.005922	1	Pizza Place	Café	Coffee Shop	Indian Restaurant	Burger Joint	Mediterranean Restaurant	English Restaurant	Eastern European Restaurant	Don Sho
13	Silvertown	Newham	51.501363	0.038518	1	Coffee Shop	Sandwich Place	Restaurant	Vegetarian / Vegan Restaurant	Mexican Restaurant	Asian Restaurant	Bistro	Café	Chine: Restaura
21	Manor Park	Newham	51.550330	0.048580	1	Indian Restaurant	Restaurant	Vegetarian / Vegan Restaurant	Comfort Food Restaurant	Fish & Chips Shop	Fast Food Restaurant	English Restaurant	Eastern European Restaurant	Don Sho

In cluster 1, Indian restaurants, Fast food restaurants and Vegetarian / Vegan Restaurant are most common.

## Cluster 2:

	uster_2 uster_2	= Newham	_merged.l	loc [Newhar	_merged	['Cluste	r Labels'	] == 2, Ne	wham_mer	ged.colum	ns[0:15]]				
	District	Borough	Latitude	Longitude	Cluster Labels	1st Most Common Venue	2nd Most Common Venue	3rd Most Common Venue	4th Most Common Venue	5th Most Common Venue	6th Most Common Venue	7th Most Common Venue	8th Most Common Venue	9th Most Common Venue	10th Com Venu
0	Beckton	Newham	51.516080	0.059426	2	Coffee Shop	Café	Comfort Food Restaurant	Food & Drink Shop	Fish & Chips Shop	Fast Food Restaurant	English Restaurant	Eastern European Restaurant	Donut Shop	Resta
3	Cyprus	Newham	51.508478	0.063969	2	Coffee Shop	Comfort Food Restaurant	Food & Drink Shop	Fish & Chips Shop	Fast Food Restaurant	English Restaurant	Eastern European Restaurant	Donut Shop	Doner Restaurant	

In cluster2, Coffee shop and Vegetarian / Vegan Restaurant are most common venues.

#### Cluster 3:

	ster_3 = ster_3	= Newham_	merged.lo	oc[Newham_	_merged[	'Cluster	Labels']	== 3, New	nam_merged	1.columns	0:15]]				
	District	Borough	Latitude	Longitude	Cluster Labels	1st Most Common Venue	2nd Most Common Venue	3rd Most Common Venue	4th Most Common Venue	5th Most Common Venue	6th Most Common Venue	7th Most Common Venue	8th Most Common Venue	9th Most Common Venue	
6	Forest Gate	Newham	51.549524	0.024925	3	Fast Food Restaurant	Asian Restaurant	Ice Cream Shop	Restaurant	Café	Comfort Food Restaurant	Vegetarian / Vegan Restaurant	Dessert Shop	Fish & Chips Shop	1
19	Wallend	Newham	51.535538	0.064311	3	Indian Restaurant	Coffee Shop	Fast Food Restaurant	Breakfast Spot	Sandwich Place	Comfort Food Restaurant	Fish & Chips Shop	English Restaurant	Eastern European Restaurant	
20	West Ham	Newham	51.528097	0.004568	3	Coffee Shop	Food & Drink Shop	Fish & Chips Shop	Café	Comfort Food Restaurant	Fast Food Restaurant	English Restaurant	Eastern European Restaurant	Donut Shop	

In cluster3, Indian restaurant, Fast Food Restaurant, restaurant, Vegetarian / Vegan Restaurant and are most common venues.

#### 5 Discussion

Due to the diversity of the Newham in each neighborhood, there is an assortment of most common venues and there are numerous ethnic restaurants as well. Our analysis is focused on finding optimal neighborhood for opening Asian restaurant so to understand the clusters let us find out which neighborhood has the most common venues related to Asian ethnicity. From cluster 0, Custom House, Plashet, Upton Park, Upton, Silvertown are the neighborhoods with the highest number of Asian restaurants. In cluster 1, Indian Restaurant is most common across all the neighborhoods and these are not crowded with other Asian cuisines. Cluster 2 is not famous for Asian cuisine hence opening an Asian restaurant in these neighborhoods will not be profitable. In Cluster 3 Forest Gate and Wallend has Asian restaurant in top 2 most common venue.

#### 6 Conclusion

One application of Clustering Algorithm, k-Means or others, to a multidimensional dataset, a very inquisitive result can be curated which helps to understand and visualize the data. The neighborhoods of Newham borough are very briefly segmented into four clusters based on the most common venue hence when looking for a restaurant location, one must consider who else is doing business in the neighborhood. If there are already many restaurants with the same concept of ethnic cooking, then it will not be a profitable deal to choose that location such neighborhoods are mostly appearing in cluster 0. While neighborhoods in cluster 1 are most common for Asian ethnic venue but at the same time, these are less crowded with Asian restaurants. To enjoy maximum patrons in the restaurant, the neighborhoods from cluster 1 are assumed the best choice to open Asian restaurant. The results of this project can be improved and made more inquisitive by considering neighborhoods of other boroughs which have high proportion of Asian population. The scope of this project can be expanded further to choose best borough for opening Asian or other ethnic concept restaurants and suggest a new vendor a profitable location in a diverse city like London.