The journal page

Everything on the journal's page, and every number it shows, with its formula. The page is one file, `journal/public/journal.html` (1,080 lines), plus `journal/public/addons.js` (558 lines), which is applied over it.

Every number is computed in the browser, from one call: `GET /api/journal/trades` (every trade) and `GET /api/trading/setups` (the setup names). The server's own metrics and calendar routes are not used by the page (API.md).

The top of the page

Part	What it does
The desk's app bar	the same strip as every desk page, naming the programs with the journal marked (from `addons.js`, below)
📒 Trade Journal	the title
Account filter	`All`, then every account seen on a trade, plus every Alpaca account added on the page (even one with no trades yet)
Setup filter	added by `addons.js`: `All setups`, every setup used on a trade, and `No setup` when some trades have none
Source filter	`All`, then every source seen on a trade: `import`, `alpaca`, `manual`
↻ Refresh	reloads every trade

The three filters apply to **every tab**. They narrow the trade list once (`applyScope`), and every tab draws from that narrowed list. A remembered setup choice that no longer exists is reset to `All setups`, so the page is never empty for that reason.

The page remembers the open tab (`jnl_tab`) and the calendar month (`jnl_cal_month`) in the browser.

The app bar. `desk.css` cannot be linked whole, because it sets the body's font, background and gutter. So the journal's server serves `/deskbar.css`: it cuts out only the rules between the `DESKBAR START` and `DESKBAR END` markers in `public/desk.css`, and re-scopes the colour tokens from `:root` to `.dk-bar`. If the markers are missing it logs a warning and the bar shows unstyled. `/desk.js` is served straight from the repo, and `/api/tools` from `tools.config.json`. All three are sent with `no-cache`, so a `git pull` is enough to update them. The page's old `← Dashboard` link pointed to `/`, which on port 3100 is the journal itself. `addons.js` removes it once the bar is drawn, or turns it into `← Trade Desk` (port 3000) when the bar fails.

Which trades count

- **Closed** = `status` is `closed` **and** net P&L is known. Every number below uses closed trades only, unless it says otherwise.
- **Winner**: net P&L > 0. **Loser**: net P&L < 0. A trade at exactly 0 is neither, but it still counts in the number of closed trades.
- **Times.** The page builds each trade’s entry and exit instant from its date and its New York clock time **written as if it were UTC**, and reads hours back with UTC functions. So every hour shown is New York time, whatever the browser’s time zone. Exit instants use the **entry date**.

The numbers, exactly

Number	Formula
Net P&L	sum of net P&L
Win rate	winners ÷ closed × 100
Profit factor	sum of winners ÷ −(sum of losers). ∞ with winners and no losers; blank with neither
Expectancy ($)	net P&L ÷ closed
Average win / loss	sum of winners ÷ winners; sum of losers ÷ losers (a negative number)
Payoff	average win ÷ −average loss
R of a trade	net P&L ÷ (|entry − stop| × shares). Blank without a stop
Expectancy R	mean R of the trades that have one
SQN	mean R ÷ sample standard deviation of R × √(min(number of R values, 100)). Blank with fewer than 2 R values
Kelly %	(win rate − (1 − win rate) ÷ payoff) × 100, with win rate as a fraction
Max drawdown ($)	closed trades in exit order (entry order when there is no exit time); cumulative net P&L from 0; the running peak starts at 0; the largest peak − equity
Max drawdown (%)	that drawdown ÷ the peak it fell from × 100; blank when that peak was 0
Recovery	net P&L ÷ max drawdown
Consistency	mean daily net P&L ÷ sample standard deviation of daily net P&L × √252 (a day is an entry date)
Hold time, winners / losers	mean duration of winners / of losers
Fees	sum of commission
Streaks	trades in entry order; the longest run of winners and of losers. A winner ends a losing run and a loser ends a winning run; a 0 trade ends neither
Long / short	count and net P&L of each side

R is empty for every trade today: nothing sets a stop and the page has no field for one (D-J9). Expectancy R, SQN and the R distribution therefore show `–` or “needs ≥3 trades with SL set”.

Buckets (used by the Time tab and the insights):

Bucket	Values
Entry hour	`09:00`, `10:00`, … (New York)
Weekday	Mon to Fri
Entry price	$0–2, 2–5, 5–10, 10–20, 20–50, 50–100, 100+
Size (shares)	0–99, 100–499, 500–999, 1000–1999, 2000+
Side	long, short

Each bucket shows its number of trades, win rate, net P&L and net P&L per trade.

The tabs

Overview

1. **Closed P&L**, large, with `N closed · M open · W W / L L`.
2. Two rings: **Win %** and **Long %** (longs ÷ closed).
3. **Insights**, when there are at least 5 closed trades: every bucket above with at least 2 trades is ranked by the size of its net P&L. Up to four are shown, at most two that made money and two that lost. Each says its share of all profits or all losses, for example *“The 10:00 hour contributed $1,240.00 (38% of all profits) across 9 trades (win 67%).”*
4. Six tiles: **Net P&L** (after fees), **Win rate**, **Profit factor** (green ≥ 1.5, amber ≥ 1, red below), **Expectancy** (with expectancy R, or “set SL on trades”), **Payoff ratio**, **Max drawdown** (with % off peak).
5. **Equity curve**: cumulative net P&L (blue), its running peak (dashed), the gap between them shaded red as drawdown, and a zero line.
6. A strip: **SQN** (green ≥ 2, amber ≥ 1), **Kelly**, **Recovery**, **Consistency**, **Long** and **Short** (count · net), **Streaks**. A legend under it explains SQN, Kelly, Recovery and Consistency. It writes SQN as “× √N”, but the code caps N at 100.

Calendar

A month grid of weekdays, **Mon Tue Wed Thu Fri Week**. Each day shows its net P&L and trade count, coloured green or red, stronger for bigger days. The sixth column is the week’s total. ‹ › change the month; the page opens on the month last viewed, else the last month with a trade. Under the grid: the month’s net P&L and trades. Trades dated on a weekend are left out of the grid and of the month total.

Time

Four bar tables, each with net P&L, trades, win rate and $ per trade: **Entry time (New York)**, **Day of week**, **Entry price**, **Position size**. Then **Hold time**: average winner and loser duration, with a verdict: *“Winners held SHORTER than losers”* (amber) or *“Winners held longer than losers”* (green).

Risk

1. **Risk snapshot**: win rate, average win, average loss, payoff, profit factor, expectancy (with R when known), max drawdown, worst streak, fees.
2. **R-multiple distribution**: a histogram in bins ≤ −2R, −2…−1, −1…0, 0…1, 1…2, 2…3, > 3R. Shown only with at least 3 trades that have R; today it always shows the note instead.
3. **P&L distribution ($)**: six bins of equal width from −largest to +largest absolute P&L. A trade whose loss is exactly the largest falls outside the first bin and is not drawn.

Stats

Five folding groups (the first open):

Group	Numbers
Performance & P&L	total net, winners’ P&L, losers’ P&L, expectancy, average P&L per day, best trade, worst trade, P&L standard deviation
Trade statistics	closed, **open**, winners, losers, win rate, profit factor, payoff, average winner, average loser, long and short (count · net), longest win and loss streaks
Time analysis	total time in trades, winners’ and losers’ total time, average and longest duration, average winner and loser hold
Costs & fees	total fees, per trade, per day, fees as % of winners’ P&L
Volume	total shares, winners’ and losers’ shares, average shares per trade, net P&L per share

Then **Symbol analysis**: the 12 tickers with the largest absolute net P&L, each with trades, win rate, net and $ per trade.

Setups

One row per setup with **at least 3 closed trades**, best total first: trades, win rate, $ per trade, profit factor, total, average R, and a small equity curve. A setup’s name comes from `/api/trading/setups`; an id with no name there is shown as the id. Fewer than 3 trades everywhere shows *“Need ≥3 trades per setup.”*

Trades

Controls: ticker search (part of the name), side (both, long, short), status (all, closed, open), sort (newest, oldest, best P&L, worst P&L).

The Alpaca accounts panel sits above the list (ACCOUNTS.md).

Stats bar: trades, closed, win %, net, for what the controls show.

Per day, in the chosen sort order: a header with the date, the day's net P&L, trades, closed and win %. Then **one card per trade**:

On the card	
ticker, `▲ Long` or `▼ Short`, `OPEN` when open, the setup name, the account	
net P&L and % move	
📈	opens qp's print sheet of that stock and day on 1-minute bars (Polygon feed), with the entry and exit drawn (ALERTS-AND-PRINTS.md). **The marks land 4 or 5 hours early** (D-J10): the page sends its "New York clock written as UTC" instants, and qp's bars are real UTC instants
🗑	delete, with a second tap to confirm
date, entry, exit, shares, in, out, duration, net P&L, stop and target when set	
notes, when present	read-only
Setup dropdown	the **only edit on the page**. Choosing one sends `PATCH { setup_id }` and reloads. The list holds the **enabled** setups from `trading_setups`

Import

The file import (IMPORT.md). Its hint reads *"Trade the Pool orders (semicolons)"*, but the semicolon format is DXtrade. After an import it prints `✓ Imported N trades`. It also looks for `skipped` and `format` fields, which the server never sends.

Re-eval Conditions re-checks the setup conditions of every closed, tagged trade that has a technical snapshot, without fetching bars, and reports how many it evaluated (ANALYSIS.md). Nothing on the page shows the conditions it writes.

What the page cannot do

Wanted	Today
enter a stop or target	API only (`PATCH`)
add a trade by hand	API only (`POST`)
edit exit, notes, commission	exit and notes API only; commission nowhere
see a trade’s technicals, MAE/MFE, conditions	computed and stored, never shown
day notes, fee rules, setup templates	routes exist, no screen
create or edit a setup or a check	no route, no screen
see the grading engine’s expectancy or grade	no route, no screen (ANALYSIS.md)

A rebuild should either give these a screen or not build them.