qp: known issues

Open findings for qp after the 2026-10 review, and the qp findings fixed during it. Every fix landed with a test that failed first. The documents for each area are linked from README.md.

Open

#	Severity	What	Where
Q-N9	MED (signals)	The alert watcher evaluates with the `close` fill while backtests default to `desk`, so an alert can fire on a different bar from the one a backtest of the same strategy trades; the `live` fill built to make them agree is now used by nothing	`chart/alerts.py` `_default_eval`
Q-N4	LOW	The backtest's CANSLIM gate has no control on the page; it can be set only through the API	`chart/static/index.html`
Q-N5	LOW (ops)	The nightly CANSLIM job runs from a systemd timer installed by hand (hard-coded user and path); a box without it silently goes stale, visible only as stale files in the data check	`quant-platform/deploy/qp-daily.*`
Q-N6	LOW	Several routes default to `feed=polygon` when none is passed (`/api/chart`, `/api/strategy/explain`, the print sheets), not the desk's default feed; the page always passes one	`chart/server.py`
Q-N7	LOW	`risk.breakeven_after_target` is reported on the order plan but the engine never moves the stop, so a strategy using it is backtested without it	`chart/exit_protocol.py`, `chart/strategy.py`
Q-N1	LOW (text)	`chart/README.md` describes rising/falling as a least-squares slope with `min_strength`; the engine uses the v3 rule (direction, `min_pct`, 75 % consistency) and ignores `min_strength`	`quant-platform/chart/README.md`
Q-N2	LOW (text)	`chart/README.md` names primitives that do not exist (`candle.body_pct`, `upper_wick_pct`, `lower_wick_pct`: composed with `expr` now) and a single `SCREENER_URL` (qp reads every tool from the registry)	`quant-platform/chart/README.md`
Q-N8	LOW (text)	`quant-platform/README.md` says the compare tool offers three feeds and that Polygon becomes the default when its key exists; it offers six, and the default is chosen by hand (yahoo when unset)	`quant-platform/README.md`
Q-N3	LOW (text)	The strategy Stage help says Ready means "trusted to place real orders from"; the desk no longer places orders	`chart/static/index.html`

#	Severity	What	Where
Q-N10	LOW (text)	`qp-restart.sh` says, when qp is down, that “the manager cannot evaluate exit rules or move trailing stops without it”: the order manager no longer exists	`deploy/qp-restart.sh`
F-31/32	LOW	The Pine ports differ from qp on runner scope and an unfrozen stop	`pine/`

Fixed in the 2026-10 review

#	What was wrong	Test
Q-P	A qp restart could take minutes (2026-10-06: 3 min 20 s, three failed starts in pm2’s count). Its start-up check refused the port while connections the old qp had accepted still lingered, reading a finished restart as another server. The check now refuses only a listening server	`logic_audit79.py`
L2-1	With a screener down, qp’s date list came back empty without saying why; it now names the source that did not answer, in the API, both pickers and the no-days messages	`logic_audit112.py`
F-20	`monday_high/low` and pre-market `day_open` saw the future in a backtest	`logic_audit105.py`
F-23	Yahoo daily reach was capped at a year (measured: 5 years), so CANSLIM N/S failed on yahoo	`logic_audit106.py`
F-26	The backtest’s CANSLIM gate read the entry day’s own close	`logic_audit107.py`
F-27	An unreadable market model blocked pairs, and the failure was cached	`logic_audit108.py`
F-28	As-of earnings dropped a quarter once it was re-reported a year later	`logic_audit109.py`
F-22	The chart’s signal watcher was fixed to polygon (a day behind)	`logic_audit110.py`
F-25	`rank_sweep --backtest` found no stop on stored trades	`test_rank_sweep.py`
Q-11	Saving a strategy dropped “fix at entry”, turning a fixed stop into a trailing one	`ui_runtime.js`
Q-R	Not a fault: qp’s error log (read 2026-10-02) shows only clean shutdown/start pairs, one per deploy, and no tracebacks — pm2 counts the restarts a deploy asks for. Two “Invalid HTTP request” lines are internet scanners on port 8765 (S-1, now closed by the login)	—