
The qp page

Everything on qp's one page (`:8765/`): the chart, the tools rail and the sections it opens. Written from `quant-platform/chart/static/index.html` and the routes it calls in `chart/server.py`.

Related: strategies (STRATEGIES.md), backtests (BACKTEST.md), alerts and print sheets (ALERTS-AND-PRINTS.md), feeds (DATA-FEEDS.md).

Layout



On a phone the side panel and the More sheet slide over the chart; the rail can sit **left of the chart** or **under the time axis** (More → Tools).

The header

Control	Does
Symbol	any ticker
TF	1m, 2m, 5m, 15m, 30m, 1h, 1d
▶ Live	re-computes on an interval over `/ws/live` and moves only the newest bar and indicator tips. Disabled while **As-of** is set (a past day is not live). Moves only on feeds that are live (not free Polygon)
☰ Panel	shows or hides the side panel
⚙ More	the chart settings sheet (below)

The tools rail

Button	Opens
Chart	the settings sheet: type, scale, days, session, feed, as-of
Indicators	add an indicator, list and edit the ones on the chart
⚡ **Strategy**	the strategy drawer
Backtest	the backtest section
Register	what the scanners found, by tool and day
🔔 **Alerts**	the live signal watcher
🖨 **Print**	print a register day as charts

Chart settings (⚙ More / Chart)

Setting	Options
Type	Candles, Bars, Line, Area, Heikin Ashi
Scale	Linear, Log, %
Labels	**Clean**: price only; **Every indicator tagged**: each line labelled on the scale
Tools	rail left of the chart, or under the time axis
Days	1–730 days of bars (warm-up for the indicators is added automatically)
Session	All-day (extended hours) or Regular
Feed	yahoo, yahoo_ext, alpaca, polygon, hybrid, hybrid_yahoo (DATA-FEEDS.md); **make default** sets the feed every chart and backtest starts with
As-of	**replay cutoff**: every bar after this date is hidden, so a setup is judged as it stood then. Blank = everything through today
⤢ Fit all bars	fit the whole range
Bar cache	how much disk it uses; **Delete all**, or **Delete > 2 days**

The chart

- Candles with the chosen indicators; price overlays sit on the candles, oscillators (RSI, RVOL, ATR, slope …) drop into their own pane, volume as a histogram underneath.
- Levels and support/resistance drawn as steps; session background bands; New York time axis.
- Crosshair legend with OHLC and every indicator's value at that bar.
- After **Evaluate**: entry ▲ and exit ▼ markers, coloured by exit reason (stop, target, trail, rule, end of day), and the stop and target as the simulation used them.

Indicators

Add an indicator: pick a primitive from the verified library (CATALOG.md), its length and source (close, open, high, low, hl2, hlc3, ohlc4, volume), **+ Add to chart**. **On the chart** lists what is drawn; **Selected** shows one indicator's parameters to edit. Every primitive is offered, marked ✅ approved or 🚧 draft (all 71 are approved today).

The strategy drawer (⚡ Strategy)

A resizable drawer over the chart.

Part	
name, side (Long/Short), **Stage** (Development/Ready), **Tools** (`T1` `T2`)	the strategy's identity (STRATEGIES.md)
saved list, Save, New, Delete	strategies are stored in qp's database
Entry and **Exit** groups	rows of *operand · operator · operand*, each with its `[n]` offset, *held for / within N*, and a 🔍 test; **+ condition**, **+ group ( )** for nested groups; group mode ALL / ANY / AT LEAST k / IN SEQUENCE
stop and target	%, ATR×, points, or **@ line** (anchored to an indicator); + **target** adds scale-out legs
▶ **Evaluate**, **Clear signals**	run it over the chart window; clear the markers

The stage's help text still describes Ready as "trusted to place real orders from"; the desk no longer places orders (Q-N3).

The Register section

What the screener tools froze, browsable by day:

- **Source and register:** one tool's R1 or Shortlist, or **all tools merged** (`'*:R1'`); the list of tools comes from `/api/screener/sources`, which says which are up.
- **Date**, then a card per stock: score, regime, sector, gap %, RVOL.
- Tap a card: the chart loads that ticker on that day's session. A warning line names any tool that did not answer.

The Backtest section

The settings of a run in six groups (Strategy, What to test, Money, Ranking, Funded-account rule, Prop-firm costs and caps), each field with a label and a "?" explanation; **Only short what the broker will lend**; **Run the backtest**; **recent backtests** (a running one can be stopped); the trade list with its filter, **CSV (filtered)** and **Full report ↗**; **Reset these settings to the defaults**. Every field is described in BACKTEST.md. The settings are remembered in the browser.

The Alerts section

Start watching / stop, what it is watching (strategies × symbols), and **Signals today**. Each signal raises a sound and a browser notification. See ALERTS-AND-PRINTS.md.

Print

🖨 **Print R1**: every ticker of a register day as a chart, with your timeframe and indicators, over full extended hours plus the previous day. Also the swing sheet and a pasted list of `symbol, date` pairs. See ALERTS-AND-PRINTS.md.