qp scripts and tools

Every helper script that works on qp: what question it answers or what job it does. Run from `quant-platform/` (with `set -a && . ./.env && set +a` when it needs keys) unless the path starts at the repo root. Each file's header has its full usage.

Run and keys

Script	Does
`deploy/qp-restart.sh` (repo root)	makes the running qp the one in this checkout, through pm2 only (OPERATIONS.md)
`deploy/qp.config.js` (repo root)	qp's pm2 settings
`scripts/sync-qp-env.js` (repo root)	copies the desk's Alpaca pair from `data/keys.json` into `quant-platform/.env`, on every deploy

The nightly chain and its parts

Script	Does
`deploy/run_daily.py`	the nightly CANSLIM chain (timer `qp-daily`)
`deploy/run_backfill.py`	one-shot backfills
`deploy/run_edgar.py`	the first full EDGAR pass for the C and A tables
`deploy/run_13f.py`	builds I (institutional holders) on its own
`deploy/run_sic.py`	classifies the market into SIC industries and ranks the groups
`deploy/run_status.py`	what the CANSLIM chain has, and what it is missing
`deploy/run_fields.py AAPL NVDA`	every CANSLIM field for real tickers, with the reason for each blank

The library

Script	Does
`tools/compare_server.py --port 8767`	the verification page: qp's value beside TradingView's, and the Approve button (LIBRARY.md)
`tools/gen_catalog.py`	regenerates `docs/CATALOG.md` from the registry

Strategies

Script	Does
`tools/check_strategies.py`	is every strategy written the standard way (a list where a list belongs, an anchored stop written once …)
`tools/explain_strategy.py`	a strategy in words: entry, stop, target, every scale-out leg
`tools/seed_from_db.py`	turns a strategy built in the browser into a bundled seed in git (the only copy in the repository)
`tools/recover_strategies.py`	finds strategies no longer in the database: in backtest snapshots, or in SQLite's free pages

Backtests

Script	Question
`tools/audit_0935.py`	what did the 09:35 backtests actually do
`chart/rank_sweep.py`	which ranking metric suits a strategy, measured (BACKTEST.md)
`scripts/exec-compare.js` (repo root)	which execution setting is best on your days, measured
`scripts/fill-compare.js` (repo root)	which strategies work, and how much of the answer was the fill assumption
`scripts/check-feeds.js` (repo root)	which feeds can serve a session, and which of them live
`chart/exports/or_vwap_0935.py`	a standalone, dependency-light reference implementation of the OR + VWAP 09:35 setup

Bar loaders (`tools/data/`)

`alpaca.py`, `polygon.py`, `yahoo.py`, `yahoo_ext.py`, `hybrid.py`, `hybrid_yahoo.py` (one contract: `load(symbol, timeframe, start, end)` → UTC OHLCV frame), `cache.py` (the cache and its limits), `borrow.py` (the short-borrow check). See DATA-FEEDS.md.

Tests

`chart/tests/` holds qp's regression suite: 95 `logic_audit*.py` files, each reproducing one past failure, plus focused `test_*.py` files (challenge, feeds, position cap, minimum target, rank sweep, setup tools, trade marks, whole shares). `python3 chart/tests/run_all.py` runs them. Every fix in KNOWN-ISSUES.md names its test.