A tool's pages

Above: TOOL.md §3.7 (show: its pages).

Talks to:

- the web layer, which serves these pages in the tool's context on its own port;
- home, which carries the pages that span tools (the landing page, the comparison, Manage tools);
- every other part of the tool: the card, the market read, the registers, the scorecard, the screeners and the scheduler.

---

1. What it is


One running tool's own screens: eight tabs over its own data. Each tab is a view of one part of the tool, served in the tool's context on its own port, so a page only ever shows and changes that tool's results. The screens that span tools — the landing page, the screener comparison, Manage tools — belong to home, not here.

What it owns: nothing stored — the tabs are views; a change on a tab writes through to the part that owns the data.

What it never does: reach another tool's data, or run heavy work in a page request (WEB.md).

---

2. The diagram



---

3. The header

Control	Does
⚡ **tool name** ▾	switches to another tool (each opens on its own port)
▶ Run Scan	a full scan now; says "paused — no scan run" when paused
☀	high-contrast mode, readable outdoors
check badge	`● CHECK NOW · until 10:30 ET`, or `check 09:00–10:30 ET`, from the tool's screeners; refreshed every minute
status	the last scan's result

4. The eight tabs

Tab	What it is	Detail
Screener	today's cards, with the filters (search, screener, news, catalyst, aligned) and the sort (score, change, RVOL, live first, newest found)	CARD.md
Market	the indexes, the O'Neil model (M), the regime, the sectors and the groups (L)	MARKET.md
Shortlist	the starred stocks, one list per day; a day picker, a card per stock with its method (manual/auto), and 📋 **Copy to TradingView**	REGISTERS.md §3.6
Warehouse	the registers by date (R0, R1, R2, R3, R4, Shortlist), with CSV and JSON export	REGISTERS.md
Analysis	the screener scorecard (which screeners find movers) and the model panel	LEARNING.md
Screeners	the screener builder: the list, the editor, test, mirror, pause	SCREENERS.md
Settings	the tradability floor, the hot-sector and sector-bias thresholds, the shortlist rule, the scorer, the data-source check, backups	SETTINGS (legacy)
Monitor	the scheduled jobs and the last scan's report	JOBS.md

The **Screener** tab is kept fresh by the live channel, rather than showing cards as old as the last load (WEB.md, D-S15). The three filters narrow the list once, and every tab draws from that narrowed list; the open tab is remembered in the browser.

5. What changes from today

Change	Why
The tabs are served **in the tool's context by the desk**, on the tool's own port, not by a separate per-tool program	one program for every tool (WEB.md)
The Screener tab **refreshes itself** from the live channel	it showed stale cards until a reload, tab switch or Run Scan (D-S15)
The Warehouse and Market tabs read the **shared record** for a past day	a stopped tool needed the archive; the shared record serves every tool's history
The cross-tool pages (landing, comparison, Manage tools) are **home's**, read in process	the old desk read other tools over HTTP from T1, and lost a stopped tool's scorecard (D-S14, HOME.md)

6. Contracts

Served by the desk in the tool's context (WEB.md); every route needs the desk login, except a call from the box itself. The route groups (the same ones the tool answers today, carried into the desk):

Group	Does	Detail
`/scanner`, `/health`, `/api/version`, `/api/tool`	the page, the tool's health and identity	§3
`/api/scan`, `/api/registry`	run a scan; today's live list (R0) and a card's bias	SCREENERS.md, REGISTERS.md
`/api/card`, `/api/news`	one card, live or frozen; fetch news now	CARD.md
`/api/screeners`	the builder: list, create/edit, test, mirror, pause, rename, delete	SCREENERS.md
`/api/shortlist`	star/unstar, today's and every day's list, export, the auto-rule, the union across tools	REGISTERS.md
`/api/warehouse`	the registers by date, and export (also what a stopped tool serves, read-only)	REGISTERS.md, STOPPED-TOOLS.md
`/api/market`	the market read, and the O'Neil M and L	MARKET.md
`/api/analysis`	the scorecard, the model, training data	LEARNING.md
`/api/settings`, `/api/monitor`, `/api/datacheck`	the tool's settings, its jobs, the source check	JOBS.md

The full route list (81 routes today) is legacy/screeners/API.md. An unknown `/api/…` path answers a 404 that says so, never the landing page.

7. When it fails

Event	What happens
a tab's source is down	that tab says so (a feed warning, "market read unavailable"); the other tabs work
a past day is asked for and the shared record is down	the Warehouse and Market tabs say so; today's live tab still works
a heavy export is requested	it runs as a job or in pieces, so one page cannot hold up the tool's scans (WEB.md)
the tool is paused	the header and the Monitor tab say since when and why; the cards already found stay on screen

8. Built on

The old desk: the eight tabs in legacy/screeners/PAGES.md, the full route list in legacy/screeners/API.md.

What failed there:

ID	Fault	Prevented by
D-S15	the Screener tab did not refresh itself; the cards were as old as the last load	the live channel keeps it fresh
D-S14	the comparison and a stopped tool's scorecard were lost when a tool stopped	the cross-tool pages are home's, reading stopped tools too
—	each tool served its own pages as its own program; qp and the landing page read tools over HTTP	the desk serves every tool's pages in one program

9. Status

Part	Status
the eight tabs and their routes	**built** (legacy, per-tool programs)
the tabs served in the tool's context by the desk	**to build** (step B)
the Screener tab refreshing itself; the Warehouse and Market tabs reading the shared record	**to build** (steps D–E)