The desk: home

Above: DESK.md §4 (home).

Talks to:

- the web layer, which serves home on the desk's own port;
- the running tools and stopped tools, which home lists, starts, stops and compares;
- the files on the box: home runs in the desk's own context, with the desk's own file;
- qp, told to re-read its tool list when tools change.

---

1. What it is


The desk's own front: the landing page, the lists that span every tool, and Manage tools. Home belongs to the desk itself, not to any tool, so **any tool — T1 included — can be stopped** (DESK.md §3). It is where the trader decides which tool to open, reads the lists that only make sense across tools (the unified shortlist, the screener comparison), and adds, starts, stops, pauses, edits, deletes or restores a tool.

What it owns: the tool registry's overrides, the landing page, and the cross-tool views.

What it never does: scan, or write a tool's file — it starts and stops tools, it does not run their pipelines.

---

2. The diagram



---

3. Its parts

3.1 The landing page

Answers one question: **which tool should I open now?** It lists the tools by stage — **validated**, **under study**, **collecting data** — and for each one: its name and purpose, its check window and whether it is live now, how many cards it has today, whether its scorer is ready, and a plain-words summary of its screeners generated from the live rules. When no tool is worth opening, it says which opens next and at what time, measured on the market's clock, not the phone's. A tool that is down still gets a card saying so.

Stages are set by the day count, not by time alone: a tool with fewer than 15 frozen photo days is *collecting data*, 15 or more is *under study*, and *validated* is set **only by hand** — time does not make a screener good.

3.2 The cross-tool lists

These are the views that only make sense across tools. Each is a **view, never a filter**: nothing on one tool changes because of another's (ARCHITECTURE §7).

- **The unified shortlist:** every tool's starred stocks for the day, unioned, so a card can show ★ **also T2 T7**. In the design the union is kept in the shared record, not a file many processes rewrite at once (D-S13).
- **The screener comparison:** every screener of every tool judged side by side against the benchmark tool (which every tool must beat by a clear margin) and its mirror. Because home runs in the desk, it can read every tool's scorecard, **including a stopped tool's and the benchmark's** — the old comparison page lost both when a tool stopped (D-S14).

3.3 Manage tools

Add, start, stop, pause, edit, delete and restore, each with a guard so a broken setting cannot reach the scans:

Action	What happens
Add	a new tool with a fresh id (never reused, so history filed under an old id is never confused), its own port, default capture times, and no screeners — built on its own page. Started at once if there is memory, else created stopped with the reason
Start	refused if deleted (restore first) or if memory is short; opens the tool's context and registers its jobs
Stop	not the desk's own context; closes the tool's context, and its history stays readable as a stopped tool (STOPPED-TOOLS.md)
Pause / Resume	the tool stays up but stops scanning; its status says since when and why, so a quiet tool is never mistaken for a broken one
Edit	name, description, colour, capture times (checked in order and inside the session)
Delete	marks it deleted and off every list; **nothing is erased**, and its history stays readable
Restore	takes the deleted mark off; it comes back stopped

The two guards:

1. **Memory.** A tool is not started with less than the free-memory floor, read from the box, so the kernel is never left to choose what to kill on a full box (DESK.md §4.3).
2. **Capture times take effect cleanly.** A capture-time change is read when a tool's context (re)starts. In the old desk a restart in the session emptied the tool's list, so the change waited until 16:50; in the design the list is saved to the tool's file after every change, so a capture-time change can take effect without losing the day's list (DESK.md §7 — the capture-time fault).

Every change tells qp to re-read its list of sources, so the tool appears or disappears on qp's register picker with no restart.

---

4. Contracts

Served by the desk on its own port, in the desk's own context.

It owns	Form
the tool registry's overrides	`data/tools.local.json` (name, desc, accent, capture times, enabled, and the deleted/pending markers), merged over `tools.config.json` (FILES.md); written to a temp file and renamed
the landing page and the cross-tool views	the desk's own context

It reads	From
each tool's state (up, down, cards today, scorer)	the running and stopped tools, probed directly
every tool's shortlist and scorecard, stopped tools included	the shared record

Routes (the desk's own port)	Do
the landing page; the comparison	which tool to open; every screener judged
Manage tools: add, start, stop, pause/resume, edit, delete, restore	the table in §3.3; each answers with the outcome or the reason it was refused

---

5. When it fails

Event	What happens
a tool is down	its card on the landing page says so; the other tools are unaffected
a start is refused (memory, deleted)	nothing changes; the message says why
a capture-time change lands during the session	it takes effect when the tool's context restarts, without emptying the day's list
the benchmark tool is stopped	the comparison still shows it, because home reads stopped tools too (D-S14)

---

6. Built on

The old desk: the suite page and the comparison in legacy/screeners/PAGES.md; Manage tools in legacy/screeners/TOOL-LIFECYCLE.md.

What failed there:

ID	Fault	Prevented by
—	T1 carried the landing page, Manage tools and the desk-wide jobs, so T1 could not be stopped	home runs in the desk's own context; any tool can be stopped
—	a capture-time change needed a restart, which emptied the list, so it waited until 16:50	the list is saved to the file, so the context can restart cleanly
D-S13	the unified shortlist file was rewritten by many processes; simultaneous publishes lost a change	the union kept in the shared record
D-S14	the comparison lost the benchmark and every stopped tool when a tool stopped	home reads stopped tools' scorecards too

7. Status

Part	Status
the landing page, the comparison, Manage tools	**built** (legacy, on T1)
home and the desk jobs in the desk's own context, so T1 can be stopped	**to build** (step B, with T1, last)
the unified shortlist and the comparison reading the shared record	**to build** (steps D–E)