The card: every field and its source

Above: TOOL.md §3.2 (know: the card).

Talks to:

- the screeners, whose matches become cards;
- the data sources (TradingView, bars, short interest, borrow, news) and the research worker (the O'Neil letters);
- the market reader, whose one read is stamped on every card;
- the registers, which freeze the card into the photo (R1).

---

1. What it is


Everything the desk knows about one stock on one day, on one card. A card is built for every row a scan found: the price and levels from TradingView, derived numbers, short interest and borrow, the O'Neil letters, the market read, and news with a catalyst. One rule governs all of it: **a missing value says it is missing, and why — never 0, never "no", never a bad sign** (honest gaps).

What it owns: nothing stored of its own — it is the view over a row of the tool's live list, frozen into the photo (REGISTERS.md).

What it never does: compute an O'Neil letter (the research worker does), or colour a fact as good or bad (colour means direction or size, never a verdict).

---

2. The diagram



One level of folding. Every section is a fold, closed by default except the header and badges, and each closed fold shows its key numbers on its heading line. No folds inside folds.

3. Top to bottom

3.1 Header

The ticker (taps to the chart), a TradingView link, the price and today's change (green up, red down), a **Live / Stale** mark (Live = matched this scan; Stale = matched earlier, still re-quoted

every 5 minutes, dimmed), the sector and industry, the **score** (0–100 or `–`, orange, tapping opens the breakdown) with its scoring-table label, and this tool's ☆ / ★ shortlist star (yellow).

3.2 Badges

In order: **first seen** (the earliest minute any screener matched it, styled by pre-market / early / late); ★ **also T2 T7** (other tools that shortlisted it, violet); one **screener badge** per screener that matched today (coloured, faded if it did not match this scan); 🔥 **HOT** (its sector is hot); ▲▲ **ALL BULL** / ▼▼ **ALL BEAR** (price above every level, the stack in order, and a bullish catalyst); and the **catalyst** (⚡ tier 1, ● tier 2, · tier 3, 📈 technical), with a `+N` for the rest and a tooltip giving the tier, detail, corroboration, age, confidence and evidence.

3.3 Signal tags

One row from the row's relations: ten **level tags** (`9MA 13MA 20MA 50MA 5MA VWAP PDC OPEN PMH PML` , ▲ above green / ▼ below red, the distance in the tooltip, no tag when the level is missing); the **MA stack** (`9>13>20>50` bull, `9<13<20<50` bear, or mixed); the **month quarter** (Q1–Q4 of the 1-month range); and the **PM/ADR band** with the ratio.

3.4 The folds

Fold	Closed line	Open
Chart	tap to open	a TradingView widget, daily candles, mounted only when the card is on screen and the fold is open
Volume & Float	RVOL · cap · float · days to cover	each coloured by **magnitude** (§4)
Range	W · M · Q · Y positions	four bars (week = 5 sessions, month, quarter, year), each with its low, high and the price's position; the all-time high as a distance
News	N stories · top headline, or "nothing in three weeks"	up to 5 newest headlines with source tag, age and link; a warning when a source did not answer; how many older were hidden
CANSLIM · O'Neil	the C A N S L I M one-liner	the seven letters, a **"Not shown:"** line naming each missing letter and why, the relative strength, and a nested Full tables fold
Themes	tap to open	theme tags (AI, Space, Nuclear) from a ticker and an industry list
Market Context	regime · long · short	the regime with its stance, the three terms, the sector with its bias and score, and the **bias button**
Price	price · gap · VWAP	price, previous close, VWAP, 5-day MA, open, gap %
EMAs	9 · 20 · 50	EMA 9/13/20/50, green above / red below the price
ATR & Move	ADR % · move × ATR	ADR $, ADR %, today's range ÷ ATR, day high/low
Pre-Market Range	PM/ADR · range	PM high, low, range, PM/ADR

The CANSLIM fold reads the O'Neil letters from the research worker's dated facts (in the design, not qp's routes), so a card first built while qp is down no longer freezes blanks into the

photo (ONEIL.md). The full tables — eight quarters of C, the annual run of A, the whole base of N, supply, 13F, the market model — are the field-by-field detail below.

The bias button cycles AUTO → LONG → SHORT, saved per card: AUTO shows what the desk would choose and why (a ⚡ when a catalyst decided it, "no read" when nothing points either way); a manual choice is carried into scoring (LEARNING.md).

3.5 Display rules that keep it honest

- **Reverse splits.** TradingView's longer-window highs are not split-adjusted, so when a window's high is more than 10× the next shorter window's, that window and every wider one are hidden, and the card says which and why.
- **Identical windows** are labelled (`= month`) so they do not look like a broken column.
- **The score is `–` when there is none**, never 0 — a missing score is not a low score.

---

4. Colour language

One meaning per colour, everywhere:

Role	Colour	Used for
Direction	green / red	price relative to something (above/below a level, up/down on the day). A good score is never green
Magnitude	one hue, 4 intensities	how big, never whether it is good: RVOL, float, cap, short %, days to cover, PM/ADR, sector heat
Model	orange	the score, and only the score
Someone else	violet	another tool's shortlist
Mine	yellow	your shortlist star
No claim	grey	missing data, below a threshold, switched off
Furniture	blue	links, borders, bar fills — never to say something

Magnitude steps (present / notable / extreme): RVOL ≥ 1.5 / 3 / 5×; float ≤ 50 / 20 / 10M (smaller is louder); cap ≤ $2B / 300M / 50M; short % ≥ 5 / 10 / 20; days to cover ≥ 2 / 5 / 10.

---

5. Every field, and when a blank is legitimate

The exhaustive checklist — all ~97 fields, their source, and whether a blank is a bug or the honest answer — is legacy/screeners/CARD-FIELDS.md, carried into this document's leaf. The rule it encodes is the point:

A blank is not automatically a bug. Some fields are blank because a job has not run (fixable); others because the honest answer is "no answer", and filling them would mean inventing a number. The card always says which.

Kind of blank	Examples	It means
a bug	ticker, price, change, sector, RVOL, cap, regime, ADR, day high/low	a source that always answers did not — investigate
a job not run yet	C/A (EDGAR not walked), L (group ranks not built), M (model not built)	"not fetched yet · last run DATE"; the research worker catches up
honestly no answer	`%Chg n/a (loss a year ago)`, `ROE n/a (equity ≤ 0)`, "no short interest reported", "under 7 weekly bars", "nothing in three weeks", EMA 50 on a new listing	correct — never shown as 0 or as bearish

The sources a field can need: **TV** (the scanner, every scan), **BARS** (daily bars), **EDGAR**, the research worker's market model / groups / 13F, **NEWS**, and **DESK** (computed from the above). Each O'Neil letter's full table carries its own `as_of` date, so the card can say how old each reading is (ONEIL.md).

---

6. Contracts

It reads	From
price, levels, ranges, volume, float, cap, sector	TradingView (DATA-SOURCES.md)
short interest, borrow	FINRA / Yahoo / Nasdaq, Alpaca
the O'Neil letters, as of the day	the research worker's facts (RESEARCH-WORKER.md)
the regime and sector read	the market reader (MARKET.md)
news and the catalyst	the news sources

It stores nothing of its own; the card's fields are frozen into the photo and the training rows (REGISTERS.md). The card is served by the tool's pages (PAGES.md).

---

7. When it fails

Event	What happens
a source fails	that field shows `unavailable` / "not fetched yet", with the reason; the rest of the card builds
an O'Neil letter is not computed yet	the CANSLIM fold's "Not shown:" line names the letter and why; never a 0
a value is honestly absent	it says so (`n/a (loss a year ago)`, "under 7 weekly bars"); never shown as a bad sign
TradingView sends misaligned columns	the whole scan batch is refused, so no card shows shifted values (SCREENERS.md)

---

8. Built on

The old desk: the card's layout and display rules in legacy/screeners/CARD.md; every field, its source and its legitimate blanks in legacy/screeners/CARD-FIELDS.md; the enrichment pipeline in legacy/screeners/DATA-PIPELINE.md.

What failed there:

ID	Fault	Prevented by
F-14	a missing input shown as zero	a missing input gives a missing output, and the card says why
—	the CANSLIM fold read qp's routes, so a card built while qp was down froze blanks	the letters read from the research worker's dated facts
—	longer-window highs were not split-adjusted, so a reverse split showed a false range	windows above a 10× jump are hidden, with the reason

9. Status

Part	Status
the card, its folds, the colour language, the honest-blank rule	**built** (legacy)
the CANSLIM fold reading the research worker's facts	**in shadow** (RESEARCH-WORKER.md); the cards still use qp's values until the switch
the score shown (the scorer is off on every tool today)	**to build** (LEARNING.md)