qp: the page and the print sheets

Above: QP.md §3 (the page).

Talks to:

- the front door, which brings it every request at `/quant/`;
- the library, the strategy engine, the backtest and signal alerts, which the page drives;
- the bar feeds, for the chart;
- the shared record, for the register browser.

---

1. What it is

qp's one page. Everything qp does, the trader reaches on one page at `/quant/`: a chart, a rail of buttons, and the section each button opens. The page holds no market math of its own — it draws what the library computes (LIBRARY.md), marks what the engine evaluates (STRATEGIES.md), and reads what the backtest and the shared record return.

Its working rule, kept from the old desk: **never trust a piece you have not seen.** Plot the indicator, test the condition, then compose the strategy.


What it owns: the layout, the controls, and the settings the browser remembers (the default feed is the one exception — it is saved on the box, FEEDS.md).

What it never does: compute an indicator, decide a signal, or place an order.

Print sheets belong to this document too: they render a register day, or any list of stocks, as charts and spreadsheets for review.

---

2. The diagram



On a phone the side panel and the More sheet slide over the chart; the rail can sit left of the chart or under the time axis (More → Tools).

3. Its parts

3.1 The header

Control	Does
Symbol	any ticker
TF	1m, 2m, 5m, 15m, 30m, 1h, 1d
▶ Live	re-computes on an interval over `/ws/live` and moves only the newest bar and indicator tips. Disabled while **As-of** is set (a past day is not live); moves only on feeds that are live (FEEDS.md)
☰ **Panel**	shows or hides the side panel
⚙ **More**	the chart settings sheet (§3.3)

3.2 The tools rail

Button	Opens
Chart	the settings sheet: type, scale, days, session, feed, as-of
Indicators	add an indicator, list and edit the ones drawn
⚡ **Strategy**	the strategy drawer (STRATEGIES.md)
Backtest	the backtest section (BACKTEST.md)
Register	what the tools found, by tool and day (§3.6)
🔔 **Alerts**	the live signal watcher (SIGNAL-ALERTS.md)
🖨 **Print**	print a register day as charts (§3.7)

3.3 Chart settings (⚙ More / Chart)

Setting	Options
Type	Candles, Bars, Line, Area, Heikin Ashi
Scale	Linear, Log, %
Labels	Clean (price only), or every indicator tagged on the scale
Tools	rail left of the chart, or under the time axis
Days	1–730 days of bars; warm-up for the indicators is added automatically
Session	All-day (extended hours) or Regular
Feed	yahoo, yahoo_ext, alpaca, polygon, hybrid, hybrid_yahoo (FEEDS.md); **make default** sets the feed every chart and backtest starts with
As-of	the replay cutoff: every bar after this date is hidden, so a setup is judged as it stood then. Blank = everything through today
⤢ **Fit all bars**	fit the whole range
Bar cache	how much disk it uses; delete all, or delete bars over two days old

3.4 The chart

- Candles with the chosen indicators: price overlays on the candles, oscillators (RSI, RVOL, ATR, slope) in their own pane, volume as a histogram underneath.
- Levels and support/resistance drawn as steps; session background bands; a New York time axis.
- A crosshair legend with OHLC and every indicator's value at that bar.
- After **Evaluate**: entry ▲ and exit ▼ markers, coloured by exit reason (stop, target, trail, rule, end of day), and the stop and target as the simulation used them (STRATEGIES.md).

3.5 Indicators

Pick a primitive from the verified library (LIBRARY.md), its length and source (close, open, high, low, hl2, hlc3, ohlc4, volume), **+ Add to chart**. **On the chart** lists what is drawn; **Selected** edits one indicator's parameters. Every primitive is offered, marked ✅ approved or 🚧 draft (all are approved today).

3.6 The register browser

What the tools froze, browsable by day. In the design this reads the **shared record** **as of a day**, not each tool's port over HTTP as it does today (QP.md §4):

- **Source and register:** one tool's R1 or shortlist, or all tools merged; the list names any tool whose history is missing and why, rather than coming back empty (fixed, L2-1).
- **Date,** then a card per stock: score, regime, sector, gap %, RVOL.
- Tap a card: the chart loads that ticker on that day's session.

3.7 Print sheets

For reviewing what the tools found the way a trader reviews charts: one chart per stock, printable, with the numbers behind it. Each sheet is a self-contained HTML page, so the browser's own print works, and each takes a register (a tool's R1 or shortlist, or all tools merged).

Sheet	Gives
day-trade sheet (`/api/r1/print`)	for every register day in a range, one chart per ticker over full extended hours (04:00–20:00 ET), from `days_before` trading days before (default 1) to `days_after` after; your timeframe (default 1m), feed and indicators; `cols` per row. Stops at **150 charts** and says so
swing sheet (`/api/r1/swing`)	one daily chart per ticker, a year (252 sessions) before the day the tool found it, that day marked, and every session since
the numbers (`/api/r1/csv` , `/api/r1/swing.csv`)	one row per bar: register day, symbol, time, session (pre/rth/post), OHLCV and one column per indicator, named as the legend names it; warm-up left empty, never zero. The swing CSV adds `phase` and `pct_from_found`
the cards (`/api/r1/cards.csv`)	every column the tool froze for each ticker that morning (score, RVOL, gap, ATR, regime, sector bias, catalyst): why it was on the list; no bar data needed
a pasted list (`/api/pairs/*`)	the same sheet and numbers for an explicit list of `symbol, date` pairs (a journal or review list), optionally with trades drawn; `/api/pairs/parse` shows how a pasted list will be read before anything is fetched

The 150-chart ceiling and the bar cache's limits are why a few afternoons of printing no longer fill the disk (FEEDS.md).

---

4. What changes from today

Change	Why
The register browser and print sheets read the **shared record as of a day**, not each tool's port over HTTP	a stopped tool needed the archive program; the shared record serves every tool's history, running or stopped (BACKTEST.md)
The **CANSLIM gate has a control** in the backtest section	it is API-only today (Q-N4, BACKTEST.md)
The strategy Stage help no longer says Ready means "trusted to place real orders from"	the desk places no orders (Q-N3)

5. Contracts

Served by `quant-platform/chart/static/index.html` and the routes in `chart/server.py`, behind the front door at `/quant/`.

Route	Does
`GET /`	the page (never cached)
`GET /api/chart`	candles and every indicator series (FEEDS.md)
`WS /ws/live`	the newest bar and indicator tips, on an interval
`GET /api/primitives`	every primitive, its parameters and approval (LIBRARY.md)
`GET /api/screener/sources`, `…/dates`, `…/register`	the register browser: which tools answer, their days, and a day's cards (reads the shared record)
`GET /api/r1/print`, `…/swing`, `…/csv`, `…/swing.csv`, `…/cards.csv`	the print sheets and their numbers
`POST /api/pairs/parse`; `GET /api/pairs/print`, `…/csv`	a pasted list of `symbol, date` pairs
`POST /api/settings/default-feed`	the default feed (FEEDS.md)

The strategy, backtest and alert routes are listed in their own documents.

6. When it fails

Event	What happens
a feed returns nothing	the chart says which feed and for which symbol; warm-up is left empty, never shown as zero
the shared record is down	the register browser and the print sheets say so and show no day; the chart still works (FEEDS.md bars are separate)
a tool's history is missing	the picker names the tool that did not answer, rather than coming back empty (L2-1)
a print run would exceed 150 charts	it stops at 150 and says so

7. Built on

The old desk: legacy/qp/PAGE.md (every control on the page) and the print sheets in legacy/qp/ALERTS-AND-PRINTS.md.

What failed there:

ID	Fault	Prevented by
L2-1	with a tool down, the date list came back empty without saying why	the picker names the source that did not answer
Q-N3	the Stage help says Ready means "trusted to place real orders from"	the text is corrected; the desk places no orders
—	registers read over HTTP from each tool's port; a stopped tool needed the archive	read from the shared record, as of a day
—	a few afternoons of printing filled the disk and stopped the box	the 150-chart ceiling and the bar cache's limits (FEEDS.md)

8. Status

Part	Status
the page, the chart, indicators, the strategy drawer, print sheets	**built** (legacy, kept)
the register browser reading the shared record	**built, off** (`quantRegistersMode`); today it reads each tool's port (BACKTEST.md)
the CANSLIM control in the backtest section	**to build** (Q-N4)
the Stage help text corrected	**to build** (Q-N3)