User guide

How to use the desk, page by page, and what it does on its own through the day. For *why* the screeners are built the way they are, read `METHODOLOGY.md`; for running the box, `deploy/README.md`.

Addresses below use the box's IP: `http://<box>:<port>/…` (today `51.20.92.202`).

Signing in

Every program asks for **one password**. Sign in once on any of them and all of them open for 30 days — the login cookie is shared across ports.

Sign out	add `/logout` to any address, e.g. `http://<box>:3000/logout`
Set or change the password	on the box: `./scripts/set-password.sh` (signs every browser out)
Forgot it	run the same command — it sets a new one
No password set yet	every program shows the sign-in page with the command to run

Five wrong passwords block that address for 15 minutes.

The pages

```
:3000/                    Landing page — the three programs
:3000/screeners           Screener Suite — every screener tool, with its state
:3000/screeners/manage    Manage tools — add, edit, start, stop, delete tools
:3000/screeners/compare   Compare — every screener against the benchmark
:<tool port>/scanner      A tool's own app (T1 :3000, T2 :3010, T6 :3050,
                          T7 :3060, T11 :3120)
:8765/                    qp — charts, strategies, backtests, alerts
:3100/                    Journal
```

The bar at the top of every page (**Chart · Screeners · Journal**) moves between the programs; ☀ switches high-contrast mode for reading outdoors.

Landing page — `:3000/`

The three programs and whether each is up. Start here.

Screener Suite — `:3000/screeners`

Every screener tool as a card: what it hunts for, its screeners, whether it is running, how many days it has collected, and which commit it runs. Tap a card to open that tool. Archived tools appear under a fold — stopped, with their registers still readable.

At the bottom, **Manage tools →** opens the tool controls.

Manage tools — `:3000/screeners/manage`

One place to run the tools themselves:

Button	Does
+ New tool	a new tool (up to 6 added), with its name, description, colour and times
Open ↗	the tool's own app
Pause / Resume	stops/starts its scanning; the process stays up
Scan now	one scan immediately
Start / Stop	the process itself
Edit	name, description, colour, **capture** and **entry** times
Delete	stops and hides the tool; its history is kept and can be restored from *Deleted tools*

The memory line says whether another tool fits on the box (each needs about 180 MB). During the market session, changed times apply after the close (16:50 ET), so a day is never measured with two clocks.

Only T1 carries these controls; the page says so if opened elsewhere. What each button does underneath: `docs/TOOL-LIFECYCLE.md`.

Compare — `:3000/screeners/compare`

Every screener's scorecard in one table, ranked against **Stocks in Play** (T9, the plain benchmark). A screener has to beat it by 5 points to count. Entry A or B is selectable. See *Reading the scorecard* in `METHODOLOGY.md`.

A tool’s app — `:<port>/scanner`

Tab	What it is
Screener	today’s cards. Each card: price and change, the screener that found it, pre-market and relative-volume bands, distances to its levels, catalyst and news, short interest and borrow, sector heat, the O’Neil CANSLIM letters and its industry group, and (when a scorer runs) the score. ★ shortlists it. Layout: `docs/CARD.md`; every field: `CARD-FIELDS.md`; where each value comes from: `docs/DATA-PIPELINE.md`
Market	folds: live indexes, the O’Neil market model (M — whether to be buying at all), desk analysis, the sector heatmap, industry groups (L). Every rule and threshold: `docs/MARKET-TAB.md`
Shortlist	this tool’s shortlist by date; **Copy to TradingView** gives a watchlist
Warehouse	the registers by date — R0 live, R1 the frozen photo, R2 market snapshots, R3A/R3B end-of-day, R4A/R4B merged training rows, Shortlist — with CSV/JSON export and a manual R3 capture. Every column: `docs/REGISTERS.md`
Analysis	the screener scorecard, model training and its status, R4 export and upload of external training data
Screeners	the screener builder: each screener’s filters, run window, mirror, on/off
Settings	this tool’s identity, data sources, hot-sector and sector-bias thresholds, the tradability floor (this tool’s own), the shortlist auto-rule, API keys, the scorer, backups. Every key: `docs/SETTINGS.md`; the data-source check: `docs/DATACHECK.md`
Monitor	every scheduled job, its schedule and last run (each can be paused or retimed), and the last scan’s stages. Every job: `docs/MONITOR.md`

qp — `:8765/`

A live chart with indicators (**+ Add to chart**), and a side panel (☰ **Panel**) with:

- **Register navigator** — pick a tool’s register and day, step through its tickers on the chart; a screener that is down is named.
- ⚡ **Strategy** — build, save and evaluate a strategy on the chart.
- **Backtest** — run a strategy over a register’s days; CSV and a full report.
- **Print R1 sheet** — one chart per register ticker for a day or range.
- 🔔 **Alerts** — watches today’s R1 and Shortlist against every saved setup and notifies on an entry signal.

`quant-platform/chart/README.md` covers the builder and its rules in depth.

Journal — `:3100/`

Tab	What it is
Overview	equity curve, win rate, expectancy, profit factor, payoff ratio, max drawdown, streaks, consistency
Calendar	P&L day by day
Time	results by day of week, entry price and position size, and the R-multiple distribution
Risk	a risk snapshot: drawdown, worst streak, payoff, fees, the R-multiple distribution
Stats	the full catalogue: per-trade and per-day averages, hold times, fees, best and worst
Setups	per setup: trades, average R, expectancy, equity
Trades	every trade: notes, tags, fees, setup
Import	files from TradingView, Trade The Pool, DXtrade; and **Alpaca accounts** — add one (key, secret, paper/live, how often) and its fills are fetched on that schedule and paired into trades

---

What happens on its own (New York time, weekdays)

Time	What
04:00–16:00, every 5 min	every card on screen re-quotes
04:00–09:00, every 30 min	discovery scans (pre-market screeners)
09:00–10:00, every 5 min	discovery scans
09:26–10:01	R2 market snapshots
per tool (09:36 … 10:16)	**R1 capture** — the day's photo, the only thing the model learns from (times on Manage tools)
10:00–16:00, every 15 min	discovery scans
shortlist rule time	the shortlist auto-rule
16:05	R3 end-of-day capture (how far each card ran)
16:20	model auto-train
16:50	changed tool times take effect
18:30 (22:30 UTC)	qp's nightly job: prices, market model, SIC industry map, group ranks
19:20 (23:20 UTC)	**backup to Cloudflare R2** — see `docs/BACKUPS.md`
every minute	the journal checks which Alpaca accounts are due a fetch

Each tool only scans inside its screeners' run windows; `METHODOLOGY.md` lists them.

When something looks wrong

You see	Look at
A tool reads offline	Manage tools — is it running? then `pm2 logs tool-T<n> --lines 50 --nostream` on the box
A blank field on a card	`CARD-FIELDS.md` — most blanks have a stated reason
qp has no days for a register	the navigator names a screener that is down
The sign-in page keeps coming back	the password was changed — sign in again
Last night’s backup	`pm2 logs r2-backup --lines 20 --nostream` — it ends `0 failure(s)`
Anything after a deploy	the deploy’s own summary: tools, qp, feeds, restarts, login

Open findings and decisions are in `docs/KNOWN-ISSUES.md`.