Trade Desk: the architecture

This is the top of the design. It says what the Trade Desk is, shows the whole of it in one picture, and explains each block of that picture in a few lines.

How to read the design. It is a tree. Each block in the picture has its own document one level down, and each part of a block has its own document below that. Every document names the one above it in its first line. Read this one first, then go down only into the branch you need.

Contents

1. What the desk is
2. What shapes the design
3. The whole desk, in one picture
4. The blocks
5. How the blocks share data
6. A trading day
7. Rules that apply everywhere
8. Running it
9. Where the build stands, and the way there
0. Decisions
1. Risks
2. The document tree
3. Words used here

---

1. What the desk is

The Trade Desk is a private research desk for one day trader. Each trading morning it finds the stocks worth looking at, using several screening methods side by side. It shows everything worth knowing about each of those stocks on one card. And it keeps an honest record of what each method found and how those stocks then moved, so the trader can learn which methods are worth trading.

It also charts and backtests trading rules, alerts the trader when a saved rule fires, and reviews the trader's real trades. **It never places an order.**

What it does

Job	The question it answers
Find	which stocks are worth looking at right now, by each of my methods?
Know	what is there to know about this stock today, on one card?
Read the market	should I be trading at all today, and where is the strength?
Learn	which methods find stocks that move?
Test	if I had traded this rule on what my methods found, what would have happened?
Review	how did my real trades go?

How it learns

The desk is a research instrument before it is a trading screen:

- **Each method is a tool.** A tool is one way of finding stocks, run as an experiment, with its own history. Tools never share results.
- **Each tool records what it found, once a day,** at a fixed minute in the first hour of trading.
- **After the close, the desk records how far each of those stocks moved.**
- **Over weeks, that record shows which tools find stocks that move,** against a plain benchmark tool that every other must beat.
- **Facts about the world are shared; results are not.** A fact (a stock's news, the market's trend) can label a card, but it never changes which stocks a tool finds.

How the record is taken and measured is described two levels down, in the documents of a running tool.

---

2. What shapes the design

What it must live with

Constraint	What follows
one trader	one login; no accounts or roles; simple beats scalable
one small server with 1 GB of memory	every program has a memory budget, and a tool must cost little
free data	free and public sources, two of them unofficial; each can change or fail without notice
New York hours	the desk works from 04:00 to the close on trading days, and the first hour after the open matters most
no orders	the desk finds, explains, measures and records; it never trades


What it must achieve, in order

When two goals pull against each other, the higher one wins.

1. **A true record.** What a tool records holds exactly what was known at that minute: nothing later leaks in, and nothing missing is guessed.
2. **No silent failure.** Anything that fails, or does not run, shows on one page and reaches the phone.
3. **Ready every morning.** A program that crashes restarts in seconds and loses nothing.
4. **Fits the server.** Every program stays inside its memory budget.
5. **One person can run it.** One command to deploy, one to restore, one page for its health.
6. **Every number explains itself.** Its source, its time and its meaning are one tap away.

---

3. The whole desk, in one picture



Some lines are left out to keep the picture readable: the scheduler also starts the work of qp and the journal; qp and the journal keep their own files; and the backup copies the shared record as well as the files.

Block	What it does	Its document
the box	the one server everything runs on	design/01-box/BOX.md
front door	the one address and the one login	design/02-front-door/FRONT-DOOR.md
desk	one program that runs every tool	design/03-desk/DESK.md
files on the box	where each program keeps what it records	design/04-files/FILES.md
qp	charts, strategies, backtests, signal alerts	design/05-qp/QP.md
research worker	the slow, heavy research: the O'Neil method	design/06-research-worker/RESEARCH-WORKER.md
journal	the trader's real trades, after the fact	design/07-journal/JOURNAL.md
data sources	everything the desk reads from outside	design/08-data-sources/DATA-SOURCES.md
shared record	the facts and copies more than one program needs	design/09-shared-record/SHARED-RECORD.md
backups	a copy of everything, off the box, every night	design/10-backups/BACKUPS.md
alerts	what reaches the phone, and the health page	design/11-alerts/ALERTS.md

How today's desk becomes this one: design/12-migration/MIGRATION.md.

---

4. The blocks

4.1 The front door

The trader reaches the whole desk at **one address**, from a phone or a laptop, with **one login**. The front door sends each request to the right program and keeps everything else closed to the outside. It holds nothing and computes nothing: if it stops, the desk keeps working, and only the pages are out of reach.

4.2 The desk

One program runs every tool. For each tool it finds the stocks, builds their cards, keeps the day's list, records what the tool found, and serves the tool's pages.

Its parts:

- **Home:** the landing page, the lists across all tools, and the page that adds, starts, stops and edits tools. Home belongs to the desk itself, so any tool can be stopped.
- **Running tools:** each one kept apart from the others inside the program, so no tool can see or change another's results.
- **Stopped tools:** what each one ever recorded, still readable.
- **The market reader:** one read of the market for every tool, kept with its history.
- **The scheduler:** the only clock of the whole desk. It runs every timed job, including the work of the other programs, and records every run.

Why one program. A tool costs the desk a little memory instead of a whole program; there is one clock, so nothing runs twice; and nothing a page shows has to be copied between programs (§10).

4.3 Files on the box

Each program keeps what it records in **its own files on the box**, and every file has **exactly one program that writes it**. Each tool's results are kept in that tool's own file, so the desk works without the network and the tools stay apart.

4.4 qp

The chart and backtest program, kept as it is because it is the best-built part of the old desk:

- a library of indicators, each checked against TradingView;
- the chart;
- a builder for trading rules;
- the backtest of a rule on the stocks the tools found, on the days they found them;
- signal alerts when a saved rule fires on today's stocks, on its page and on the phone.

It has no clock of its own: the desk's scheduler starts its alerts. It reads the tools' history from the shared record.

4.5 The research worker

A job the scheduler starts, which does the slow, heavy research of the O'Neil method (earnings, relative strength, industry groups, the market's trend), writes its results with their dates into the shared record, and exits. It is the only writer of that research, and no page ever waits for it.

4.6 The journal

The trader's real trades, after the fact: from the broker's records, from uploaded files, or typed in. It turns them into complete trades, measures them, and keeps the trader's notes. It has its own program and file, because it shares nothing live with the tools.

4.7 Outside the box

Block	What it is
data sources	TradingView's scanner, Yahoo, Alpaca, SEC EDGAR and others. Each is reached through one piece of code that knows its limits, and that says "unavailable, because …" rather than guessing
shared record	a database for what more than one program needs: facts about the world with the time they became known, the O'Neil research, and a copy of every tool's records
backups	every night, a copy of every file and of the shared record goes to cloud storage, and is checked by restoring it. One command puts a night back
alerts	anything that fails reaches the phone once, and its recovery once. A check from outside the box says when the desk itself has stopped. One page shows the health of everything

---

5. How the blocks share data

5.1 Three kinds of data

Kind	Example	Rule
facts about the world	a stock's short interest; the index's close; a company's quarterly earnings	shared by every tool; stored once, with the time it became known and its source
results of a method	what a tool found this morning, and how those stocks moved	belong to one tool; never shared, never mixed
the trader's records	strategies, backtests, trades, notes, settings	belong to the trader; changed only by the trader

5.2 Where each lives

Data	Lives in	Written only by
each tool's results, its screeners and its settings	the tool's own file, with a copy in the shared record	the desk
the market's history	the desk's own file, with a copy in the shared record	the desk
facts about stocks	the shared record	the desk, each kind of fact through its own source
the O'Neil research	the shared record	the research worker
strategies and backtests	qp's file	qp
trades and notes	the journal's file	the journal
keys and passwords	protected files on the box, never copied anywhere	the trader

One writer for each. No two programs write the same file or the same kind of fact, so nothing is overwritten by surprise.

5.3 Every fact carries its time


A fact records what it describes, its value, its source, and **when the desk learned it**. A fact that could not be had says so, with the reason. That is what keeps the record true:

- a tool's morning record holds the facts known at its minute;
- a backtest sees only the facts known before each decision;
- a journal trade sees only the facts known at its entry.

5.4 Time

Every instant is stored in universal time and shown in New York time. One trading calendar, with its holidays and half days, serves every block. Ages and look-backs are counted in trading days, so a weekend never looks like missing data.

6. A trading day



When (New York)	What happens	Who
before the first scan	every outside source is checked	the scheduler
04:00 to the close	each tool scans at its pace, cards what it finds, and keeps its cards fresh	the desk
in the first hour	each tool records the stocks it has found, at its own minute	the desk
through the session	saved trading rules are checked against today's stocks, and alerts sent	the scheduler, qp
after the close	how far each recorded stock moved	the desk
the evening	the O'Neil research for every stock the tools have seen	the research worker
when the research ends	a backup of everything, checked	the scheduler
all day	the trader's real trades come in from the broker	the scheduler, the journal

The exact times of every job: the desk's scheduler (design/03-desk/DESK.md).

6.1 When something goes wrong

Event	What happens
a source fails	the facts it gives show "unavailable, because …", and the cards still build. The health page turns red, and the phone is told
the desk crashes	it restarts in seconds, and every tool's list comes back from its file. A record whose minute passed while it was down is marked missed, never taken late as if on time
the desk does not come back	the check from outside the box tells the phone
the research fails	each step reports on its own. Facts keep their dates, so a card says how old they are
the shared record is down	each tool keeps working from its own file; the copies catch up later
qp or the journal is down	the desk carries on; the phone is told
the server is lost	a new one is set up, and one command restores last night's backup

7. Rules that apply everywhere

Each document applies these to its own block. Each was learned from a fault on the live desk.

Rule	Means
honest gaps	a missing value says it is missing, and why; it is never shown as 0, as "no", or as a bad sign
no hindsight	every number uses only what was known at its moment
a label, never a filter	shared facts describe a card; they never change which stocks a tool finds
one writer	every file and every kind of fact has one program that writes it
results stay apart	one tool's results never reach another
one definition	each calculation is written once, in one place
versions	a screener or a model that changes gets a new version, and every record says which version made it
checked on save	a setting that cannot work is refused when saved, with the reason
failures are loud	a job that fails or does not run reaches the phone
one record, at its minute	a tool's daily record is taken only at its minute; a missed one is marked, never faked
no overlap	a job never runs twice at once
trading days, not hours	ages and look-backs are counted on the trading calendar
proven before it ships	every change passes the tests; every move is compared with what it replaces before the old part stops
secrets stay put	keys never appear in a reply, a log, the code or a backup

The faults behind each rule are named in the block documents.

---

8. Running it

The box is one small cloud server with 1 GB of memory and a swap file. Today the desk's programs leave it almost nothing spare; one program for every tool frees most of that memory.

One supervisor keeps every program running, restarts it if it stops, and holds it to its memory budget. **One command** deploys a new version: it backs everything up, restarts the programs in order, checks each one, and stops at the first failure.

Backups go off the box every night and are checked by restoring them. One command puts a night back, and a monthly rehearsal proves it works. Keys are never in a backup: the trader keeps their own copy.

Detail: design/01-box/BOX.md and design/10-backups/BACKUPS.md.

---

9. Where the build stands, and the way there

On 2026-10-08, the data half of the plan is built and deployed: the shared record, the research worker, run history and alerts, verified backups, the one address. Most of it runs **in shadow**: beside the old way, compared with it, with nothing depending on it yet. The program half is next.

Block	Today
front door	built; the one address and login work, but the domain and closing the other ports are not done
desk	being built: the way one program holds several tools is built; the tools still run as five separate programs
files on the box	built
qp	mostly built; reading the tools' history from the shared record is built but off
research worker	built, in shadow; the cards still use qp's numbers
journal	mostly built; stops and the snapshot of each trade's entry are not
data sources	partly behind their own code; the rest moves with the desk
shared record	built, in shadow
backups	built
alerts	the phone works for the most important jobs; the health page is not built

The way there. Six steps. Each ships on its own, keeps the desk working, is compared with what it replaces, and can be undone.

Step	What
A	the desk program starts, serving the stopped tools; the old archive program stops
B	the desk takes the running tools, one at a time, each only after a week in which it records exactly what the tool's own program records
C	one scheduler for everything; the old timers are retired
D	the shared facts and the one market read are switched on, each when its comparison is clean
E	the health page, scorecards, live pages, phone-first pages
F	a model to rank each tool's stocks, when the trader chooses one

Detail, with each step's check and undo: design/12-migration/MIGRATION.md.

---

10. Decisions

Decision	Decided
how the tools run	**one program for every tool** (by the trader, 2026-10-08). The earlier plan, two programs (one for the pages, one for the jobs), would have had to copy everything a page shows between them all day, and would have loaded the code twice. Why in full: design/03-desk/DESK.md
where a tool's results are kept	in the tool's own file on the box, with a copy in the shared record. A record kept only in a remote database would make every scan and every page depend on the network
the database	Postgres, for the shared record
where the shared record lives	**open**: on Railway for now. It could move onto the box or to AWS; moving is one restore. The trader decides
the server	the 1 GB server; a 2 GB one would remove the squeeze
the address	a free domain name with its own certificate
alerts to the phone	ntfy: faults on one channel, signal alerts on another; a free outside check for when the desk itself stops
the language	JavaScript for the desk and the journal, Python for qp and the research. No rewrite: it adds risk without a trading gain
merging identical scans across tools	dropped: every tool's screeners differ, so there is nothing to merge
one tool's daily record time (T6)	**open**: its record is taken before its screener starts looking. Move the record later, or start the screener earlier: this decides what the tool measures
a model	prepared, not built; the trader may choose one later

11. Risks

Risk	What contains it
TradingView's scanner is unofficial and could change or refuse the desk	one piece of code reaches it and refuses a changed answer; it is checked before every day; the desk says plainly when it cannot see
free data has limits (some sources are a day behind, thin, or slow)	each source's code states its limits; the desk falls back where it can and says when it cannot
one program for every tool: a crash stops them all	it restarts in seconds; nothing is lost; a missed record is marked and the phone is told
one server, no spare	nightly backups, checked; a restore in one command, rehearsed monthly; the shared record holds a copy of every record
memory on a 1 GB server	a budget for every program, enforced; the heavy research runs in the evening, when nothing else does
a source that is confidently wrong	sources are cross-checked where they overlap, and every fact keeps its source

12. The document tree

Read from the top. Each document names the one above it in its first line, and has its own diagram.

```
ARCHITECTURE.md ................................. the whole desk (this document)
│
├── design/01-box/BOX.md ......................... the box: memory, supervisor, deploy,
secrets
├── design/02-front-door/FRONT-DOOR.md ........... the address, the login, routing
├── design/03-desk/DESK.md ....................... the desk: one program, each tool kept apart
│   ├── design/03-desk/WEB.md .................... how a page reaches its tool
│   ├── design/03-desk/HOME.md ................... the landing page, the lists across tools,
Manage tools
│   ├── design/03-desk/TOOL.md ................... one running tool, end to end
│   │   ├── design/03-desk/tool/SCREENERS.md ..... its screeners and how it finds stocks
│   │   ├── design/03-desk/tool/CARD.md .......... the card: every field and its source
│   │   ├── design/03-desk/tool/REGISTERS.md ..... its daily record and the outcomes
│   │   ├── design/03-desk/tool/LEARNING.md ...... the score and the scorecard
│   │   └── design/03-desk/tool/PAGES.md ......... its pages
│   ├── design/03-desk/STOPPED-TOOLS.md .......... a stopped tool's history
│   ├── design/03-desk/MARKET.md ................. the market read
│   └── design/03-desk/JOBS.md ................... the scheduler, job by job
├── design/04-files/FILES.md ..................... every file on the box and its writer
├── design/05-qp/QP.md ........................... qp
│   ├── design/05-qp/CHART.md .................... the page and the print sheets
│   ├── design/05-qp/LIBRARY.md .................. the checked indicators
│   ├── design/05-qp/STRATEGIES.md ............... trading rules and how they become trades
│   ├── design/05-qp/BACKTEST.md ................. the backtest
│   ├── design/05-qp/SIGNAL-ALERTS.md ............ signal alerts
│   └── design/05-qp/FEEDS.md .................... price bars
├── design/06-research-worker/RESEARCH-WORKER.md .. the research worker
│   └── design/06-research-worker/ONEIL.md ....... the O'Neil method, letter by letter
├── design/07-journal/JOURNAL.md ................. the journal
│   ├── design/07-journal/IMPORT.md .............. how trades come in
│   └── design/07-journal/REVIEW.md .............. the page and the analysis
├── design/08-data-sources/DATA-SOURCES.md ....... every outside source
├── design/09-shared-record/SHARED-RECORD.md ..... the shared record
├── design/10-backups/BACKUPS.md ................. backup and restore
├── design/11-alerts/ALERTS.md ................... alerts and the health page
└── design/12-migration/MIGRATION.md ............. from today's desk to this one
```

Where to read them. Each document has a PDF in pdf/, in the same tree, and pdf/DESIGN.pdf holds them all in this order. The index, with what is written so far: design/README.md.

Every document has the same parts: its place in the tree; what it is; its diagram; its parts; what it owns and reads; what happens when it fails; what it is built on; and its status.

What the design is built on. The desk that runs today, documented from its code under legacy/: every card field and its source, every calculation, the research method, the O'Neil method and the journal. Each block document names the faults of the old desk that its design prevents. The first design, which this tree replaces, is kept in archive/design-v1/ until the tree carries everything in it.

---

13. Words used here

Word	Meaning
desk	the one program that runs every tool
tool	one way of finding stocks, run as an experiment, with its own history
screener	one question a tool asks TradingView's scanner, such as "stocks up 5 % on heavy volume"
card	everything the desk knows about one stock on one day
benchmark	a plain tool that every other tool must beat
fact	one thing known about a stock or the market, with its source and the time it became known
shared record	the database for what more than one program needs
qp	the chart and backtest program
research worker	the job that does the O'Neil research, then stops
O'Neil method	William O'Neil's way of reading stocks and the market (CANSLIM)
in shadow	built and running beside the old way, compared with it, but nothing depends on it yet