The desk: the market reader

Above: DESK.md §4 (the market reader).

Talks to:

- every running tool, which asks it for the market state once per scan;
- the data sources: the indexes and the 15 sector ETFs from TradingView;
- the research worker, the only writer of the O'Neil market model (M) and the industry groups (L);
- the shared record and the desk's own file, where the market history (R2) lives.

---

1. What it is

One read of the market for every tool. On each scan the desk reads the market once — the indexes, the regime, the short-, mid- and long-term reads, the 15 sectors and the hot ones — and stamps that one read onto every card of every tool. It keeps the read with its history, and it **reads** (never computes) the O'Neil market model (M) and the industry groups (L) that the research worker writes.

Two systems sit side by side, kept apart on purpose:


System	Built by	Answers
the desk's read	the market reader, on every scan	what the tape is doing right now (indexes, regime, sectors)
O'Neil's method	the research worker, after each close	should you be buying at all, and where the leadership is (M, L)

What it owns: the market read, and its history (R2) in the desk's own file.

What it never does: compute M or L (the research worker does), or change which stocks a tool finds — the market is a **label, never a filter**.

---

2. The diagram



3. Its parts

3.1 The read, once per scan

Read from TradingView's scanner: SPY, QQQ, IWM, DIA, VIX and 15 sector ETFs, with their close, change, weekly change, moving averages, Bollinger bands, ADX, VWAP and relative volume. One read per scan is shared by every tool — the old desk read the same ETFs five times a scan, minutes apart (DESK.md §7). **No regime rather than a wrong one:** if SPY and QQQ are both incomplete, the scan records no regime and the cards keep no made-up bearish context (D-S2).

3.2 The desk's read: indexes, bias, regime, sectors

- **Indexes:** SPY, QQQ, DIA, IWM, VIX — price, change today, change on the week.
- **Short-term bias:** a score over the indexes and VIX, bucketed bullish / neutral / bearish, with each signal shown.
- **Mid-term stage** (uptrend / pullback / rebound / sideways / downtrend) from the moving-average structure, and **long-term bias** from the 50- and 200-day (golden cross and price against the 200-day).
- **The regime:** long-term × mid-term, with a Bollinger overlay, giving a named regime and a stance (long / neutral / short), and a confidence from whether the terms agree.
- **The sector heatmap:** the 15 ETFs scored (moving-average and VWAP checks, relative strength to SPY, an ADX factor), banded bullish / neutral / bearish, with the **hot** ones marked — hot at once above a high score, or after several days above a sustained one, cooling off after days below a floor. The hot-sector state is kept in the desk's file, so a restart no longer forgets it (DESK.md §7).

3.3 O'Neil's method: M and L, read not computed

The **market model (M)** — the confirmed-uptrend / under-pressure / correction state over the S&P 500 and Nasdaq Composite, with distribution days and follow-throughs — and the **industry groups (L)** are the research worker's facts (ONEIL.md). The market reader reads the latest `oneil_m` (final or provisional) and `group_ranking` and shows them on the Market tab and on each card. It computes no part of them, and a missing file makes the tab say "not built yet · last run DATE" rather than triggering a build inside a page request (RESEARCH-WORKER.md §6).

3.4 Stamped on every card, kept as history

The one read is stamped onto every card's market context (regime, the three terms, the sector read). It is kept with its history in the desk's own file as **R2** — the market at fixed minutes around each tool's photo (09:26, 09:31 … 10:01) — so a photo records exactly the market of its minute. The M fact is carried **as it was**, not re-read at export time, so an old R2 day shows the status of that day, not today's (D-D3).

---

4. Contracts

It owns	Form
the market read	made once per scan, in the desk's context
the market history (R2)	the desk's own file (FILES.md §3.2)

It reads	From
index and sector ETF quotes	TradingView (DATA-SOURCES.md)
`oneil_m` (final or provisional), `group_ranking`	the research worker, through the shared record

It copies	To
each market state	the shared record, so qp and the journal read the market as of a day (SHARED-RECORD.md)

The full field list of the Market tab and R2, and every regime and sector threshold, is in tool/REGISTERS.md and the card document tool/CARD.md.

5. When it fails

Event	What happens
SPY and QQQ are both incomplete	no regime this scan; the cards keep no context, never a made-up bearish one (D-S2)
the O'Neil model file is missing	the tab says "not built yet · last run DATE"; no build runs in the page request
the research worker has not run	M and L keep their dates; the desk's own read still works
the desk restarts	the hot-sector state comes back from the desk's file, not forgotten

6. Built on

The old desk: the Market tab, built by each tool on every scan, in legacy/screeners/MARKET-TAB.md; the market snapshots (R2) in legacy/screeners/REGISTERS.md.

What failed there:

ID	Fault	Prevented by
—	the market was read five times a scan, by five tools, minutes apart	one read per scan for every tool
—	the hot-sector state lived in memory and was forgotten on every restart	kept in the desk's own file
D-S2	an incomplete read could produce a made-up regime	no regime rather than a wrong one
D-D3	R2's O'Neil status was read at export time, so an old day showed today's status	the M fact carried as it was
—	a missing O'Neil file made the tab ask qp to build it in a page request	pages only read; the research worker writes

7. Status

Part	Status
the desk's read (indexes, regime, sectors), built per scan	**built** (legacy, per tool)
one read per scan for every tool, stored once, with its history	**in shadow** (step 6): one read stored per scan; each tool still reads its own
M and L read from the research worker's facts	**in shadow** (RESEARCH-WORKER.md); the cards still use qp's values until the switch