The screener tools


The first program on the desk. Each **tool** watches the US market through its own set of TradingView screeners, turns every match into a **card** with everything known about the stock, freezes a **photo** of its cards once a day, measures how far each card moved afterwards, and keeps all of it as that tool’s own history. The aim is to learn, with evidence, **which screeners find stocks that move**.

Eleven tools are registered; five run today (T1, T2, T6, T7, T11). Stopped tools stay readable.

Read in this order

#	Document	Answers
1	METHODOLOGY.md	the research method, and what each tool hunts for and why
2	PAGES.md	every screen: the suite page, the comparison, the eight tabs of a tool
3	CARD.md	the card, top to bottom, and its display rules
4	CARD-FIELDS.md	every field on a card, its source, and when a blank is legitimate
5	DATA-PIPELINE.md	where every number comes from: each source and each processing stage
6	REGISTERS.md	what is frozen each day (R0–R4, shortlist), every column
7	MARKET-TAB.md	the Market tab: indexes, O’Neil model, regime, sectors, groups
8	SCREENER-BUILDER.md	how a screener is defined, checked, mirrored and sent to TradingView
9	SETTINGS.md	every setting: default, accepted values, what reads it
10	MONITOR.md	every scheduled job and the Monitor tab
11	DATACHECK.md	the data-source check: what makes a source ok, degraded or down
12	TOOL-LIFECYCLE.md	adding, starting, pausing, stopping, deleting tools
13	DATA-MODEL.md	every table and file a tool keeps, and what survives a restart
14	API.md	every route a tool answers
15	SCRIPTS.md	the helper scripts and the question each answers
16	SCORING-TODAY.md	today’s score and scorecard, and why not to copy them
17	IDEAS.md	the intent for the rebuilt score, builder and scorecard
18	KNOWN-ISSUES.md	every open finding, and what was fixed

A tool’s day, in one picture



Rules a rebuild must keep

Each comes from a failure or a decision recorded in these documents.

The research method

1. **One photo a day per tool**, at a minute when its screeners can have found something. Only the photo is training data (METHODOLOGY.md, REGISTERS.md).
2. **Outcomes in ATR from fixed entry minutes** (A and B), the same good-move line everywhere (1.3 ATR) (IDEAS.md).
3. **Each tool is its own experiment**: its own screeners, registers, shortlist and model. Shared facts are labels, **never filters** (DATA-PIPELINE.md).
4. **No look-ahead**: every stored value is what was known at that minute.
5. **Judge screeners by the move, not a trade**, with consistency across days deciding, against the tool's own baseline, the benchmark and the mirror (SCORING-TODAY.md, IDEAS.md).

The data 6. **Missing is not zero, and not bearish.** A blank says why (CARD-FIELDS.md). 7. **One writer per shared fact**; when two sources exist, both are kept with a stated priority (the F-21 lesson, KNOWN-ISSUES.md). 8. **Check content, not "it answered"** (DATACHECK.md). 9. **The tradability floor is one setting applied to every screener at scan time**, with named exceptions (SCREENER-BUILDER.md).

The definitions 10. **A screener's key never changes**; definitions should be **versioned**, so a frozen day records the rules that produced it. 11. **Times are checked against each other when saved** (capture vs windows, the D-S9 case). 12. **No code silently rewrites a definition** (the D-S10 lesson).

Running it 13. **Nothing important lives only in memory**: live cards, hot-sector state and job history survive a restart (DATA-MODEL.md). 14. **Every scheduled job has a history and an alert when it fails or does not run** (MONITOR.md). 15. **Stopped tools stay fully readable**, scorecard included (the D-S14 lesson) (TOOL-LIFECYCLE.md).

What not to copy

- today's **score** and the **scorecard's up-only grading** (SCORING-TODAY.md);
- settings that are accepted but never read, and help text that disagrees with the code (SETTINGS.md);
- the open items in KNOWN-ISSUES.md.

Elsewhere

qp (charts, strategies, backtests, the CANSLIM calculations behind the card's O'Neil fold) is in …/qp/, the journal in …/journal/, and how the programs connect today (login, backups, deploy, shared files) in …/architecture/ARCHITECTURE.md. The new design built on all of it is the trunk.