








Command Prompt



Cisco Packet Tracer PC Command Line 1.0

C:\>ping 192.168.10.200

Pinging 192.168.10.200 with 32 bytes of data:

Reply from 192.168.30.1: Destination host unreachable.

Reply from 192.168.30.1: Destination host unreachable.

Reply from 192.168.30.1: Destination host unreachable.

Reply from 192.168.30.1: Destination host unreachable.

Ping statistics for 192.168.10.200:

Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>



Top



IOS Command Line Interface

```
Hospital-Router#configure terminal
```

```
Enter configuration commands, one per line. End with CNTL/Z.
```

```
Hospital-Router(config)#hostname TEST
```

```
TEST(config)#hostname Hospital-Router
```

```
Hospital-Router(config)#exit
```

```
Hospital-Router#
```

```
*Mar 02, 09:45:06.4545: SYS-5-CONFIG_I: Configured from console by console
```

```
Hospital-Router#
```

```
Hospital-Router#show ip interface brief
```

Interface	IP-Address	OK?	Method	Status	Protocol
GigabitEthernet0/0	unassigned	YES	unset	up	up
GigabitEthernet0/0.10	192.168.10.1	YES	manual	up	up
GigabitEthernet0/0.20	192.168.20.1	YES	manual	up	up
GigabitEthernet0/0.30	192.168.30.1	YES	manual	up	up
GigabitEthernet0/0.40	192.168.40.1	YES	manual	up	up
GigabitEthernet0/1	unassigned	YES	unset	administratively down	down
GigabitEthernet0/2	unassigned	YES	unset	administratively down	down
Vlan1	unassigned	YES	unset	administratively down	down

```
Hospital-Router#
```

```
Hospital-Router#
```

```
Hospital-Router#
```

```
Hospital-Router#
```

```
Hospital-Router#
```

```
Hospital-Router#
```

```
Hospital-Router#
```

```
Hospital-Router#
```

```
Hospital-Router#
```

[Copy](#)[Paste](#)[Top](#)



Floor1-Switch



Physical Config CLI Attributes

IOS Command Line Interface

```
Floor1-Switch>ena
Floor1-Switch#
Floor1-Switch#
Floor1-Switch#
Floor1-Switch#show port-security
Secure Port MaxSecureAddr CurrentAddr SecurityViolation Security Action
              (Count)          (Count)          (Count)
-----
      Fa0/1          1           1           0      Shutdown
      Fa0/2          1           1           0      Shutdown
      Fa0/10         1           0           0      Shutdown
-----
Floor1-Switch#
Floor1-Switch#
Floor1-Switch#
Floor1-Switch#
Floor1-Switch#
Floor1-Switch#
Floor1-Switch#
Floor1-Switch#
Floor1-Switch#
Floor1-Switch#
Floor1-Switch#
Floor1-Switch#
Floor1-Switch#
Floor1-Switch#
Floor1-Switch#conf t
```

Copy

Paste

SERVICES

HTTP

DHCP

DHCPv6

TFTP

DNS

SYSLOG

AAA

NTP

EMAIL

FTP

IoT

VM Management

Radius EAP

PRP

Syslog

Syslog

Service

☒ On ☐ Off

	Time	HostName	Message
1	03.02.1993 09:45:06.103 AM	192.168.30.1	%SYS-5-CONFIG_I: Configured ...

Clear Log



Laptop0



Physical Config **Desktop** Programming Attributes

IP Configuration

X

Interface **Wireless0**

IP Configuration

☒ DHCP

☐ Static

DHCP request successful.

IPv4 Address

192.168.40.11

Subnet Mask

255.255.255.0

Default Gateway

192.168.40.1

DNS Server

0.0.0.0

IPv6 Configuration

☒ Automatic

☐ Static

Ipv6 request failed.

IPv6 Address

Link Local Address

FE80::2D0:BCFF:FE1D:3B23

Default Gateway

DNS Server

☐ Top