

Operator Strategic Report

Clinical Intelligence & Insights

The low compliance rate of 0.0% in antimicrobial usage for the operator highlights a critical gap in adherence to established antimicrobial stewardship protocols, which may pose a significant risk to both animal health and public safety. With only one treatment recorded among 800 animals, there is an urgent need for targeted training and resources to ensure responsible use of antimicrobials, especially in the context of the avian and bovine species mix. Addressing these concerns will be vital to mitigate potential risks of antimicrobial resistance and ensure the safety and health of both livestock and consumers.

4

800

0.0%

0

Total Farms

Supervized Animals

Compliance Rate

Under Quarantine

Livestock Overview & Diversity

Species Type	Number of Flocks
Avian (Poultry/Birds)	3 active cohorts
Bovine (Cattle)	1 active cohorts

Antimicrobial Usage (Top Molecules)

Molecule Name	Usage Frequency
Amoxicillin	1 logs recorded

Operator Strategic Report

Critical Safety Alerts (Upcoming Harvests)

Flock Tag	Species	Last Molecule	Safe Harvest Date	Risk Level
-----------	---------	---------------	-------------------	------------

No flocks currently under withdrawal period.

Operator Strategic Report

Detailed Stewardship Log (Recent Activity)

Date	Target	Molecule	Dosage	Reason	Status
------	--------	----------	--------	--------	--------

2026-03-20	F001-FLK01	Amoxicillin	N/A	Enteric	pending
------------	------------	-------------	-----	---------	---------

Notice: This report is generated by the AMU Intelligence Engine. Data is based on treatment logs entered by Data Operators and approved by licensed Veterinarians. Always verify physical flock status before harvesting. This document is intended for professional use and regulatory compliance tracking.