AI AUTOMATION ENGINEER

PROJECT PROOF BOOK

Systems that remove repeated work, keep humans in control, and leave evidence behind.

63
owned repositories audited

29
audited groups mapped

23
recruiter-safe families shown







EMPLOYMENT TRUTH Official employment title at Medmac: Information Systems Developer · Focused specialization: AI Automation Engineer.

POSITIONING AI Automation Engineer

DELIVERY METHOD Spec-driven and AI-assisted. Mohamed owns requirements, product decisions, review, verification, and operation.

PRIVACY Each repository page uses an actual GitHub repository header crop plus an authenticated API-verified safe card with owner, visibility, branch, tree, language and push date, followed by a sanitized editorial audit summary. Source code, commit messages, private filenames, and customer or staff identities and records are removed. Aggregate operational metrics and public company collateral are explicitly labeled.

Portfolio↗ GitHub↗

01 WORKFLOW AUTOMATION · MEDMAC

Medmac Automation Stack

> **Medmac ops · Fragmented leads, CVs and RFQs · Three governed, traceable workflows.**

GITHUB OWNERSHIP PROOF · Related product repository · Marketing Automation



Actual repository header crop + authenticated API-verified safe proof card. Private source, commit text, internal filenames and business data are excluded.

PRODUCT SCREEN + PUBLIC CASE STUDY



One view for pipeline status, priorities and offers.



Public case study keeps the three-workflow operating model inspectable.

VERIFIED PROOF

CRM: 200+ contacts, 45 active leads, 22 offers, 0 recorded closures. HR: 142 CVs → 100 deduplicated records, 2 hires. RFQ: 23 tenders consolidated; 4 live tenders recovered.

HONEST BOUNDARY

No revenue claim. Engineering owned pricing and closing. Product screens are aggregated/redacted. The GitHub card proves the related Marketing Automation app, not the separate CRM/HR/RFQ metrics.

Public case study ↗

ROLE Mohamed: requirements, product decisions, operator/reviewer/verifier · Implementation AI-assisted.

REPO FAMILY marketing-automation

02 AI OPERATIONS · PUBLIC

RelayOps — AI Automation Command Center

Retail ops teams · Scheduled jobs fail silently · Retries, audit rows, alerts, and a signed edge other systems call.

GITHUB OWNERSHIP PROOF · Primary product repository



Actual repository header crop + authenticated API-verified safe proof card. Private source, commit text, internal filenames and business data are excluded.

PRODUCT / DEMO SCREENS



Live runs, owners, alerts and evidence in one control plane.



Operators build and schedule workflows without editing code.



Hosted classification is optional; offline fallback stays deterministic.

VERIFIED PROOF

v1.2.0. 121 tests green on Python 3.9 and 3.14 with a test that fails if the runtime imports anything outside the standard library. A hand-authored OpenAPI 3.1 document covering 33 paths, checked against the router in both directions. Webhooks signed with HMAC-SHA256 in and out, replays refused, deliveries retried and dead-lettered rather than lost. Three n8n workflows are imported into a real n8n container and executed by CI on every push.

HONEST BOUNDARY

Every business record is synthetic and connectors are local adapters. The 161.9-minute figure is a demo estimate from editable inputs, not a client outcome. Slack posts to a labelled fixture until a real incoming-webhook URL is configured.

Public case study ↗

ROLE Mohamed: requirements, product decisions, operator/reviewer/verifier · Implementation AI-assisted.

REPO FAMILY ai-automation-command-center

02 SHIPPED SINCE THIS PAGE WAS WRITTEN · AI OPERATIONS · PUBLIC

RelayOps — AI Automation Command Center — updates

Appended automatically from the showcase ledger on the day each improvement shipped. Same rules as every page: measured proof, an honest boundary, real pixels of the live result.



the new Webhooks screen on a live server carrying real traffic: four inbound receipts with one replay refused, an outbound outbox where eight events …

2026-09-06 RelayOps — v1.2 gives the control plane a signed integration edge

RelayOps can now be driven and observed from outside its own process — a versioned `/api/v1` with scoped API keys and a hand-authored OpenAPI 3.1 contract, HMAC-SHA256 webhooks in both directions with idempotent receipts and a retrying outbox, three real n8n workflows, a Slack connector, a Docker image, Prometheus metrics and JSON logs — while the application runtime is still standard-library only, and a test now …

VERIFIED PROOF

`python3 -m unittest discover -s tests` → `Ran 121 tests` / `OK`, measured on Python 3.9.25 and 3.14.6 (up from 56 tests). Every new gate was shown RED on a sabotaged copy before it was shown green — including the n8n end-to-end check, which was given the wrong signing secret and answered `signature_invalid` with exit 1. Live, against `docker compose up`: an order posted at n8n's production webhook arrived signed and became RelayOps run `success` with 6 row results; a forced workflow failure raised alert 6, whose …

HONEST BOUNDARY

there is no Slack workspace attached to this repository, so with no `SLACK_WEBHOOK_URL` the Block Kit message is built and stored as a receipt the UI labels **fixture — the message is real, the transport is not, and the interface says which. The business data stays synthetic and every page says so. The browser UI keeps using the unauthenticated same-origin `/api/*` surface from v1.1, which is deliberately not part …**

03 LOCAL AI · HUMAN APPROVAL

Career Autopilot

> **Job seekers · Search and tailoring are fragmented · Local preparation with a mandatory send gate.**

GITHUB OWNERSHIP PROOF · Primary product repository



Actual repository header crop + authenticated API-verified safe proof card. Private source, commit text, internal filenames and business data are excluded.

PUBLIC CASE-STUDY VIEW



Master profile → dedupe → tailor → review; nothing sends without a click.

VERIFIED PROOF

TypeScript, Claude Agent SDK, SQLite and Playwright. Consent is part of the architecture. Zero automatic sends.

HONEST BOUNDARY

The repository is private; runtime personal data and account boundaries stay local. No personal record is shown.

Public case study ↗

ROLE Mohamed: requirements, product decisions, operator/reviewer/verifier · Implementation AI-assisted.

REPO FAMILY career-autopilot + job-apply-engine

04 OLLAMA · ENCRYPTED LOCAL VAULT

LifeOS — Private Local AI

Privacy-sensitive users · Personal AI data should stay local · Encrypted on-device retrieval with citations.

GITHUB OWNERSHIP PROOF · Primary product repository



Actual repository header crop + authenticated API-verified safe proof card. Private source, commit text, internal filenames and business data are excluded.

PUBLIC CASE-STUDY VIEW



Encrypted local vault + cited answers; cloud upload is not required.

VERIFIED PROOF

Offline Ollama chat, encrypted vault, cited retrieval, local OCR/vision/Whisper and approval-gated memory.

HONEST BOUNDARY

Learning means memory + retrieval—not model retraining. No vault item, key, face or filename shown.

Public case study ↗

ROLE Mohamed: requirements, product decisions, operator/reviewer/verifier · Implementation AI-assisted.

REPO FAMILY lifeos

05 BILINGUAL DOCUMENT AUTOMATION

Medmack Quotation Builder

Sales coordinators · Repetitive bilingual drafting · Approved patterns reused; prices stay human-entered.

GITHUB OWNERSHIP PROOF · Primary product repository



Actual repository header crop + authenticated API-verified safe proof card. Private source, commit text, internal filenames and business data are excluded.

PRODUCT WORKFLOW SCREENS



A fictional paper is cleaned and split into reusable assets locally.



Only changing fields are boxed; fixed wording stays locked.



The first identity-free demo letter proves the reusable workflow end to end.

VERIFIED PROOF

The public clean-room demo passed calculations, EN/AR direction, one-page A4 print and desktop/phone browser gates; the private production app remains separately released for Windows and both Mac architectures.

HONEST BOUNDARY

Only fictional public-demo proof is shown. Signatures, real clients, prices, private assets and production source remain private.

GitHub repository ↗ **Open the interactive public demo ↗**

ROLE Mohamed: requirements, product decisions, operator/reviewer/verifier · Implementation AI-assisted.

REPO FAMILY quotation-builder-demo + medmack-quotation-builder (private production) + quotation-builder-prompter (support)

05 SHIPPED SINCE THIS PAGE WAS WRITTEN · BILINGUAL DOCUMENT AUTOMATION

Medmack Quotation Builder — updates

Appended automatically from the showcase ledger on the day each improvement shipped. Same rules as every page: measured proof, an honest boundary, real pixels of the live result.



the rendered page highlights the live A4 preview beside the editable quotation workflow.

2026-09-04 Quotation Builder — source-safe public interactive demo

Published a clean-room quotation workflow that visitors can use in a browser while the production desktop application and its private assets remain excluded.

VERIFIED PROOF

`DEMO_GATE_OK: privacy boundary + calculations + EN/AR + A4 print + 2 responsive viewports`; GitHub Pages run `33832568928` deployed commit `c5651b0`, and the live page returned HTTP 200 before passing the same browser gate.

HONEST BOUNDARY

This is a deliberately limited simulator with fictional data, not the production application or its document engine.

06 LAN SECURITY · AUDIT

Quotations Locker

Sales teams · Shared PDFs can leak · Owner access, watermarks and tamper-evident audit.

GITHUB OWNERSHIP PROOF · Primary product repository



Actual repository header crop + authenticated API-verified safe proof card. Private source, commit text, internal filenames and business data are excluded.

PUBLIC CASE-STUDY VIEW



Owner access, watermarks and audit replace a readable shared folder.

VERIFIED PROOF

v2 deployed an Arabic Calm UI with archive Jump and audited exact-state Undo/Redo; 90/90 tests, 44/44 visual combinations and 5.83:1 minimum contrast passed while all 4,729 records were preserved.

HONEST BOUNDARY

Private LAN system. Owner-dashboard acceptance still awaits the existing access code; no internal IP, login code, employee, client, filename or quotation content is shown.

Public case study ↗

ROLE Mohamed: requirements, product decisions, operator/reviewer/verifier · Implementation AI-assisted.

REPO FAMILY medmack-quotations

07 AR/EN · PDF/X-4 · WORD

Medmac Document Studio

Bilingual document teams · Manual layout and preflight · Mirrored AR/EN PDF/X-4 + Word output.

GITHUB OWNERSHIP PROOF · Primary product repository



Actual repository header crop + authenticated API-verified safe proof card. Private source, commit text, internal filenames and business data are excluded.

FINISHED DOCUMENT OUTPUTS



A 24-page bilingual product family stays visually consistent end to end.



A second AR/EN family proves the same repeatable layout and preflight system.

VERIFIED PROOF

Five finished bilingual documents, each 22–24 pages, with iterative repair and fail-closed font, Arabic, link and image-DPI checks.

HONEST BOUNDARY

Screens show finished production UI/contact sheets—not confidential source documents.

Public case study ↗

ROLE Mohamed: requirements, product decisions, operator/reviewer/verifier · Implementation AI-assisted.

REPO FAMILY medmac-document-studio

08 PACKAGING · MEDIA · LOCAL AI

MK Editor / Medmac Box Studio

Packaging teams · Artwork, dielines and proofs drift apart · Editable 2D/3D workflow with HOLD gates.

GITHUB OWNERSHIP PROOF · Primary product repository



Actual repository header crop + authenticated API-verified safe proof card. Private source, commit text, internal filenames and business data are excluded.

PRODUCT / DEMO SCREENS



Exact installed v5.0.1: one asymmetric fixture stays readable and maps once onto the physical carton face.

VERIFIED PROOF

Owner-test universal macOS v5.0.1 keeps asymmetric artwork readable and applies exactly one physical-face transform across 3D, PAS, PDF and print-package output; 39/39 orientation, 36/36 workflow and 32/32 installed acceptance passed.

HONEST BOUNDARY

No Developer ID or notarization; Windows is excluded, and print remains CONVERTER_INPUT_RGB / HOLD rather than PDF/X or press-ready. Company artwork is excluded.

Public case study ↗

ROLE Mohamed: requirements, product decisions, operator/reviewer/verifier · Implementation AI-assisted.

REPO FAMILY mk-editor + ai-generated-designs (concept support)

08 SHIPPED SINCE THIS PAGE WAS WRITTEN · PACKAGING · MEDIA · LOCAL AI

MK Editor / Medmac Box Studio — updates

Appended automatically from the showcase ledger on the day each improvement shipped. Same rules as every page: measured proof, an honest boundary, real pixels of the live result.



the rendered public page highlights the three-workspace guided review surface and its explicit no-source-code boundary.

2026-09-04 MK Editor — private-safe public guided demo

Published a clean-room bilingual tour of MK Editor's packaging, image, video, and Ask MK review workflow while keeping the production application private.

VERIFIED PROOF

`PUBLIC_BOUNDARY_SELFTEST_OK planted_product_source=rejected`; `private_code_exact_matches=0`; GitHub Pages run `33833052917` deployed commit `3a7e3b598dcd9ab14b543d024e899a9b53e41abe`; the live page returned HTTP 200 with exact local/served hashes and passed `BROWSER_DEMO_OK checks=13 ... external_requests=0 errors=0` at <https://mohamed3042.github.io/mk-editor-demo/>.

HONEST BOUNDARY

This is a simulated presentation with two synthetic-fixture screenshots, not the production editor; it excludes product source, bundles, models, adapters, templates, customer data, credentials, and private history.



the real built Pack workspace shows the reviewed spoken transcript in the Ask MK composer before any plan, queue entry, or mutation exists.

2026-08-28 MK Editor — Ask MK spoken deterministic bridge candidate

Completed the human bridge from reviewed Arabic/English final speech transcripts to explicit typed plans and deterministic Packaging, Image, and Video actions. A transcript is visible and editable and cannot auto-plan or mutate; only a host-materialized canonical plan can reach the validated adapters after required approval.

VERIFIED PROOF

The final real-Electron gate built the renderer from 154 modules and passed 143/143 with 21 screenshots. Each workspace proves final transcript injection at the production speech-session ingress → no automatic plan/mutation → typed preview → required approval → deterministic mutation → source-bound receipt → exact Undo/Redo/final Undo → reopen persistence.

HONEST BOUNDARY

Unreleased source candidate over the current v5.0.1 release. Physical microphone capture and real Whisper inference were not exercised. Hosted-provider inference was not exercised; provider tests are declared mocks/local doubles. No merge, version bump, DMG, install, signing, notarization, or release is claimed. The protected Windows matrix remains 51/52 at the inherited compositor gate reproduced on pristine …

09 ARABIC RTL · OFFLINE OPERATIONS

Sheep Business Management System

Arabic flock operators · WhatsApp updates become structured records · Less duplicate entry, full audit trail.

GITHUB OWNERSHIP PROOF · Primary product repository



Actual repository header crop + authenticated API-verified safe proof card. Private source, commit text, internal filenames and business data are excluded.

DUMMY PRODUCT EVIDENCE



Installed v4.0.0 exposes ten QR-headed Arabic paper forms before reviewed local OCR intake.



The final dashboard closes the cycle on 85 synthetic animals.



Every change stays traceable instead of disappearing in chat.

VERIFIED PROOF

v4 adds 10 QR-headed A4 forms and a local OCR path that produces reviewable atomic drafts; the local verification suite passed 18/18 and a separate packaged-app smoke passed. Its earlier calm UI reduced five measured tasks from 29 to 16 clicks and from 2,600 to 180 px of scrolling.

HONEST BOUNDARY

No real handwritten sheet has completed the scan path end to end; geometry review is mandatory, optional Azure OCR is untested and the app is ad-hoc signed. The public tour uses permanently labeled synthetic data. No live farm data or savings claim.

GitHub repository ↗ | Public case study ↗

ROLE Mohamed: requirements, product decisions, operator/reviewer/verifier · Implementation AI-assisted.

REPO FAMILY sheep-business-management-demo (public tour) + sheep-business-management-system + sheep-cycle + sheep-farm-app + sheep-bms-prompter (private product/support)

09 SHIPPED SINCE THIS PAGE WAS WRITTEN · ARABIC RTL · OFFLINE OPERATIONS

Sheep Business Management System — updates

Appended automatically from the showcase ledger on the day each improvement shipped. Same rules as every page: measured proof, an honest boundary, real pixels of the live result.



the live page highlights the exact line between the inspectable public tour and the sealed product implementation.

2026-09-04

Sheep Business Management System — public guided product tour

Published a bilingual, read-only browser tour of the flock dashboard, individually recorded animal ledger, reviewed paper-intake path, and audit history while keeping the product implementation private.

VERIFIED PROOF

`DEMO_GATE GREEN | 155 passed | 0 failed`; the live desktop/mobile EN/AR browser gate reported zero overflow, console errors, failed requests, and external requests. GitHub Pages built content commit `8695420`, and <https://mohamed3042.github.io/sheep-business-management-demo/> returned HTTP 200 with a byte-exact 14,516-byte root document.

HONEST BOUNDARY

The public presentation HTML, CSS, JavaScript, permanently labeled synthetic screenshots, and verification tools are inspectable; application source, rule and data-model implementation, database, operational records, installers, signing material, and release packages remain private.

10 PARAMETRIC ENGINEERING · MCP

Spaceframe World 2026

Structural estimators · Model-to-quote handoffs are slow · One parametric workflow; engineer approval required.

GITHUB OWNERSHIP PROOF · Primary product repository



Actual repository header crop + authenticated API-verified safe proof card. Private source, commit text, internal filenames and business data are excluded.

RESEARCH-PREVIEW PRODUCT SCREENS



Utilization stays visible beside the model and research boundary.



Section choices become reviewable instead of buried in hand calculations.



The packaged desktop workbench connects modeling and verification.

VERIFIED PROOF

Private v0.4.2-alpha research release. Repository states 325 tests across modeling, solvers, exchange, cancellation and builds.

HONEST BOUNDARY

Pre-release, linear-elastic and non-certified. Never the sole basis for construction. Current GitHub Actions is not green.

Public case study ↗

ROLE Mohamed: requirements, product decisions, operator/reviewer/verifier · Implementation AI-assisted.

REPO FAMILY Spaceframe-World-2026

11 ORDER → 3D PROOF → PRINT → KITCHEN

Cake Studio

Bakery coordinators · Orders are re-entered across production · One document drives proof, print and handoff.

GITHUB OWNERSHIP PROOF · Primary product repository



Actual repository header crop + authenticated API-verified safe proof card. Private source, commit text, internal filenames and business data are excluded.

SYNTHETIC PRODUCT SCREENS

A synthetic order becomes a reviewable 3D production scene.

Synthetic 3D proof keeps Arabic production notes next to the design.

VERIFIED PROOF

Private v9.0.2 Windows release. Committed verification covers Arabic shaping, geometry and true-size print/ruler evidence.

HONEST BOUNDARY

Screens use synthetic cakes and an evolving local V3 view; they do not claim V3 was the shipped release or measured savings.

Public case study ↗

ROLE Mohamed: requirements, product decisions, operator/reviewer/verifier · Implementation AI-assisted.

REPO FAMILY cake-studio + bakery-cake-studio + bakery-cake-studio-demo

11 SHIPPED SINCE THIS PAGE WAS WRITTEN · ORDER → 3D PROOF → PRINT → KITCHEN

Cake Studio — updates

Appended automatically from the showcase ledger on the day each improvement shipped. Same rules as every page: measured proof, an honest boundary, real pixels of the live result.



live desktop pixels with the explicit source/privacy boundary highlighted.

2026-09-04 Cake Studio — privacy-safe public product tour

Published a static Cake Studio walkthrough that explains the six-room production flow without distributing the private application.

VERIFIED PROOF

`PUBLIC_DEMO_BROWSER_GREEN label=live profiles=2 images=4 storage=0 overflow=0 external_requests=0`; <https://mohamed3042.github.io/cake-studio-demo/> returned HTTP 200 with 25,422 bytes.

HONEST BOUNDARY

The public repository contains presentation HTML/CSS, flattened clean-room graphics, and release documentation only; application source, runtime, real customer data, catalogue data, pricing, recipes, models, and installers remain excluded.

12 **WINDOWS AUTOMATION · PUBLIC USAGE DEMO**

MacroForge

> **Windows operators · Repetitive desktop actions · Local macro recording with visual branches and no telemetry.**

GITHUB OWNERSHIP PROOF · Primary product repository



Actual repository header crop + authenticated API-verified safe proof card. Private source, commit text, internal filenames and business data are excluded.

DESKTOP PRODUCT + PUBLIC USAGE DEMO



The released EXE boots as a real local Windows app.



The editor records real input into a readable local macro sequence.

VERIFIED PROOF

Live source-free walkthrough passed a 13-file privacy allowlist plus 1440 px, 1280 px and 390 px rendered gates with zero external requests. The packaged desktop app was separately driven and verified against an exact 68-character Notepad result and 14/14 deterministic tests.

HONEST BOUNDARY

The current desktop source and binary are private. v1.0.0 was previously public under MIT, so prior copies and grants cannot be revoked; no enterprise deployment or user-count claim.

GitHub repository ↗ **Live product ↗**

ROLE Mohamed: requirements, product decisions, operator/reviewer/verifier · Implementation AI-assisted.

REPO FAMILY public usage demo + private desktop source

12 SHIPPED SINCE THIS PAGE WAS WRITTEN · WINDOWS AUTOMATION · PUBLIC USAGE DEMO

MacroForge — updates

Appended automatically from the showcase ledger on the day each improvement shipped. Same rules as every page: measured proof, an honest boundary, real pixels of the live result.



rendered desktop view of the deployed walkthrough, execution trace, feature map, and privacy boundary.

2026-09-04

MacroForge — public source-free usage demo

Published an interactive usage-only webpage while keeping the current desktop implementation private.

VERIFIED PROOF

`SITE_GATE_OK publicFiles=13 desktopSourceFiles=0 renderedCases=3 externalRequests=0`; GitHub Pages built commit `9bb4ca80add45b898f53e1e988ed5b668904934b`, and <https://mohamed3042.github.io/macroforge-demo/> returned HTTP 200 over enforced HTTPS.

HONEST BOUNDARY

MacroForge v1.0.0 was previously public under MIT, so copies and grants received then cannot be revoked; this public demo contains no current desktop source, binary, archive, or product capture.

13 RETAIL OPERATIONS · PUBLIC DEMO

PetPoint Ops Hub — Synthetic Demo

> **Multi-branch retail · Orders, stock and grooming are siloed · One synthetic integration demo.**

GITHUB OWNERSHIP PROOF · Primary product repository



Actual repository header crop + authenticated API-verified safe proof card. Private source, commit text, internal filenames and business data are excluded.

SYNTHETIC DEMO SCREENS



One command centre joins synthetic orders, stock and grooming.



Explainable replenishment drafts remain human-reviewable.



Scheduled evidence turns operations into repeatable reporting.

VERIFIED PROOF

v1.1.0. Six forecasting competitors on a six-fold rolling-origin backtest with paired bootstrap intervals: a PyTorch GRU wins the 7-day horizon at 1.536 mean absolute error, and a trailing-mean baseline wins the 14-day one — both are published. The no-show classifier was trained and rejected: its best cross-validated AUC of 0.715 sits at p = 0.196 against a 50-run shuffled-label null, so the application kept its rules. A two-arm perturbation gate proves the feature pipeline leaks nothing, and CI fails first when a metric floor is broken.

HONEST BOUNDARY

All records, branches and results are synthetic. No Pet Point deployment, affiliation or endorsement. The machine-learning numbers measure this pipeline on that synthetic corpus: they demonstrate the method and the discipline, not a business outcome. The 14-day holdout for grooming no-shows contains 37 bookings and no no-shows, which is not measurable rather than zero.

Public case study ↗

ROLE Mohamed: requirements, product decisions, operator/reviewer/verifier · Implementation AI-assisted.

REPO FAMILY petpoint-ops-hub

13 SHIPPED SINCE THIS PAGE WAS WRITTEN · RETAIL OPERATIONS · PUBLIC DEMO

PetPoint Ops Hub — Synthetic Demo — updates

Appended automatically from the showcase ledger on the day each improvement shipped. Same rules as every page: measured proof, an honest boundary, real pixels of the live result.



v1.1.0 turns the demo's rule-based "AI" into measured machine learning and publishes what the measurement actually said: a DuckDB feature pipeline …

2026-09-06 PetPoint Ops Hub v1.1.0 — from rules to models, honestly

The dependency-free retail operations demo gained a real machine-learning lane, and it is the *result* that makes it worth showing rather than the stack. Two surfaces were put to the test and they gave opposite answers, and both answers shipped. **Demand forecasting.** A DuckDB feature pipeline over a frozen rebuild of the app's synthetic seed produces a (branch, SKU, day) panel: 6,480 rows, 72 series, 76.2 % zero …

VERIFIED PROOF

Everything below is measured, and every number is on synthetic seeded data — no business lift is claimed, because none was measured. **The leaderboard publishes its losers.** At horizon 7: | model | kind | horizon-total MAE (mean ± fold sd) | vs one network-wide number [95 % CI] | daily MASE | |---|---|---:|---:|---:| | `pytorch_gru` | model | **1.536** ± 0.122 | −0.177 [−0.268, −0.083] | 0.807 | | `trailing_mean_28` | baseline | 1.562 ± 0.081 | −0.151 [−0.260, −0.043] | 0.885 | | `hist_gradient_boosting` | model …

HONEST BOUNDARY

Independent technical demo. Not an official Pet Point product, not endorsed by Pet Point, not connected to any Pet Point system. Every order, booking, alert and reference is synthetic and anonymous. The machine-learning numbers are measurements of this pipeline on that synthetic corpus: they demonstrate the pipeline and the discipline, not a business outcome. No lift, no saving and no accuracy-in-production is …

14 LOCAL OCR · XLSX + PDF

Statement Styler

> **Finance admins · Statement tables need re-entry · Local OCR to reviewable Excel and PDF.**

GITHUB OWNERSHIP PROOF · Primary product repository



Actual repository header crop + authenticated API-verified safe proof card. Private source, commit text, internal filenames and business data are excluded.

PUBLIC CASE-STUDY VIEW



Local scan → reviewable XLSX + A4 PDF; source comparison remains required.

VERIFIED PROOF

Private v1.0.0 cross-platform package with checksums. Formula-backed XLSX and paginated A4 reference PDF stay local.

HONEST BOUNDARY

Independent tool; not bank-affiliated. Every value requires source comparison. No real account or balance shown.

Public case study ↗

ROLE Mohamed: requirements, product decisions, operator/reviewer/verifier · Implementation AI-assisted.

REPO FAMILY statement-styler

15 DOCUMENT AUTOMATION · EXACT PAGE FIT

Resume Builder Skill

Job seekers · Resume formatting repeats · Matched DOCX/PDF with rendered page fitting.

GITHUB OWNERSHIP PROOF · Primary product repository



Actual repository header crop + authenticated API-verified safe proof card. Private source, commit text, internal filenames and business data are excluded.

PUBLIC CASE-STUDY VIEW



One record produces matched DOCX/PDF and fits by rendered page count.

VERIFIED PROOF

Four layouts, seven themes and measured density fitting against rendered page count.

HONEST BOUNDARY

One Word mid-block page-break behavior remains explicitly unverified where the original skill notes it.

Public case study ↗

ROLE Mohamed: requirements, product decisions, operator/reviewer/verifier · Implementation AI-assisted.

REPO FAMILY resume-builder-skill

Prompt King

AI creative teams · Vague prompts waste generations · A production brief plus cost before spend.

GITHUB OWNERSHIP PROOF · Primary product repository



Actual repository header crop + authenticated API-verified safe proof card. Private source, commit text, internal filenames and business data are excluded.

GENERATED WORKFLOW OUTPUTS



Generated reference frame sets the visual contract before video spend.

A matched follow-up frame checks continuity across the planned chain.

VERIFIED PROOF

Public Python workflow: interview, one-shot production prompt, image/video chain contract and exact credit calculator. Self-test included; no GitHub release claimed.

HONEST BOUNDARY

Money saved is not measured. Generated keyframes prove the production workflow, not brand affiliation.

Generated cinematic deliverable ↗

ROLE Mohamed: requirements, product decisions, operator/reviewer/verifier · Implementation AI-assisted.

REPO FAMILY prompt-king + wan-production-bible (support)

17 ARABIC-FIRST WEB DELIVERY

Medmac Kuwait Website

Medmac customers · Product information was scattered · One bilingual, WhatsApp-first enquiry path.

GITHUB OWNERSHIP PROOF · Primary product repository



Actual repository header crop + authenticated API-verified safe proof card. Private source, commit text, internal filenames and business data are excluded.

LIVE PRODUCT SCREEN



Arabic-default live site; English and WhatsApp enquiry share one content system.

VERIFIED PROOF

Private Astro/TypeScript repository and live Vercel site. Arabic is the default; English shares one reusable content system.

HONEST BOUNDARY

Improved handoff is a design goal. Revenue impact was not measured.

Public case study ↗ Live product ↗

ROLE Mohamed: requirements, product decisions, operator/reviewer/verifier · Implementation AI-assisted.

REPO FAMILY medmack-website

18 NTFS MFT · WINDOWS SAFETY

Reclaim

> **Cross-platform storage users · Recursive scans drift or crawl · Native metadata scans with recoverable deletion.**

GITHUB OWNERSHIP PROOF · Primary product repository



Actual repository header crop + authenticated API-verified safe proof card. Private source, commit text, internal filenames and business data are excluded.

PUBLIC CASE-STUDY VIEW



MFT scan measured 2.62M files in 3.76 seconds on the tested volume.

VERIFIED PROOF

Windows: 2.62M files in 3.76s versus a 168.9s folder fallback. macOS: a live APFS scan of 1.77M files in 54–61s, 0.0000% du drift on two real directories, plus Finder Trash/restore proof.

HONEST BOUNDARY

Measured on the tested volumes. APFS disclosed 125 inaccessible directories; fast discovery stays separate from guarded, recoverable deletion.

Public case study ↗

ROLE Mohamed: requirements, product decisions, operator/reviewer/verifier · Implementation AI-assisted.

REPO FAMILY Reclaim

18 SHIPPED SINCE THIS PAGE WAS WRITTEN · NTFS MFT · WINDOWS SAFETY

Reclaim — updates

Appended automatically from the showcase ledger on the day each improvement shipped. Same rules as every page: measured proof, an honest boundary, real pixels of the live result.



synthetic inventory and the four-step product loop.

2026-09-04 Reclaim public demo

A separate public GitHub Pages simulator now demonstrates Reclaim's scan → see → review → reclaim loop with fixed synthetic data while the production engine and source history remain private.

VERIFIED PROOF

Fail-first privacy gate: `PUBLIC_DEMO_GATE_RED failures=3` before the demo files and Git history existed. Final history gate: `PUBLIC_DEMO_GATE_GREEN paths=16 history_blobs=17 private_engine_files=0`. GitHub Pages built HTTPS from commit `c768b131340ac36685929b2c52e1ff75ae864a39`. Rendered browser result: `BROWSER_SMOKE_GREEN desktop=1440x1050 mobile=390x844 reclaimed=74.4GB external_requests=0 console_errors=0 overflow=0`, repeated against the public Pages URL. Decoded proof frame: desktop `1440 × 4210`. Public ...

HONEST BOUNDARY

This is an evaluation simulator, not the production scanner. It cannot inspect or change a visitor's files, and the real executable is not distributed here.

19 3D AUTOMATION PIPELINE

Character Automation Pipeline

3D pipeline teams · Character preparation repeats per engine · One reference-to-rig export path.

GITHUB OWNERSHIP PROOF · Primary product repository



Actual repository header crop + authenticated API-verified safe proof card. Private source, commit text, internal filenames and business data are excluded.

SYNTHETIC CHARACTER OUTPUTS



Original synthetic character used for pipeline verification.



A second angle checks silhouette, outfit and hair assembly.

VERIFIED PROOF

A destination-only Unreal C++ runtime harness validated MetaHuman groom, LOD switching, body and facial animation across PIE, Standalone and a packaged build; 26 gates passed and all 28 planted failures were detected.

HONEST BOUNDARY

Only the original synthetic Nova character is shown. Client portraits, texture atlases, body measurements and likeness claims stay excluded.

Related predecessor pipeline case ↗

ROLE Mohamed: requirements, product decisions, operator/reviewer/verifier · Implementation AI-assisted.

REPO FAMILY charforge + b2mh

20 AUTHORITATIVE GAME SYSTEMS · PUBLIC

Polyblast Arena

Game systems teams · Clients and bots can diverge · One authoritative 60 Hz simulation boundary.

GITHUB OWNERSHIP PROOF · Primary product repository



Actual repository header crop + authenticated API-verified safe proof card. Private source, commit text, internal filenames and business data are excluded.

PUBLIC CASE-STUDY VIEW



One 60 Hz authority owns movement, combat, bots and score.

VERIFIED PROOF

Original Godot project: 4 maps, 3 modes, 9 weapons, 41 GLB models and 80+ headless checks. Offline is complete; ENet remains deferred.

HONEST BOUNDARY

Secondary systems proof—not a Medmac business outcome. README labels the build AI-assisted.

Public case study ↗

ROLE Mohamed: requirements, product decisions, operator/reviewer/verifier · Implementation AI-assisted.

REPO FAMILY polyblast-arena

21 LIVE PROOF SURFACE

Portfolio Design & Delivery System

Recruiters · Claims lack inspectable proof · Live bilingual case studies with sourced metrics.

GITHUB OWNERSHIP PROOF · Primary product repository



Actual repository header crop + authenticated API-verified safe proof card. Private source, commit text, internal filenames and business data are excluded.

PRODUCT / DEMO SCREENS



Public take 21/40 inside the single pinned film stage and scroll-derived playhead.

VERIFIED PROOF

CUT THE STRINGS maps 40 accepted takes through one pinned 200-second public scroll film, verified with 401 forward and 401 reverse samples, zero holds, zero stage drift and 40/40 HTTP 206 clip ranges.

HONEST BOUNDARY

The full 16:9 image is contained without cropping; owner taste review remains open. Brand-themed worlds are design tributes—not affiliations.

GitHub repository ↗ **Public case study ↗**

ROLE Mohamed: requirements, product decisions, operator/reviewer/verifier · Implementation AI-assisted.

REPO FAMILY flagship-portfolio + Flagship-One-Page + god-mode-portfolio + god-mode-portfolio-ultra + flagship-disney-media (support)

ask-repos

> **Anyone reviewing a GitHub account · Reading 250 files to check one claim · A service that answers with the file and line, or refuses.**

GITHUB OWNERSHIP PROOF · Primary product repository



Actual repository header crop + authenticated API-verified safe proof card. Private source, commit text, internal filenames and business data are excluded.

LIVE SERVICE SCREENS



The answer arrives sentence by sentence, each chip opening the exact lines it cites.



The corpus page turns re-indexing into a human approval, not an action.



The numbers CI gates on, published beside the answers they govern.

VERIFIED PROOF

Public v0.2.0. Every answered sentence carries a citation resolved against the stored file at the stored commit: citation validity 1.000, 169 of 169 in CI, and 0 answered sentences without one. Hybrid retrieval measured per arm on a 54-question golden set — full text 0.512, vector 0.860, reranked 0.930 recall@5. Six prompt-injection probes obeyed 0 times. 149 Python tests, 36 unit tests and 23 browser specs with no mocked routes.

HONEST BOUNDARY

The public demo answers from a corpus frozen when the image was built, so it does not follow the repositories; the push webhook that would is written, tested and switched off there. It refuses every write, limits to 12 questions a minute per visitor, and sleeps after about fifteen minutes idle — the first question after that waits for the container to wake. Uptime is self-measured by one hourly prober, not a monitoring service.

Public case study ↗

ROLE Mohamed: requirements, product decisions, operator/reviewer/verifier · Implementation AI-assisted.

REPO FAMILY ask-repos

ask-repos — updates

Appended automatically from the showcase ledger on the day each improvement shipped. Same rules as every page: measured proof, an honest boundary, real pixels of the live result.



new public service: answers about any GitHub account's public repositories with citations verified against the stored file at the stored SHA, or a …

2026-09-06

ask-repos — a question-answering service over public GitHub repositories that refuses rather than guesses

New public repository. Point `ask-repos` at any GitHub account and it indexes that account's public repositories, then answers

VERIFIED PROOF

- Corpus indexed from live GitHub: **16 public repositories, 517 files, 6,018 chunks, 6,425,129 bytes in 3,244.6 s**. Re-indexing with nothing changed: **12.9 s, 18 GitHub requests, 0 chunks written**. - Retrieval measured on a 54-question golden set authored by reading the corpus — vector only 0.804, full text only 0.348, hybrid 0.848, **hybrid + reranker 0.891** recall@5 (`docs/retrieval.md`). - **Citation validity 1.000** (177/177 citations re-resolved against the stored file at the stored SHA), 0 answered …

HONEST BOUNDARY

Public repositories only, text files only, nothing over 200 KB. Answers are limited to what was indexed, and a repository that has moved since is answered from the stored copy at the stored SHA — the citation says which. The refusal mechanism on the keyless path is a lexical relevance floor, which is blunt in a predictable direction; the golden set's 0 refusal errors is a measurement on that set, not a general …



the interface answering, with every citation chip outlined; each one opens the exact GitHub lines the sentence was verified against. -

2026-09-06

ask-repos v0.2.0 - a face a recruiter can use in thirty seconds, and both halves live

`ask-repos` could already answer questions about a GitHub account's public repositories with anchors of the form

VERIFIED PROOF

- **The chip's link is rebuilt, not copied.** `blobUrl()` constructs the GitHub URL from the citation's repository, path, stored SHA and line span; a unit test asserts it equals the URL the API returned for every citation in a recorded response, and a Playwright test asserts the same against the live stream the browser actually received. Sabotaging `blobUrl` to use the short SHA turns both red: `4 failed` in `citations.test.ts`, and `expect(received).toBe(expected)` in the browser …

HONEST BOUNDARY

The hosted demo answers from a corpus frozen at image-build time, so it cannot follow the repositories - the push webhook that would is documented, tested and disabled there. Its rate limiter is in-process and per container: right for one instance, wrong for several. Uptime is **self-measured** - one prober, one region, hourly, with the samples committed beside the badge - not a monitoring service. The retrieval and …

Enterprise AI Automation Templates

> **Teams automating regulated work · An agent that decides what a human must decide · Templates whose high-risk steps stop at a signed human approval.**

GITHUB OWNERSHIP PROOF · Primary product repository



Actual repository header crop + authenticated API-verified safe proof card. Private source, commit text, internal filenames and business data are excluded.

LIVE DEMO SCREENS



The read-only public demo states its own limits before it states anything else.



Every model call, its latency, tokens and estimated cost, from the same events the engine emits.



A hash-chained ledger records who decided, not only what was decided.

VERIFIED PROOF

Public v0.3.0. 256 tests green on SQLite and again on PostgreSQL 16. 61 scored evaluation cases across six gated categories at a pass rate of 1.000 in CI, including prompt injection, personal-data leakage and typed-output regression. Every model call carries a trace span, a token count and a priced estimate; the provider router is live-verified against Gemini and contract-tested against recorded Anthropic and OpenAI-compatible responses. The image is published to the container registry and pulls anonymously.

HONEST BOUNDARY

The public demo runs the deterministic mock provider and refuses every write, so nothing there spends a model key. Throughput, concurrency and latency under load were never measured and are not claimed. The rate limiter is one process; several replicas need a shared store. It sleeps after about fifteen minutes idle.

Public case study ↗

ROLE Mohamed: requirements, product decisions, operator/reviewer/verifier · Implementation AI-assisted.

REPO FAMILY enterprise-ai-automation-templates

Enterprise AI Automation Templates — updates

Appended automatically from the showcase ledger on the day each improvement shipped. Same rules as every page: measured proof, an honest boundary, real pixels of the live result.



the new `/llmops` page with the per-provider table boxed: calls, p50/p95, tokens, estimated cost with its price-table date, guardrail trips and error …

2026-09-06

Enterprise AI Automation Templates — every model call is now traced, costed and scored

v0.3.0 makes the governed engine observable and measurable.

VERIFIED PROOF

245 tests green, plus 3 live tests against `gemini-3.6-flash` that are skipped without a key. Five new gates were each shown RED with the fix removed and GREEN with it back: the span tree (`docs/proof/telemetry_span_gate.txt` — one guardrail span swapped for a stage span, span count unchanged at five, and the shape assertion still catches it), the evals gate (`docs/proof/evals_gate.txt` — one expectation flipped: `GATE FAIL: gated pass rate 0.984 < required 1.000`), the Kubernetes security posture, the "an …

HONEST BOUNDARY

Gemini is live-verified; the Anthropic and OpenAI-compatible adapters are **contract-tested against recorded responses**, because no key for either exists on the machine this was built on — the README says exactly that rather than "supports all major providers". Every cost figure is an **estimate** from a price table carrying the date it was read and the date it expires; a model that table does not know reads *not …



a MEDIUM stage decided through the dashboard; the signed-decision panel now carries `Authenticated as human:mahmoud.approver` beside the actor, role …

2026-09-06

Enterprise AI Automation Templates — the governed engine became a platform other systems call

VERIFIED PROOF

148 tests (147 unit/integration plus a Playwright browser journey), green on SQLite and again against a PostgreSQL 16 service container in CI. Four gates were each shown failing on a planted defect before being shown green: the OpenAPI snapshot (`docs/proof/openapi_snapshot_gate.txt`), the dependency audit (`docs/proof/pip_audit_gate.txt` — which found a real advisory, PYSEC-2026-1845 in pytest 8.4.2, now pinned out), the secret-leak grep, and the webhook retry path (`docs/proof/webhook_delivery_receipts.txt`: a …

HONEST BOUNDARY

With no `ATMPL_ADMIN_USER`/`ATMPL_ADMIN_PASSWORD_HASH` the dashboard runs in demo mode with no login and records `human:demo` behind a visible banner, and `atmpl demo up` opens the API without a credential — both stated in the README and printed by `atmpl doctor`. The decision signature is a synthetic attestation, not an identity-provider signature; webhook signing secrets are stored recoverably because the sender …

FULL ACCOUNT · PROFESSIONAL CUT

Everything audited. Only defensible work promoted.

63 owned repositories audited on 6 Sep 2026 and mapped into 29 audited groups. Two of them are new this week: a public question-answering service over GitHub repositories, and a private desktop voice tool. Private repositories are named and grouped, never opened.

23

Recruiter-safe product families

Each has a repository proof page plus product or public case-study evidence in this book.

31

Support / evolution / adjacent repositories

Prompters, media, mirrors, prior versions and adjacent governed builds are grouped under the family they serve.

4

Interview-only studies

Architecture or restoration work with IP and redistribution boundaries. Never presented as original shipped products.

2

Internal infrastructure

Agent knowledge, remote-control safeguards and operating protocols stay private because they expose machine and process details.

3

Not presented as shipped

Weak or unfinished scaffolds remain counted in the audit and excluded from professional product claims.

GROUPING RULE

All 61 owned repositories are accounted for across the 21 project-family pages and this audit appendix. Adjacent builds, mirrors, media, prompters, predecessors and support repositories are grouped under the family they serve.

IP RULE

Sensitive study names, third-party art and redistribution-limited material are deliberately left out of this public recruiter book.

CLAIM RULE

Measured result = stated precisely. Demo or synthetic data = labeled. Unknown savings = not invented.

Examples grouped under current products

Job Apply Engine · Sheep Cycle · Sheep Farm App · Bakery Cake Studio · B2MH · Engineering World · Kuwait Teacher RAG · Medmac recruiting/procurement support · portfolio design and media variants.

Need the 30-second version?

Open the portfolio. Pick one system. Ask what it replaced.

mohamed-mahmoud-kuwait.netlify.app/en/↗