


Mrihan Mohamed Ahmed
Teacher Assistant – ITI
mrihan.m.ahmed@gmail.com

Normalization

- The process of decomposing unsatisfactory "bad" relations by breaking up their attributes into smaller relations.
- Normalization Avoids:
 - OUpdate anomalies.
 - O Deletion anomalies.
 - Olnsert anomalies.
 - Ouplication of Data.
 - o Frequent Null Values.



• Normalization is a method to remove all these anomalies and bring the database to a consistent state.

Functional Dependency

- Functional dependency is represented by an arrow sign (→) that is, X→Y, where X functionally determines Y. It is read as: X determines Y OR Y depends on X.
- Examples:
 - Social security number determines employee name
 SSN -> ENAME
 - O Project number determines project name and location.
 PNUMBER -> {PNAME, PLOCATION}
 - Employee ssn and project number determines the hours per week that the employee works on the project.

{SSN, PNUMBER} -> HOURS

Normalization Forms

- First Normal Form (1NF).
- Second Normal Form (2NF).
- Third Normal Form (3NF).
- Fourth Normal Form (4NF).
- Boyce Codd Normal Form (BCNF).
- Fifth Normal Form (5NF).
- Domain Key Normal Form (DK/NF).

Design **⊗**e go dowr

First Normal Form

- First Normal Form is defined in the definition of relations (tables) itself.
- This rule defines that all the attributes in a relation must have atomic domains. The values in an atomic domain are indivisible units.
- contains no multi-valued attributes

No.	course	content	<u>No.</u>	course
CS00 1	Programming	C#, oop	CS00 1	Programmir
CS00 2	Design	HTML, CSS	CS00 2	Design

CNo.	<u>content</u>
CS00 1	C#
CS00 1	oop
CS00 2	HTML
CS00 2	HTML

01/16/2024 CS00

Second Normal Form

- Prime attribute: An attribute, which is a part of the candidate-key, is known as a prime attribute.
- Non-prime attribute: An attribute, which is not a part of the prime-key, is said to be a non-prime attribute.
- Every non-prime attribute should be fully functionally dependent on Table Key.

<u>EI</u>	<u>Pld</u>	WorkHou rs	EName
E1	P1	12	Ali
F 2	P1	10	Ramy
			,

<u>EI</u>	EName
E1	Ali
E2	Ramy

<u>EI</u> <u>d</u>	<u>Pld</u>	WorkHou rs
E1	P1	12
E2	P1	10

Third Normal Form

 A relation is in third normal form if it is in 2NF, AND no transitive dependencies exist.

<u>EI</u> <u>d</u>	Name	City	Zip	<u>City</u> Mini	Zip
E1	Ali	Minia	16111	а	16111
E 2	Ramy	Minia	16111		

<u>EI</u> <u>d</u>	Name	City
E1	Ali	Minia
E2	Ramy	Minia

Joins

 Join is a combination of a Cartesian product followed by a selection process. A Join operation pairs two tuples from different relations, if and only if a given join

condition is satisfied.


140.			Course		
CS00 1		Programming		g	
	CS00 2			Design	
	CNC CS0 1 CS0 1).	content	
			0	C#	
			0	оор	

Cartesian product

No.	Course	CNo.	Content
CS00 1	programmin g	CS001	C#
CS00 1	programmin g	CS001	oop
CS00 1	programmin g	CS002	HTML
CS00 2	Design	CS001	C#
CS00	D	66001	
2	Design	C2001	000

HTML

Joins (Inner Join)




No.			course		
CS00 1		Р	Programming		
С	S00 2		Design		
	CS00		content		
			C#		
CS00 1 NUL		0	oop		
		L	HTML		

	No.	Cour se	CNo.	Conte nt
-	CS00 1	Prog.	CS00 1	C#
	CS00 1	Prog.	CS00 1	oop
	CS00 1	Prog.	NULL	HTML
	CS00 2	Desig n	CS00 1	C#
	CS00 2	Desig n	CS00 1	oop
	CS00	Desig	NULL	HTML
	2	n	NOLL	TITIVIL

No.	Cour se	CNo.	Conte nt
CS00 1	Prog.	CS00 1	C#
CS00 1	Prog.	CS00 1	oop

Joins (Left Join)




No.			course	
CS00 1		Р	Programming	
CS00			Design content	
	CS0 1	0	C#	
	CS0 1	0	oop	
NUI		L	HTML	

No.	Cour se	CNo.	Conte nt
CS00 1	Prog.	CS00 1	C#
CS00 1	Prog.	CS00 1	oop
CS00 1	Prog.	NULL	HTML
CS00 2	Desig n	CS00 1	C#
CS00 2	Desig n	CS00 1	oop
CS00	Desig	NULL	HTML
2	n	NOLL	111111

No.	Cour se	CNo.	Conte nt
CS00 1	Prog.	CS00 1	C#
CS00 1	Prog.	CS00 1	oop
CS00 2	Desig n	NULL	NULL

Joins (Right Join)




No.		course		
CS00 1		Programming		
CS00			Design	
CNC			content	
	CS0 1	0	C#	
CS0 1 NUL		0	oop	
		L	HTML	

	No.	Cour se	CNo.	Conte nt
-	CS00 1	Prog.	CS00 1	C#
	CS00 1	Prog.	CS00 1	oop
	CS00 1	Prog.	NULL	HTML
	CS00 2	Desig n	CS00 1	C#
	CS00 2	Desig n	CS00 1	oop
	CS00	Desig	NULL	HTML
	2	n	NOLL	TITIVIL

No.	Cour se	CNo.	Conte nt
CS00 1	Prog.	CS00 1	C#
CS00 1	Prog.	CS00 1	оор
NULL	NULL	NULL	HTML

Joins (Full Join)



No.			course		
CS00 1		Р	Programming		
CS00			Design content		
	CS0 1	0	C#		
	CS0 1	0	oop		
	NUL	L	HTML		

No.	Cour se	CNo.	Conte nt
CS00 1	Prog.	CS00 1	C#
CS00 1	Prog.	CS00 1	oop
CS00 1	Prog.	NULL	HTML
CS00 2	Desig n	CS00 1	C#
CS00 2	Desig n	CS00 1	oop
CS00	Desig	NULL	HTML
2	n	ITOLL	

No.	Cour se	CNo.	Conte nt
CS00 1	Prog.	CS00 1	C#
CS00 1	Prog.	CS00 1	oop
NULL	NULL	NULL	HTML
CS00 2	Desig n	NULL	NULL

Thanks

