Lab3-->Lec2

Mohamed Ahmed Mohamed

1-Using vi write your CV in the file mycv. Your CV should include your name, age, school,

- 2- Open mycv file using vi command then: Without using arrows state how to:
- a. Move the cursor down one line at time. [J]
- b. Move the cursor up one line at time. [K]
- c. Search for word age. [set ic][:/age]
- d. Step to line 5 .[5G]
- e. Delete the line you are on and line 5.[:.d|5d]
- f. How to step to the end of line and change to writing mode in one-step. [A]

3. List the available shells in your system.

```
sok .../Desktop/red-lab1/docs 14:40 cat /etc/shells

File: /etc/shells

# /etc/shells: valid login shells
/bin/sh
/bin/bash
/usr/bin/bash
/bin/rbash
/usr/bin/rbash
/usr/bin/sh
/usr/bin/sh
/usr/bin/sh
/usr/bin/dash
/usr/bin/dash
```

4. List the environment variables in your current shell.

```
sok .../Desktop/red-lab1/docs 14:50 evn
bash: evn: command not found

sok .../Desktop/red-lab1/docs 14:50 env

SHELL=/bin/bash
SESSION_MANAGER=local/sok-HP-Compaq-Pro-6300-MT:@/tmp/.ICE-unix/1780,unix/sok-HP-Compaq-Pro-6300-MT:/tmp/.ICE-unix/1780

QT_ACCESSIBILITY=1
COLORTERM=truecolor
XDG_CONFIG_DIRS=/etc/xdg/xdg-ubuntu:/etc/xdg
SSH_AGENT_LAUNCHER=gnome-keyring
HISTCONTROL=erasedups:ignoredups:ignorespace
XDG_MENU_PREFIX=gnome-
```

5. List all of the environment variables for the bash shell.

```
sok /etc 15:11 set | head -10

AUTOJUMP_ERROR_PATH=/home/sok/.local/share/autojump/errors.log

AUTOJUMP_SOURCED=1

BASH=/usr/bin/bash

BASHOPTS=checkwinsize:cmdhist:complete_fullquote:expand_aliases:extglob:extquot:force_fignore:globasciiranges:histappend:interactive_comments:progcomp:promptvrs:sourcepath

BASH_ALIASES=()

BASH_ARGC=([0]="0")

BASH_ARGV=()

BASH_CMDS=()

BASH_CMDS=()

BASH_COMPLETION_VERSINFO=([0]="2" [1]="11")

BASH_LINENO=()
```

6-What are the commands that list the value of a specific variable?

```
sok /etc 15:13 echo $HOME
/home/sok
```

7-Display your current shell name.

```
sok /etc 15:27 echo $0
bash
```

- 8- State the initialization files of: sh, ksh, bash.
- 1- sh bourne shell:

for sys wide==> /etc/ profile for every user==> ~/.profile

2 – ksh korn shell:

for sys wide==> /etc/ profile for every user==> ~/.profile

3-bash bourne again shell:

For sys wide:

interactive login shell ==>/etc/profile | /etc/.bashrc interactive non login shell ==>/etc/profile

For every user:

interactive login shell ==>~/.profile | ~/.bashrc interactive non login shell ==>/etc/profile /etc/.bashrc

9. Edit in your profile to display date at login and change your prompt permanently.

```
sok ~/Desktop 14:00 su - test

Password:
Welcome test its Fri 22 Dec 2023 02:01:05 PM EET ^_^
Hello this test user for Red-Hat==> $
```

10.Execute the following command:

\ <==== for multi-line commands

```
Hello this test user for Red-Hat==> $ \
moreLinesComm=>
```

11.Create a Bash shell alias named Is for the "Is -I" command

```
moreLinesComm=>ls
total 4
drwxrwxr-x 2 test test 4096 Dec 21 16:09 test2024
Hello this test user for Red-Hat==> $
```