KALI.CO Website — Full Code Explanation

A super simple guide for beginners 👩

Part 1: What Even Is HTML and CSS? 🤔

Imagine you want to build a toy house. You need two things:

- BRICKS to make the walls, roof, and rooms — that is HTML.
- PAINT to make it look pretty (colors, sizes, spacing) — that is CSS.

HTML is the structure of your website. CSS is the decoration. Together they make a webpage look nice and work correctly.

Part 2: The HTML Files 📄

The KALI.CO website has two HTML pages:

- index.html — the Home page with the products
- about.html — the About Us page

Both pages share the same styles.css file, so they look the same (same colors, same fonts, same header).

The Skeleton Every HTML Page Starts With

Every single HTML file in the world starts with this skeleton. Think of it as the 'container' for everything:

```
<!DOCTYPE html>
```

```
<html lang="en">
  <head> ... </head>
  <body> ... </body>
</html>
```

<!DOCTYPE html>

This is the very first line. It tells the browser: "Hey! This is an HTML page, please read it correctly." You always write this once at the top. No closing tag needed.

<html lang="en">

This is the big wrapper that holds EVERYTHING. The lang="en" part tells the browser this page is written in English. It has a matching closing tag </html> all the way at the very bottom of the file.

<head> ... </head>

This is like the invisible brain of the page. The user never SEES what's inside the <head>, but it contains important information. Let's look at what's inside:

```
<meta charset="UTF-8">
```

This lets the browser use all letters and symbols (Arabic, emoji, etc.) correctly. Always include it.

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

This makes the website look good on phones and tablets too, not just big computer screens. Without this, the website would look tiny on your phone.

```
<title>KALI.CO - Home</title>
```

This sets the name that appears on the browser tab (the little tab at the top of Chrome or Firefox). On the home page it says "KALI.CO - Home", on the about page it says "KALI.CO - About Us".

```
<link rel="stylesheet" href="styles.css">
```

This connects the HTML file to the CSS file. It says: "Go find the file called styles.css and use all those style rules for this page." Without this line, the page would have no colors, no layout, nothing — just plain black text.

<body> ... </body>

This is where everything the user actually SEES lives. All the text, images, buttons — everything goes inside the body.

The <header> — The Navigation Bar at the Top

The header is the strip at the top of every page showing the logo and links. Both pages use the exact same header HTML:

```
<header>
  <div class="nav-container container">
    <div class="logo">KALI.CO</div>
    <ul class="links">
      <li><a href="index.html">Home</a></li>
      <li><a href="about.html">About Us</a></li>
      <li><a href="#">Contact</a></li>
    </ul>
  </div>
</header>
```

<header>

This tag is a special HTML5 tag that means "this is the top part of the page". Browsers and screen readers understand that this is a navigation area. It has a white background and a thin grey border at the bottom (from CSS).

A is just a box. It has no special meaning — it is just used to GROUP things together so you can style them. This div has TWO class names: "nav-container" (to make it a flexbox row so logo and links sit side-by-side) and "container" (to limit the width and center it on the page).

KALI.CO

Another box, this one just holds the brand name text "KALI.CO". The CSS makes it big and bold (font-size: 24px; font-weight: bold).

<ul class="links">

A <ul> stands for Unordered List — like a bullet list. Each item inside is a <li> (list item). The CSS removes the default bullet points (list-style: none) and lines the items up horizontally with a gap between them.

<a href="index.html">Home</a>

The <a> tag creates a clickable link. href is where the link goes. So href="index.html" takes you to the home page, href="about.html" takes you to the about page. The href="#" is a placeholder that goes nowhere (used for Contact which is not built yet).

The <main> Tag

The <main> tag wraps the main content of the page (the part that is different on each page). It's just a semantic container — it tells the browser "the important stuff is here".

Part 3: index.html — The Home Page 🏠

The Hero Section (the big black banner)

```
<section class="hero">
  <h1>Find Clothes That Match Your Style</h1>
  <p>High-quality fashion designed for your individuality.</p>
  <a href="#KALI" class="btn">Shop Now</a>
</section>
```

<section class="hero">

A <section> is like a chapter in a book. The class="hero" connects it to CSS rules that make it: black background (#111), white text, centered, with lots of padding (space) around the content.

<h1>

This is the biggest heading on the page. There should only be ONE <h1> per page — it's the main title. The CSS makes it font-size: 36px.

<p>

A paragraph tag. Used for normal body text.

<a href="#KALI" class="btn">Shop Now</a>

This is a link styled as a button. The href="#KALI" is special — the # means "scroll down to the element on THIS page with id=KALI". So clicking "Shop Now" smoothly scrolls down to the products section. The class="btn" applies white background, dark text, and rounded corners from CSS.

The Products Section

```
<section class="container" id="KALI">
  <h2 class="section-title">New Arrivals</h2>
  <div class="product-grid">
    <div class="product-card"> ... </div>
    <div class="product-card"> ... </div>
    <div class="product-card"> ... </div>
    <div class="product-card"> ... </div>
  </div>
</section>
```

<section class="container" id="KALI">

The id="KALI" is a unique name for this section. The "Shop Now" button links to #KALI to scroll here. The class="container" limits the width to 1100px and centers it.

This box uses CSS Grid to create 4 equal columns side by side. All 4 product cards sit inside it and automatically line up in a row.

Each

Each card contains: a product-image div (holds the photo), an <h3> (product name), an optional (the red SALE label), and a (the price in bold).

SALE

A is an inline box — it sits inside a line of text without pushing anything to a new line. The CSS makes it red and small. It only appears on the Skinny Jeans card.

The Images

Two images use data:image/jpeg;base64 — this means the actual image data is pasted directly inside the HTML as a long string of letters and numbers. No separate image file needed. One image uses a regular web URL (https://...) which loads from the internet.

The <footer>

```
<footer>
  <h2>KALI.CO</h2>
  <p>&copy; 2026 Kali.co Web Programming Project. All rights
reserved.</p>
```

```
</footer>
```

The <footer> is the dark strip at the very bottom. The CSS gives it a black background (#111) and white text. The © is a special HTML code that shows the © copyright symbol.

Part 4: about.html — The About Page 👋

The About page has the same header and footer as the home page. The only difference is the content inside <main>. It has two unique sections:

The About Header Section

```
<section class="about-header">
  <h1>About KALI.CO</h1>
  <p>Style is a language everyone speaks.</p>
</section>
```

The class="about-header" CSS gives this section a light grey background (#f4f4f4) with centered text and padding. It acts like a banner title area.

The About Content Section

```
<div class="about-content">
  <div class="about-text"> ... </div>
  <div class="about-image"> ... </div>
</div>
```

The class="about-content" uses CSS Flexbox to put the text on the left and the image on the right, side by side. Each child div has flex: 1 which means "take up equal space".

This is a line break tag — it adds a blank line between paragraphs. It has no closing tag. It's used here between the two paragraphs of text.

Part 5: styles.css — Making Everything Look Good 🎨

The CSS file has one job: make the website beautiful. Every rule follows the same pattern:

```
selector {
  property: value;
}
```

The SELECTOR picks which HTML element to style. The PROPERTY is what you want to change (color, size, etc). The VALUE is what you change it to.

The Reset Rules (top of the file)

```
* {
  margin: 0;
  padding: 0;
  box-sizing: border-box;
}
```

The * selector means "apply to EVERYTHING on the page". By default browsers add spaces around elements. margin: 0 and padding: 0 remove all those default spaces so we start fresh. box-sizing: border-box makes width calculations more predictable (padding is included inside the width, not added on top).

body

```
body {
  font-family: Arial, sans-serif;
  color: #333;
  line-height: 1.6;
}
```

font-family sets the font for the whole page. Arial is used; sans-serif is a fallback if Arial is not available. color: #333 is a dark grey (not pure black) for all text. line-height: 1.6 adds comfortable space between lines of text.

a (links)

```
a {
  text-decoration: none;
  color: inherit;
}
```

By default, links are blue and underlined. text-decoration: none removes the underline. color: inherit means "use whatever color the parent element has" — so nav links look like regular text.

.container

```
.container {
  max-width: 1100px;
  margin: 0 auto;
  padding: 0 20px;
}
```

Any element with class="container" gets this rule. max-width: 1100px means it won't grow wider than 1100 pixels. margin: 0 auto centers it horizontally on the page. padding: 0 20px adds 20px of breathing room on left and right sides so text doesn't touch the edge.

header

```
header {
  background-color: #fff;
  border-bottom: 1px solid #ccc;
  padding: 15px 0;
}
```

White background. A thin 1px light grey line at the bottom (the separator under the nav). 15px of space top and bottom.

.nav-container

```
.nav-container {
  display: flex;
  justify-content: space-between;
  align-items: center;
}
```

display: flex turns this box into a Flexbox. Its children (the logo and the links list) automatically line up in a row. justify-content: space-between pushes the logo to the far left and the links to the far right. align-items: center vertically centers them.

.links

```
.links {
```

```
  list-style: none;
  display: flex;
  gap: 20px;
}
```

list-style: none removes the bullet points from the list. display: flex lines the list items up in a row. gap: 20px puts 20 pixels of space between each link.

.hero

```
.hero {
  background-color: #111;
  color: #fff;
  text-align: center;
  padding: 60px 20px;
}
```

The big black banner. #111 is almost-black. #fff is white for the text. text-align: center centers everything inside. padding: 60px 20px means 60px top/bottom and 20px left/right — lots of space around the hero content.

.btn

```
.btn {
  background-color: #fff;
  color: #111;
  padding: 10px 20px;
  display: inline-block;
  margin-top: 15px;
  font-weight: bold;
  border-radius: 5px;
}
```

The "Shop Now" button style. White background, dark text (reversed from the hero). padding: 10px 20px gives it that chunky button feel. display: inline-block allows padding to work properly on an <a> tag. border-radius: 5px rounds the corners slightly.

.product-grid

```
.product-grid {
  display: grid;
```

```
  grid-template-columns: repeat(4, 1fr);
  gap: 20px;
  margin-bottom: 50px;
}
```

display: grid turns this box into a CSS Grid. grid-template-columns: repeat(4, 1fr) creates 4 columns of equal width — the 1fr means "1 fraction of available space". So all 4 product cards get equal width automatically. gap: 20px puts space between the cards.

.product-card

```
.product-card {
  border: 1px solid #eee;
  padding: 15px;
  text-align: center;
}
```

A very light grey border around each card. 15px padding inside. Text centered.

.product-image

```
.product-image {
  background-color: #f4f4f4;
  height: 200px;
  margin-bottom: 10px;
  display: flex;
  align-items: center;
  justify-content: center;
}
```

The image box is a fixed 200px tall with a light grey background. Flexbox is used to perfectly center the image (both vertically and horizontally) inside the box.

.product-image img

```
.product-image img {
  max-width: 100%;
  max-height: 100%;
  object-fit: contain;
}
```

max-width: 100% and max-height: 100% make sure the image never overflows its container box. object-fit: contain makes the image scale proportionally to fit inside without being stretched or cropped.

.price and .sale-tag

```
.price {
  font-weight: bold;
  font-size: 18px;
  margin-top: 5px;
}

.sale-tag {
  color: red;
  font-size: 14px;
  font-weight: bold;
}
```

.price makes the price big and bold. .sale-tag makes the SALE label small, bold, and red — eye-catching without being too big.

About Page CSS

```
.about-header {
  text-align: center;
  padding: 50px 20px;
  background-color: #f4f4f4;
}
```

The top banner on the about page. Light grey background, centered text, lots of padding.

```
.about-content {
  display: flex;
  gap: 30px;
  margin: 40px 0;
  align-items: center;
}
```

Flexbox puts the text div and image div side by side. gap: 30px spaces them apart. align-items: center vertically aligns them in the middle.

```
.about-text { flex: 1; }
.about-image { flex: 1; height: 250px; ... }
```

flex: 1 on both children means they each take exactly half the width. The about-image box also has a fixed height and uses flexbox internally to center the image inside.

footer

```
footer {
  background-color: #111;
  color: #fff;
  text-align: center;
  padding: 20px;
  margin-top: 40px;
}
```

Same dark color as the hero. White text. Centered. margin-top: 40px adds space above the footer so it doesn't sit directly against the content above it.

Part 6: Quick Summary 📋

Here's everything in one short list:

- HTML = Structure. CSS = Style.
- <header> = nav bar at the top. <main> = page content. <footer> = bottom strip.
- = a plain box for grouping things. It means nothing on its own.
- class="..." connects HTML elements to CSS rules.
- id="..." gives one element a unique name (used for scroll links).
- Flexbox (display: flex) = lines children up in a row.
- Grid (display: grid) = creates columns and rows.
- The .container class limits page width and centers content.
- Both pages link to one styles.css file — change the CSS once, it updates everywhere.

— End of Explanation Document —