Expenses

A private macOS expense tracker with invoice RAG, charts and full control by chat and voice

Build report: what was built, how it works, what was tested, and which frameworks were used · 12 November 2026

Swift 6 · SwiftUI | Postgres 17 + pgvector 0.8.7 | Ollama · qwen3.5:9b | Apple Vision OCR | Whisper (WhisperKit, on-device) | Swift Charts | 43 tests passing + 1M-row benchmark

1. Summary

Expenses is a native macOS app. You drop invoices in (PDF, scan or phone photo, in Arabic or English), a **local** AI model reads them, and every confirmed invoice becomes an expense in USD. The app has a dashboard, charts by day, month, year, category and vendor, and an **Ask AI** panel that answers questions and drives the whole app through tool calls. The assistant is branded **Wallet** ("Hello, I'm Wallet, your personal financial assistant"); you can type, or tap the mic and talk to it. All AI and all data stay on the Mac: Ollama for the models, Apple Vision for OCR, local Whisper for voice, and a local Postgres 17 database with pgvector for both the data and the RAG index.

> **Core design rule: the model reads and talks, code decides the numbers.** Totals and charts come only from SQL. Money is integer minor units. Auto-confirmation is a deterministic validator. Any write the AI proposes waits for a Confirm click and can be undone. Any dollar amount in an AI answer that no tool produced is flagged on screen.

Requirement from the brief	How it is delivered
Mac app called Expenses	Native SwiftUI app, `build/Expenses.app`, macOS 15+
Upload invoices	Drag-and-drop or Import (PDF and images). Text PDFs are parsed with PDFKit; scans and photos go through Apple Vision OCR (Arabic + English) plus the vision model
Invoices added to RAG	Each invoice is chunked into Postgres: a `vector(1024)` embedding (HNSW index) plus a `tsvector` (GIN index) in the same row and transaction. Hybrid search merges both with Reciprocal Rank Fusion
Ask AI about expenses per month, day and so on	A tool-calling agent with 14 tools (`query_expenses`, `show_chart`, `compare_periods`, `search_invoices` …). Every figure comes from SQL
Graphs	Swift Charts (bar, line, donut), by day, month, year, category or vendor, with empty periods filled with zeros
Full control by chatting	The chat can navigate, open invoices, draw charts, add, edit, split and delete expenses, confirm invoices, set exchange rates and undo


Voice	Tap the mic and talk to Wallet. Local Whisper large-v3 turbo (WhisperKit) transcribes Arabic and English on-device in about 1 s and picks the language automatically. The spoken text is shown as your message
Past-year graph	"Show me last year's expenses by month as a graph" → `show_chart(period: 2025, group_by: month)` → Analytics screen
PDF of what was done	This document

2. Decisions agreed before building

Each branch of the design was settled one question at a time before any code was written. These answers drive the schema and behavior.

Branch	Decision	Consequence in code
Languages and currencies	Arabic and English, multiple currencies	Amounts stored as integer minor units per ISO 4217 (KWD has 3 decimals, JPY 0). Arabic-Indic digits are normalized
Conversion	Freeze the rate per invoice; base currency **USD**	`fx_rate_e6` and `usd_minor` are stored on each expense. Changing a rate never changes past totals
Granularity	One expense per invoice, with optional split	Charts read one `expenses` table. Line items are kept for search and cross-checks. `split_expense` enforces an exact sum
Schema and scale	Covering indexes; add a rollup table only if a 1M-row query exceeds 50 ms	Benchmark below: not needed
Auto-confirm	Only if every check passes	Confidence ≥ 0.9, line items explain the total within ±1%, date within 10 years and not in the future, currency and rate known, not a likely duplicate
Duplicates	Block exact copies, flag likely ones	UNIQUE `file_sha256`. Same vendor, day and total from another file → "Needs review"
AI writes	Confirm card plus undo log	Write tools only produce a `PendingAction`. Each committed write is one transaction plus an `audit_log` row holding the inverse operation
Voice	On-device only. Changed after testing: Apple Speech has no on-device Arabic model on this Mac, so it was replaced by local Whisper	WhisperKit with `large-v3 turbo` (632 MB, downloaded once). Language restricted to Arabic or English. Spoken commands are sent on stop, and writes still need Confirm
AI offline	Queue and retry, app stays usable	The upload is saved first as `pending`, retried 3 times with backoff, then marked `failed` with a Retry button. Pending work is processed on the next launch
Database (changed mid-build)	**Postgres 17 + pgvector for all data**	The first version used SQLite and passed all tests. On request it was moved entirely to Postgres so an invoice and its vectors commit atomically and vector search uses HNSW

3. Architecture



Code layout (4,300 lines of Swift)

Module / file	Responsibility
`ExpensesKit/DB/Postgres.swift`	PostgresNIO connection pool. `read` leases a connection; `transaction` runs BEGIN/COMMIT on one leased connection and rolls back on any error
`ExpensesKit/DB/Schema.swift`	Versioned migrations under an advisory lock; pgvector HNSW and GIN indexes; seed categories (EN/AR) and default rates
`ExpensesKit/Store/ExpenseStore.swift`	All reads and writes: invoices, audited expense writes, undo, aggregates, keyset lists, RAG chunks, vector and full-text search
`ExpensesKit/Core/Money.swift`, `Day.swift`	Minor units, currency normalization (symbols and Arabic names), Arabic-Indic digits, `yyyymmdd` days
`ExpensesKit/Ingest/*`	TextExtractor (PDFKit/Vision), InvoiceExtractor (prompt and parsing), Validator, IngestService (retries, duplicates, indexing)
`ExpensesKit/Search/SearchService.swift`	Hybrid retrieval: tsvector + pgvector, RRF k = 60, best chunk per invoice
`ExpensesKit/Assistant/*`	Tool catalog, ToolExecutor (validate, then pend or run), Assistant loop and its safety guards
`ExpensesApp/*`	SwiftUI screens, chat panel, confirm cards, Swift Charts, push-to-talk speech, CLI mode

4. How each part works

4.1 Invoice ingestion

1. **Save first.** The file is hashed (SHA-256), copied into app storage and inserted as `pending` using `INSERT … ON CONFLICT (file_sha256) DO NOTHING`. If 10 uploads of the same file arrive at once, exactly one wins (tested).
2. **Read.** PDFs with a text layer use PDFKit. Scans and photos are OCR'd by Apple Vision with `recognitionLanguages = ["ar-SA","en-US"]`, and the page image is also sent to the vision-capable model.
3. **Extract.** `qwen3.5:9b` runs at temperature 0 and must return one JSON object. The prompt says invoice text is data, not instructions, and asks for numbers to be copied, never computed. The reply is parsed deterministically: currency symbols and Arabic names map to ISO codes, Arabic-Indic digits and both decimal styles are handled, and unknown categories become "other".
4. **Validate.** The agreed rules decide `autoConfirm`, and every failed rule becomes a readable reason shown to the user.
5. **Commit.** One transaction writes the extracted fields, line items and status, and the expense if auto-confirmed, with its frozen rate and an audit row.
6. **Index.** A summary chunk plus 700-character OCR chunks are embedded with `qwen3-embedding:0.6b` (1024 dimensions) and stored with their tsvector. If embedding fails, keyword search still works (tested).
7. **Failure.** If the AI is unreachable or returns bad JSON, the invoice is retried 3 times with backoff and then marked `failed`. One bad invoice never affects another (tested).

4.2 Ask AI and full control

Tool	Kind	Purpose
query_expenses	read	Exact totals, grouped by none, day, month, year, category or vendor
show_chart	read	Draws a chart in the app (bar, line or pie) and opens Analytics
compare_periods	read	Difference and % change computed in code
list_expenses · search_invoices · open_invoice · navigate	read	Lists with ids, hybrid RAG search with citations, opening an invoice, switching screens
add / edit / delete / split expense · confirm_invoice · set_exchange_rate · undo_last	write	Validated immediately, so bad arguments go back to the model. Executed only after Confirm, then re-validated, run in a transaction and audited

4.3 Voice and the Wallet identity

The assistant is presented as **Wallet**, with a wallet-and-coin mark on an emerald-to-teal gradient that is also used for the app icon, the charts and the chat bubbles. The chat panel opens with the greeting "Hello, I'm Wallet, your personal financial assistant" in English and Arabic, a large tap-to-talk microphone and four suggestion chips. Voice is captured with AVAudioEngine and resampled to 16 kHz mono. Whisper first

detects the language, the app restricts it to Arabic or English, and then it transcribes on-device in about 1 s. The transcript is sent as your message with a "Voice" badge, and any write it triggers still needs Confirm.

4.4 How hallucination is controlled

- **Numbers come only from tools.** Tool results carry amounts already formatted by code (`"$643.50"`). Charts and tables render the tool's rows, not the model's text.
- **Unverified-number guard.** Every money amount in the final answer is checked against the numbers that appeared in tool outputs. Anything else is shown as "Not from your data". In the dry run this caught a subtraction the model did itself.
- **Dates and language are decided by code.** The prompt contains precomputed anchors (last month = 2026-10, and so on). The reply language comes from the script the user typed.
- **Writes cannot be claimed.** On a turn that proposes a write, the visible text is written by code ("Waiting for your confirmation: …").
- **RAG answers cite invoices** (`[#id]` , clickable). Only cited invoices are shown, and "not found" is the required answer when nothing matches.
- **A bounded loop.** The agent gets at most 6 tool rounds, and unknown tools are rejected.

4.5 Data model and database optimisation

```
expenses(id, invoice_id?, day BIGINT yyyymmdd, category_id, vendor_id?, amount_minor, currency,
         fx_rate_e6, usd_minor, note, created_at, deleted_at?)            -- soft delete for
undo
  expenses_day      (day)              INCLUDE (usd_minor) WHERE deleted_at IS NULL
  expenses_cat_day  (category_id, day) INCLUDE (usd_minor) WHERE deleted_at IS NULL
  expenses_vendor_day(vendor_id, day)  INCLUDE (usd_minor) WHERE deleted_at IS NULL
  expenses_list     (day DESC, id DESC)                    WHERE deleted_at IS NULL   -- keyset
pages
invoices(id, file_sha256 UNIQUE, status CHECK(...), vendor_id, issue_day, currency, total_minor,
         confidence, ocr_text, extraction_json JSONB, review_reasons JSONB, duplicate_of,
attempts, last_error)
chunks(id, invoice_id, text, embedding vector(1024) [HNSW cosine], tsv tsvector GENERATED [GIN,
'simple'])
audit_log(id, action, actor user|ai|auto, summary, undo_json JSONB, undone)
```

- **Read hot path** (charts): a range scan on a covering partial index. The query plan is *Index Only Scan using expenses_day*.
- **Write hot path** (ingest): one short transaction per invoice. Vendor upsert uses `ON CONFLICT` ; confirm and undo lock rows with `FOR UPDATE` , so two confirms or two undos can't double-apply.
- **Pagination:** keyset `(day, id) < (?, ?)` , so every page is an index seek no matter how deep.

5. Testing

43 automated tests pass (Swift Testing). Each test runs in its own Postgres schema. A 44th test, the 1M-row benchmark, is opt-in (`EXPENSES_BENCH=1`) and also passes.

Suite	Tests	What it proves
Money · Day	6	Amount formats (`1.234,50` , `١٬٢٣٤٫٥٠`), currency symbols, minor digits (KWD/JPY), frozen USD conversion, date parsing and ranges
Validator · Extraction parsing	6	Each auto-confirm rule in isolation; the ±1% tolerance; Arabic invoice JSON; JSON wrapped in chatter
Store	7	Idempotent migrations; aggregates with gap filling; keyset pages return every row exactly once; frozen rates; undo of add, edit, split and delete; **failed writes roll back completely**; 200 concurrent writers
Ingestion (fake model)	6	Auto-confirm path; duplicate file and lookalike; **AI offline → 3 retries → failed → retry succeeds**; garbage JSON isolated to one invoice; embedding outage; confirm, reject and undo
Assistant (fake model)	8	Totals from the DB; invented numbers flagged; exact chart data; writes wait for Confirm and can be undone; bad arguments return to the model; citations and "not found"; bounded loop; future dates and unknown tools rejected
Postgres specifics	3	10 concurrent identical uploads → 1 invoice; HNSW vector search ranking; Arabic full-text search
Dry-run regressions	5	Date anchors; reply language; code-written pending text; `compare_periods` ; citation filtering
Voice language	2	Arabic/English choice from Whisper log-probabilities (regression: a missing language must not count as probability 0)

5.1 Scalability: 1,000,000 expenses

Query (warm, release build)	SQLite (v1)	Postgres 17 (final)
Last year by month	11.9 ms	**18.2 ms**
Last year by day (365 points)	5.6 ms	**20.2 ms**
Last year by category	5.5 ms	**17.5 ms**
One month total	1.0 ms	**3.2 ms**
Food, last year by month	1.5 ms	**4.5 ms**
All time by year (full scan)	**210.6 ms**	**56.4 ms**
100 list pages of 50 (keyset)	66 ms	**72 ms**

Every bounded chart query is far under the agreed 50 ms threshold, so no rollup table was added. **What breaks first** is the unbounded "all time" aggregate, which grows linearly. The fix, if it is ever needed, is a `monthly_totals` rollup maintained in the same transaction as each write.


5.2 End-to-end dry run (live local model)

Eight generated invoices with fictional vendors went through the real pipeline (PDFKit/Vision → `qwen3.5:9b` → validator → Postgres + pgvector):


Invoice	Case	Extracted	Outcome	Time
Maadi Fresh Market (PDF)	English, EGP, VAT	EGP 1,607.40 → $32.95	**confirmed**	13.1 s
صيدليات النور	Arabic, Arabic-Indic digits	٤١٠٫٠٠ → EGP 410.00, 2026-10-22	**confirmed**	8.8 s
Najd Grill · مشويات نجد	Mixed AR/EN, SAR, VAT 15%	SAR 184.00 → $49.07	**confirmed**	10.1 s
Nimbus Cloud Inc.	USD subscription	$40.99	**confirmed**	8.7 s
Zamalek Electronics	Items ≠ total	EGP 1,430 vs EGP 1,980	**needs review**	9.1 s
Horizon Travel	Future date	2027-02-15	**needs review**	6.2 s
Gulf Books Kuwait	KWD, 3 decimals	KWD 12.250 → $39.81	**confirmed**	8.0 s
Maadi Fresh Market (PNG photo)	Same purchase, different file	Same values via Vision OCR	**possible duplicate of #1**	10.4 s
Maadi Fresh Market (PDF again)	Same file	n/a	blocked: already #1	0.0 s

A second clean run produced identical outcomes, because extraction is deterministic at temperature 0. The live assistant was then asked 7 questions in English and Arabic. **The first run found 5 real defects** the fake-model tests could not: "last month" resolved to the wrong year, English questions were answered in Arabic, a pending write was described as done, the model subtracted numbers itself, and citations were over-inclusive. All five were fixed in code (§4.3) and covered by regression tests. On re-run, every figure matched SQL exactly: $643.50 for October, $151.14 for September groceries, and –$29.82 / –4.4% for October vs September.


6. Screenshots (running app, demo database)




Wallet: "Hello, I'm Wallet, your personal financial assistant", with a tap-to-talk mic and suggestions




Talking to Wallet: a chart request and an Arabic question, answered from SQL in brand colors




Dashboard: month, last month and year-to-date stats, 12-month chart, categories, recent expenses




"Show me last year's expenses by month as a graph" → show_chart → Analytics




An Arabic question answered from SQL; "add 12 dollars taxi yesterday" → Confirm card




RAG search cites #1 and #8; compare_periods computes the difference




Needs review: line items don't explain the total; editable fields; Confirm or Reject



Arabic pharmacy invoice extracted and auto-confirmed



A phone photo of an already-imported receipt is flagged as a possible duplicate



Settings: local AI and database, editable exchange rates, change history with the actor (user / AI / auto)

7. Frameworks and tools used

Area	Technology	Why
Language and UI	Swift 6.1, SwiftUI (Observation, NavigationSplitView, Inspector, Table)	Native, fast, one language for app and core
Charts	Swift Charts (BarMark, LineMark/AreaMark, SectorMark)	Native charts that render exact SQL rows
Database	PostgreSQL 17.11 (Homebrew)	Transactions, MVCC concurrency, covering partial indexes, JSONB
Vector search	pgvector 0.8.7, HNSW index, cosine distance	The RAG index lives in the same transaction as the invoice; approximate nearest-neighbour search scales to millions of vectors
Keyword search	Postgres full-text (generated `tsvector`, GIN, `'simple'` config)	Works for Arabic and English without stemming
DB driver	PostgresNIO 1.33 (vapor/postgres-nio) with a connection pool	Async Swift driver, typed binds, SQLSTATE errors
Local LLM runtime	Ollama 0.40.16	Private, offline, no API cost
Chat, tools, vision model	`qwen3.5:9b` (tools + vision, thinking off, temperature 0)	One local model for extraction, photo reading and tool calling; handles Arabic
Embeddings	`qwen3-embedding:0.6b` (1024 dimensions)	Multilingual and small
PDF and OCR	PDFKit, Apple Vision `VNRecognizeTextRequest` (ar-SA, en-US)	On-device, built into macOS
Voice	WhisperKit 0.18 (Whisper large-v3 turbo, Core ML / Neural Engine) + AVAudioEngine 16 kHz capture	Arabic (incl. Egyptian) and English fully on-device; audio never leaves the Mac
Hashing	CryptoKit SHA-256	Exact-duplicate detection
Tests	Swift Testing (`@Test` , `#expect`), a fake LLM, a schema per test	Deterministic tests of the AI paths, isolated from each other
Build	Swift Package Manager, `scripts/make_app.sh` (ad-hoc signed .app)	No Xcode project needed

8. How to run

```
brew install postgresql@17 pgvector && brew services start postgresql@17
createdb expenses && psql -d expenses -c "CREATE EXTENSION vector"
ollama pull qwen3.5:9b && ollama pull qwen3-embedding:0.6b
scripts/make_app.sh && open build/Expenses.app

# tests (needs a database called expenses_test with the vector extension)
createdb expenses_test && psql -d expenses_test -c "CREATE EXTENSION vector"
swift test                                    # 43 tests (+ opt-in benchmark)
EXPENSES_BENCH=1 swift test -c release --filter Scale   # 1M-row benchmark

# headless
build/Expenses.app/Contents/MacOS/ExpensesApp --ingest samples/*.pdf
build/Expenses.app/Contents/MacOS/ExpensesApp --ask "How much did I spend last month?"
```

9. Open risks and deferred work

Item	Status and plan
Exchange rates	Defaults are approximate and editable. There is no live rate feed, because the app is local-first. A dated-rate import could be added
"All time" aggregate	56 ms at 1M rows and linear in size; add a `monthly_totals` rollup if needed
Extraction accuracy at scale	Measured on 8 generated invoices, all correct. A labelled set of about 30 real invoices is needed to report field-level accuracy
Voice accuracy	Tested with 5 synthetic TTS clips: English 2/2 exact, Arabic 2/3 exact. The miss ("كم … اللي فات" heard as "كيلو متر … ليفات") changed the period the assistant chose. The transcript is shown as your message, so you can see such errors. A vocabulary prompt was tried and made results worse, so it was removed. Needs testing with real voices
Model speed	6–13 s per invoice and 6–17 s per chat answer on this Mac with a 9B model
Distribution	Ad-hoc signed and requires a local Postgres service. A notarized build with bundled Postgres setup is future work
Multi-page invoices	OCR reads up to 5 pages, and the vision model sees page 1