This notebook is an exercise in the <u>Data Cleaning (https://www.kaggle.com/learn/data-cleaning)</u> course. You can reference the tutorial at <u>this link</u> (https://www.kaggle.com/alexisbcook/handling-missing-values).

In this exercise, you'll apply what you learned in the **Handling missing values** tutorial.

#### Setup

The questions below will give you feedback on your work. Run the following cell to set up the feedback system.

```
In [3]: from learntools.core import binder
binder.bind(globals())
from learntools.data_cleaning.ex1 import *
print("SetupComplete")
```

SetupComplete

## 1) Take a first look at the data

Run the next code cell to load in the libraries and dataset you'll use to complete the exercise.

```
In [4]: # modules we'll use
import pandas as pd
import numpy as np

# read in all our data
sf_permits = pd.read_csv("../input/building-permit-applications-data/Building_I

# set seed for reproducibility
np.random.seed(0)
```

/tmp/ipykernel\_32/3534875831.py:6: DtypeWarning: Columns (22,32) have mixed t
ypes. Specify dtype option on import or set low\_memory=False.
 sf\_permits = pd.read\_csv("../input/building-permit-applications-data/Buildi
ng\_Permits.csv")

Use the code cell below to print the first five rows of the sf\_permits DataFrame.

```
In [5]: # TODO: Your code here!
```

Does the dataset have any missing values? Once you have an answer, run the code cell below to get credit for your work.

```
In [6]: # Check your answer (Run this code cell to receive credit!)
q1.check()
```

Correct:

The first five rows of the data does show that several columns have missing values. You can see this in the "Street Number Suffix", "Proposed Construction Type" and "Site Permit" columns, among others.

```
In [7]: # Line below will give you a hint
#q1.hint()
```

### 2) How many missing data points do we have?

What percentage of the values in the dataset are missing? Your answer should be a number between 0 and 100. (If 1/4 of the values in the dataset are missing, the answer is 25.)

```
In [8]: # TODO: Your code here!
missing_values_count = sf_permits.isnull().sum()
total_cells = np.product(sf_permits.shape)
total_missing = missing_values_count.sum()
percent_missing = (total_missing/total_cells) * 100

# Check your answer
q2.check()
```

Correct

```
In [9]: # Lines below will give you a hint or solution code
     #q2.hint()
     #q2.solution()
```

### 3) Figure out why the data is missing

Look at the columns "Street Number Suffix" and "Zipcode" from the <u>San Francisco Building</u> <u>Permits dataset (https://www.kaggle.com/aparnashastry/building-permit-applications-data)</u>. Both of these contain missing values.

- · Which, if either, are missing because they don't exist?
- · Which, if either, are missing because they weren't recorded?

Once you have an answer, run the code cell below.

```
In [10]: # Check your answer (Run this code cell to receive credit!)
q3.check()
```

Correct:

If a value in the "Street Number Suffix" column is missing, it is likely because it does not exist. If a value in the "Zipcode" column is missing, it was not recorded.

```
In [11]: # Line below will give you a hint
#q3.hint()
```

### 4) Drop missing values: rows

If you removed all of the rows of sf\_permits with missing values, how many rows are left?

**Note**: Do not change the value of sf permits when checking this.

```
In [12]: # TODO: Your code here!
          sf_permits.dropna()
Out[12]:
                                Permit
                                         Permit
                                                                      Street
                                                                                                  Exi
              Permit Permit
                                                             Street
                                                                            Street Street
                                                                                          ... Constru
                                 Type
                                       Creation Block Lot
                                                                    Number
             Number
                                                           Number
                                                                             Name
                                                                                   Suffix
                       Type
                             Definition
                                          Date
                                                                      Suffix
          0 rows × 43 columns
          Once you have an answer, run the code cell below.
In [13]:
          # Check your answer (Run this code cell to receive credit!)
          q4.check()
```

```
Correct:
```

There are no rows remaining in the dataset!

```
In [14]: # Line below will give you a hint
#q4.hint()
```

# 5) Drop missing values: columns

Now try removing all the columns with empty values.

- Create a new DataFrame called sf\_permits\_with\_na\_dropped that has all of the columns with empty values removed.
- How many columns were removed from the original sf\_permits DataFrame? Use this
  number to set the value of the dropped\_columns variable below.

```
In [15]: # TODO: Your code here
    sf_permits_with_na_dropped = sf_permits.dropna(axis=1)

cols_in_original_dataset = sf_permits.shape[1]
    cols_in_na_dropped = sf_permits_with_na_dropped.shape[1]
    dropped_columns = cols_in_original_dataset - cols_in_na_dropped

# Check your answer
    q5.check()
```

Correct

## 6) Fill in missing values automatically

Try replacing all the NaN's in the sf\_permits data with the one that comes directly after it and then replacing any remaining NaN's with 0. Set the result to a new DataFrame sf permits with na imputed.

```
In [18]: # TODO: Your code here
    sf_permits_with_na_imputed = sf_permits.fillna(method='bfill', axis=0).fillna(
    # Check your answer
    q6.check()

Correct

In []: # Lines below will give you a hint or solution code
    #q6.hint()
    #q6.solution()
```

### More practice

If you're looking for more practice handling missing values:

- Check out this noteboook (https://www.kaggle.com/alexisbcook/missing-values) on handling missing values using scikit-learn's imputer.
- Look back at the "Zipcode" column in the sf\_permits dataset, which has some missing values. How would you go about figuring out what the actual zipcode of each address should be? (You might try using another dataset. You can search for datasets about San Fransisco on the <u>Datasets listing (https://www.kaggle.com/datasets)</u>.)

### Keep going

Have questions or comments? Visit the <u>course discussion forum</u> (<u>https://www.kaggle.com/learn/data-cleaning/discussion</u>) to chat with other learners.