Allotment.php

```php
<?php include('head.php');?>

<?php include('header.php');?>
<?php include('sidebar.php');?>

<?php
include('connect.php');
date_default_timezone_set('Asia/Kolkata');
$current_date = date('Y-m-d');

?>

<div class="page-wrapper">

<div class="row page-titles">
<div class="col-md-5 align-self-center">
<h3 class="text-primary">Allotment Management</h3> </div>
<div class="col-md-7 align-self-center">
<ol class="breadcrumb">
<li class="breadcrumb-item"><a href="javascript:void(0)">Home</a></li>
<li class="breadcrumb-item active">Allotment Management</li>
</ol>
</div>
</div>

<div class="container-fluid">

<div class="row">
<div class="col-lg-8" style="margin-left: 10%;">
<div class="card">
<div class="card-body">
<div class="input-states">
<form class="form-horizontal" method="POST" action="pages/allot.php"
name="userform" enctype="multipart/form-data">
<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Class</label>
<div class="col-sm-9">
```

```php
<select type="text" name="class_id" id="class_id" class="form-control"
placeholder="Class" required="">
<option value="">--Select Class--</option>
<?php
$c1 = "SELECT * FROM `tbl_class`";
$result = $conn->query($c1);
while ($row = mysqli_fetch_array($result)) {
$s1 = "SELECT count(*) as qty FROM `tbl_student` WHERE
classname='".$row["cl_id"]."'";
$sr = $conn->query($s1);
if ($sr->num_rows > 0) {
$sres = mysqli_fetch_array($sr);
$qty=$sres['qty'];
}
else
{
$qty=0;
}
?>
<option value="<?php echo $row["cl_id"];?>" data-capacity="<?php echo $qty;
?>">
<?php echo $row['classname'];?>
</option>
<?php
}
?>
</select>
</div>
</div>
</div>

<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Semester</label>
<div class="col-sm-9">
<select type="text" name="sub_semid" id="sub_semid" class="form-control"
placeholder="Semester" required="">
<option value="">--Select Semester--</option>
<?php
$c1 = "SELECT * FROM `tbl_semester`";
```

```php
$result = $conn->query($c1);

if ($result->num_rows > 0) {
while ($row = mysqli_fetch_array($result)) {?>
<option value="<?php echo $row["sem_id"];?>">
<?php echo $row['sem_name'];?>
</option>
<?php
}
} else {
echo "0 results";
}
?>
</select>
</div>
</div>
</div>

<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Subject</label>
<div class="col-sm-9">
<select type="text" name="subject_id" id="subject_id" class="form-control"
placeholder="Subject" required="">
<option value="">--Select Subject--</option>
<?php
$c1 = "SELECT * FROM TBL_SUBJECT WHERE ID NOT IN (SELECT
SUBJECT_ID FROM ALLOT)";
$result = $conn->query($c1);
while ($row = mysqli_fetch_array($result)) {?>
<option value="<?php echo $row["id"];?>" style="display: none;" data-id="<?php
echo $row["sub_semid"];?>">
<?php echo $row['subjectname'];?>
</option>
<?php } ?>
</select>
</div>
</div>
</div>
<div class="form-group">
```

```php
<div class="row">
<label class="col-sm-3 control-label">Exam</label>
<div class="col-sm-9">
<select type="text" name="exam_id" id="exam_id" class="form-control"
placeholder="Exam" required="">
<option value="">--Select Exam--</option>
<?php
$c1 = "SELECT * FROM `exam`";
$result = $conn->query($c1);
while ($row = mysqli_fetch_array($result)) {?>
<option value="<?php echo $row["id"];?>" style="display: none;" data-id="<?php
echo $row["subject_id"];?>">
<?php echo $row['name'];?>
</option>
<?php } ?>
</select>
</div>
</div>
</div>

<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Room Satff</label>
<div class="col-sm-9">
<select type="text" name="staff_id" id="staff_id" class="form-control"
placeholder="RoomStaff" required="">
<option value="">--Select Room Satff--</option>
<?php
$c1 = "SELECT * FROM `tbl_teacher`";
$result = $conn->query($c1);
while ($row = mysqli_fetch_array($result)) {?>
<option value="<?php echo $row["id"];?>">
<?php echo $row['tfname'];?>
</option>
<?php
}
?>
</select>
</div>
</div>
```

```
</div>

<!--- room type old removed  -->

<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Room Type</label>
<div class="col-sm-9">
<select type="text" name="type_id" id="type_id" class="form-control"
placeholder="Room" required="">
<option value="">--Select Room Type--</option>
<?php
$c1 = "SELECT * FROM `room_type`";
$result = $conn->query($c1);
while ($row = mysqli_fetch_array($result)) {
$s1 = "SELECT SUM(strenght) as qty FROM `room` WHERE
type_id='".$row["id"]."'";
$sr = $conn->query($s1);
if ($sr->num_rows > 0) {
$sres = mysqli_fetch_array($sr);
$qty=$sres['qty'];
}
else
{
$qty=0;
}
?>
<option value="<?php echo $row["id"];?>" data-capacity="<?php echo $qty; ?>">
<?php echo $row['roomname'];?>
</option>
<?php
}
?>
</select>
</div>
</div>
</div>
<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Room</label>
```

```php
<div class="col-sm-9">
<select type="text" name="room_id" id="room_id" class="form-control" placeholder="room" required="">
<option value="">--Select Room--</option>
<?php
$c1 = "SELECT * FROM `room`";
$result = $conn->query($c1);
while ($row = mysqli_fetch_array($result)) {?>
<option value="<?php echo $row["id"];?>" style="display: none;" data-id="<?php echo $row["type_id"];?>">
<?php echo $row['name'];?>
</option>
<?php } ?>
</select>
</div>
</div>
</div>
<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Class Capacity</label>
<div class="col-sm-9">
<input type="text" name="class_capacity" id="class_capacity" class="form-control" placeholder="Class Capacity" readonly>
</div>
</div>
</div>
<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Room Type Capacity</label>
<div class="col-sm-9">
<input type="text" name="room_capacity" id="room_capacity" class="form-control" placeholder="Room Type Capacity" readonly>
</div>
</div>
</div>
<button type="submit" name="btn_save" id="btn_save" class="btn btn-primary btn-flat m-b-30 m-t-30">Submit</button>
</form>
</div>
</div>
```

```
</div>
</div>
</div>


<?php include('footer.php');?>

<script type="text/javascript">

$('#class_id').change(function(){
var class_capacity=$('#class_id').find(':selected').attr('data-capacity');
$('#class_capacity').val(class_capacity);
});


$('#sub_semid').change(function(){

$("#subject_id").val('');
$("#subject_id").children('option').hide();
var sub_semid=$(this).val();
$("#subject_id").children("option[data-id="+sub_semid+ "]").show();
});

$('#subject_id').change(function(){
$("#exam_id").val('');
$("#exam_id").children('option').hide();
var subject_id=$(this).val();
$("#exam_id").children("option[data-id="+subject_id+ "]").show();

});
$('#type_id').change(function(){
var room_capacity=$('#type_id').find(':selected').attr('data-capacity');
$('#room_capacity').val(room_capacity);

$("#room_id").val('');
$("#room_id").children('option').hide();
var type_id=$(this).val();
$("#room_id").children("option[data-id="+type_id+ "]").show();

});
```

```
$('#btn_save').click(function(){
var room_capacity=$('#room_capacity').val();
var class_capacity=$('#class_capacity').val();
if(parseInt(class_capacity) > parseInt(room_capacity))
{
alert('Students quantity are greater than available room');
return false;
}
else
{
return true;
}


});
</script>
```

Class.PHP

```
<?php include('head.php');?>

<?php include('header.php');?>
<?php include('sidebar.php');?>

<?php
include('connect.php');
date_default_timezone_set('Asia/Kolkata');
$current_date = date('Y-m-d');

?>

<div class="page-wrapper">

<div class="row page-titles">
<div class="col-md-5 align-self-center">
<h3 class="text-primary">Class Management</h3> </div>
<div class="col-md-7 align-self-center">
<ol class="breadcrumb">
<li class="breadcrumb-item"><a href="javascript:void(0)">Home</a></li>
<li class="breadcrumb-item active">Add Class Management</li>
</ol>
</div>
```

```
</div>

<div class="container-fluid">

<div class="row">
<div class="col-lg-8" style="    margin-left: 10%;">
<div class="card">

<div class="card-body">
<div class="input-states">
<form class="form-horizontal" method="POST" action="pages/save_class.php"
name="classform" enctype="multipart/form-data">

<input type="hidden" name="currnt_date" class="form-control" value="<?php
echo $currnt_date;?>">

<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Class Name</label>
<div class="col-sm-9">
<input type="text" name="classname" class="form-control" placeholder="Class
Name" id="event"  required="">
</div>
</div>
</div>

<button type="submit" name="btn_save" class="btn btn-primary btn-flat m-b-30
m-t-30">Submit</button>
</form>
</div>
</div>
</div>
</div>

</div>

<?php include('footer.php');?>
Exam.php
<?php include('head.php');?>
```

```php
<?php include('header.php');?>
<?php include('sidebar.php');?>

<?php
include('connect.php');
date_default_timezone_set('Asia/Kolkata');
$current_date = date('Y-m-d');

?>

<div class="page-wrapper">

<div class="row page-titles">
<div class="col-md-5 align-self-center">
<h3 class="text-primary">Exam Management</h3> </div>
<div class="col-md-7 align-self-center">
<ol class="breadcrumb">
<li class="breadcrumb-item"><a href="javascript:void(0)">Home</a></li>
<li class="breadcrumb-item active">Add Exam Management</li>
</ol>
</div>
</div>

<div class="container-fluid">

<div class="row">
<div class="col-lg-8" style="margin-left: 10%;">
<div class="card">
<div class="card-body">
<div class="input-states">
<form class="form-horizontal" method="POST" action="pages/exam.php"
name="userform" enctype="multipart/form-data">
<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Class</label>
<div class="col-sm-9">
<select type="text" name="class_id" id="class_id" class="form-control"
placeholder="Class" required="">
<option value="">--Select Class--</option>
<?php
```

```php
$c1 = "SELECT * FROM `tbl_class`";
$result = $conn->query($c1);

if ($result->num_rows > 0) {
while ($row = mysqli_fetch_array($result)) {?>
<option value="<?php echo $row["cl_id"];?>">
<?php echo $row['classname'];?>
</option>
<?php
}
} else {
echo "0 results";
}
?>
</select>
</div>
</div>
</div>

<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Semester</label>
<div class="col-sm-9">
<select type="text" name="sub_semid" id="sub_semid" class="form-control"
placeholder="Semester" required="">
<option value="">--Select Semester--</option>
<?php
$c1 = "SELECT * FROM `tbl_semester`";
$result = $conn->query($c1);

if ($result->num_rows > 0) {
while ($row = mysqli_fetch_array($result)) {?>
<option value="<?php echo $row["sem_id"];?>">
<?php echo $row['sem_name'];?>
</option>
<?php
}
} else {
echo "0 results";
}
```

```php
?>
</select>
</div>
</div>
</div>

<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Subject</label>
<div class="col-sm-9">
<select type="text" name="subject_id" id="subject_id" class="form-control"
placeholder="Subject" required="">
<option value="">--Select Subject--</option>
<?php
$c1 = "SELECT * FROM TBL_SUBJECT WHERE ID NOT IN (SELECT
SUBJECT_ID FROM EXAM)";
$result = $conn->query($c1);
while ($row = mysqli_fetch_array($result)) {?>
<option value="<?php echo $row["id"];?>" style="display: none;" data-id="<?php
echo $row["sub_semid"];?>">
<?php echo $row['subjectname'];?>
</option>
<?php } ?>
</select>
</div>
</div>
</div>
<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Exam Name</label>
<div class="col-sm-9">
<input type="text" name="name" class="form-control" placeholder="Exam Name"
id="event" required="">
</div>
</div>
</div>
<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label"> Date</label>
<div class="col-sm-9">
```

```html
<input type="date" name="exam_date" class="form-control" placeholder=" Date" required="">
</div>
</div>
</div>
<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Start Time</label>
<div class="col-sm-9">
<input type="time" name="start_time" class="form-control" placeholder=" Start Time" required="">
</div>
</div>
</div>
<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">End Time</label>
<div class="col-sm-9">
<input type="time" name="end_time" class="form-control" placeholder=" End Time" required="">
</div>
</div>
</div>
<button type="submit" name="btn_save" class="btn btn-primary btn-flat m-b-30 m-t-30">Submit</button>
</form>
</div>
</div>
</div>
</div>
</div>


<?php include('footer.php');?>

<script type="text/javascript" >
$('#sub_semid').change(function(){

$("#subject_id").val('');
$("#subject_id").children('option').hide();
```

```
var sub_semid=$(this).val();
$("#subject_id").children("option[data-id="+sub_semid+ "]").show();
});

</script>
```

Room.php

```
<?php include('head.php');?>

<?php include('header.php');?>
<?php include('sidebar.php');?>

<?php
include('connect.php');
date_default_timezone_set('Asia/Kolkata');
$current_date = date('Y-m-d');

?>

<div class="page-wrapper">

<div class="row page-titles">
<div class="col-md-5 align-self-center">
<h3 class="text-primary">Room Management</h3> </div>
<div class="col-md-7 align-self-center">
<ol class="breadcrumb">
<li class="breadcrumb-item"><a href="javascript:void(0)">Home</a></li>
<li class="breadcrumb-item active">Add Room Management</li>
</ol>
</div>
</div>

<div class="container-fluid">

<div class="row">
<div class="col-lg-8" style="margin-left: 10%;">
<div class="card">
<div class="card-body">
<div class="input-states">
<form class="form-horizontal" method="POST" action="pages/room.php"
name="userform" enctype="multipart/form-data">
```

```php
<input type="hidden" name="currnt_date" class="form-control" value="<?php
echo $currnt_date;?>">
<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Room Type</label>
<div class="col-sm-9">
<select type="text" name="type_id" class="form-control"   placeholder="Room
Type" required="">
<option value="">--Select Room Type--</option>
<?php
$c1 = "SELECT * FROM `room_type`";
$result = $conn->query($c1);

if ($result->num_rows > 0) {
while ($row = mysqli_fetch_array($result)) {?>
<option value="<?php echo $row["id"];?>">
<?php echo $row['roomname'];?>
</option>
<?php
}
} else {
echo "0 results";
}
?>
</select>
</div>
</div>
</div>
<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label"> Name</label>
<div class="col-sm-9">
<input type="text" name="name" class="form-control" placeholder=" Name"
required="">
</div>
</div>
</div>
<div class="form-group">
<div class="row">
```

```html
<label class="col-sm-3 control-label">Room Strenght</label>
<div class="col-sm-9">
<input type="number" min="0" name="strenght" class="form-control"
placeholder=" Strenght" required="">
</div>
</div>
</div>
<button type="submit" name="btn_save" class="btn btn-primary btn-flat m-b-30
m-t-30">Submit</button>
</form>
</div>
</div>
</div>
</div>

</div>


<?php include('footer.php');?>
```

Student.php

```php
<?php include('head.php');?>

<?php include('header.php');?>
<?php include('sidebar.php');?>

<?php
include('connect.php');
date_default_timezone_set('Asia/Kolkata');
$current_date = date('Y-m-d');

?>

<div class="page-wrapper">

<div class="row page-titles">
<div class="col-md-5 align-self-center">
<h3 class="text-primary">Student Management</h3> </div>
<div class="col-md-7 align-self-center">
```

```html
<ol class="breadcrumb">
<li class="breadcrumb-item"><a href="javascript:void(0)">Home</a></li>
<li class="breadcrumb-item active">Add Student Management</li>
</ol>
</div>
</div>

<div class="container-fluid">

<div class="row">
<div class="col-lg-8" style="    margin-left: 10%;">
<div class="card">
<div class="card-title">

</div>
<div class="card-body">
<div class="input-states">
<form class="form-horizontal" method="POST" action="pages/save_student.php"
name="studentform" enctype="multipart/form-data">

<input type="hidden" name="currnt_date" class="form-control" value="<?php
echo $currnt_date;?>">
<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Register No</label>
<div class="col-sm-9">
<input type="text" name="stud_id" class="form-control" placeholder="Register
No" id="event" autocomplete="off" required>
</div>
</div>
</div>
<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">First Name</label>
<div class="col-sm-9">
<input type="text" name="sfname" class="form-control" placeholder="First
Name" id="event" required="">
</div>
</div>
</div>
```

```html
<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Last Name</label>
<div class="col-sm-9">
<input type="text"  name="slname" id="lname" class="form-control" id="event"
placeholder="Last Name" required="">
</div>
</div>
</div>

<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Class</label>
<div class="col-sm-9">
<select type="text" name="classname" class="form-control"   placeholder="Class"
required="">
<option value="">--Select Class--</option>
<?php
$c1 = "SELECT * FROM `tbl_class`";
$result = $conn->query($c1);

if ($result->num_rows > 0) {
while ($row = mysqli_fetch_array($result)) {?>
<option value="<?php echo $row["id"];?>">
<?php echo $row['classname'];?>
</option>
<?php
}
} else {
echo "0 results";
}
?>
</select>
</div>
</div>
</div>

<div class="form-group">
<div class="row">
```

```html
<label class="col-sm-3 control-label">Email</label>
<div class="col-sm-9">
<input type="text" name="semail" class="form-control" pattern="[a-z0-9._%+-
]+@[a-z0-9.-]+\.[a-z]{2,4}$"  placeholder="Email" required>
</div>
</div>
</div>
<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Password</label>
<div class="col-sm-9">
<input type="password" name="password" id="password"
placeholder="Password"  onkeyup='check();'  class="form-control" required>
</div>
</div>
</div>
<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Confirm Password</label>
<div class="col-sm-9">
<input type="password" name="cpassword" id="confirm_password"
placeholder="Confirm Password"  onkeyup='check();'  class="form-control"
required>
<span id="message"></span>
</div>
</div>
</div>


<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Gender</label>
<div class="col-sm-9">
<select name="sgender" id="gender" class="form-control" required="">
<option value="">--Select Gender--</option>
<option value="Male">Male</option>
<option value="Female">Female</option>
</select>
</div>
</div>
```

```html
</div>

<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Date Of Birth</label>
<div class="col-sm-9">
<input type="date" name="sdob" class="form-control" placeholder="Birth Date">
</div>
</div>
</div>

<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Contact No</label>
<div class="col-sm-9">
<input type="text" name="scontact" class="form-control" placeholder="Contact No" id="tbNumbers" minlength="10" maxlength="10" onkeypress="javascript:return isNumber(event)" required="">
</div>
</div>
</div>

<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Address</label>
<div class="col-sm-9">
<textarea class="form-control" rows="4" name="saddress" placeholder="Address" style="height: 120px;"></textarea>
</div>
</div>
</div>

<button type="submit" name="btn_save" class="btn btn-primary btn-flat m-b-30 m-t-30">Submit</button>
</form>
</div>
</div>
</div>
</div>
```

```
</div>

<?php include('footer.php');?>
<script>
var check = function() {
if (document.getElementById('password').value ==
document.getElementById('confirm_password').value) {
document.getElementById('message').style.color = 'green';
document.getElementById('message').innerHTML = 'Matching';
} else {
document.getElementById('message').style.color = 'red';
document.getElementById('message').innerHTML = 'NOT Matching';
}
}
</script>
```

Subject.php

```
<?php include('head.php');?>

<?php include('header.php');?>
<?php include('sidebar.php');?>

<?php
include('connect.php');
date_default_timezone_set('Asia/Kolkata');
$current_date = date('Y-m-d');

?>

<div class="page-wrapper">

<div class="row page-titles">
<div class="col-md-5 align-self-center">
<h3 class="text-primary">Subject Management</h3> </div>
<div class="col-md-7 align-self-center">
<ol class="breadcrumb">
<li class="breadcrumb-item"><a href="javascript:void(0)">Home</a></li>
<li class="breadcrumb-item active">Add Subject Management</li>
</ol>
</div>
</div>
```

```php
<div class="container-fluid">

<div class="row">
<div class="col-lg-8" style="margin-left: 10%;">
<div class="card">
<div class="card-body">
<div class="input-states">
<form class="form-horizontal" method="POST" action="pages/save_subjects.php"
name="userform" enctype="multipart/form-data">

<input type="hidden" name="currnt_date" class="form-control" value="<?php
echo $currnt_date;?>">
<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Class</label>
<div class="col-sm-9">
<select type="text" name="classname" class="form-control"   placeholder="class
name" required="">
<option value="">--Select Class--</option>
<?php
$c1 = "SELECT * FROM `tbl_class`";
$result = $conn->query($c1);

if ($result->num_rows > 0) {
while ($row = mysqli_fetch_array($result)) {?>
<option value="<?php echo $row["cl_id"];?>">
<?php echo $row['classname'];?>
</option>
<?php
}
} else {
echo "0 results";
}
?>
</select>
</div>
</div>
</div>
```

```php
<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Semester</label>
<div class="col-sm-9">
<select type="text" name="semname" class="form-control"
placeholder="Semester" required="">
<option value="">--Select Semester--</option>
<?php
$c1 = "SELECT * FROM `tbl_semester`";
$result = $conn->query($c1);

if ($result->num_rows > 0) {
while ($row = mysqli_fetch_array($result)) {?>
<option value="<?php echo $row["sem_id"];?>">
<?php echo $row['sem_name'];?>
</option>
<?php
}
} else {
echo "0 results";
}
?>
</select>
</div>
</div>
</div>

<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Subject Name</label>
<div class="col-sm-9">
<input type="text" name="subjectname" class="form-control"
placeholder="Subject Name" id="event" ; required="">
</div>
</div>
</div>
<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Subject Code</label>
<div class="col-sm-9">
```

```html
<input type="text" name="subcode" class="form-control" placeholder="Subject
Code" id="event" ; required="">
</div>
</div>
</div>
<button type="submit" name="btn_save" class="btn btn-primary btn-flat m-b-30
m-t-30">Submit</button>
</form>
</div>
</div>
</div>
</div>

</div>

<div class="card">
<div class="card-body">
<div class="table-responsive m-t-40">
<table id="myTable" class="table table-bordered table-striped">
<thead>
<tr>
<th>Class Name</th>
<th>Semester</th>
<th>Subject Code</th>
<th>Subject</th>
<th>Action</th>
</tr>
</thead>
<tbody>
<?php
include 'connect.php';

$sql1 = "select s.id, c.classname,sm.sem_name, s.sub_code, s.subjectname from
tbl_subject S, tbl_class C, tbl_semester SM where s.class_id = c.cl_id and
s.sub_semid=sm.sem_id order by s.class_id,sem_name, c.cl_id,s.id";
$result1 = $conn->query($sql1);
while($row = $result1->fetch_assoc()) {


?>
```

```php
<tr>
<td><?php echo $row['classname']; ?></td>
<td><?php echo $row['sem_name']; ?></td>
<td><?php echo $row['sub_code']; ?></td>
<td><?php echo $row['subjectname']; ?></td>

<td>
<?php if(isset($useroles)){  if(in_array("edit_subject",$useroles)){ ?>
<a href="edit_subject.php?id=<?=$row['id'];?>"><button type="button" class="btn btn-xs btn-primary" ><i class="fa fa-plus-square"></i></button></a>
<?php } } ?>

<?php if(isset($useroles)){  if(in_array("delete_subject",$useroles)){ ?>
<a href="view_subject.php?id=<?=$row['id'];?>"><button type="button" class="btn btn-xs btn-danger" ><i class="fa fa-trash"></i></button></a>
<?php } } ?>

</td>
</tr>
<?php } ?>
</tbody>
</table>
</div>
</div>
</div>
<div class="page-wrapper">


<div class="container-fluid">




<?php include('footer.php');?>

<link rel="stylesheet" href="popup_style.css">
```

```php
<?php if(!empty($_SESSION['success'])) {  ?>
<div class="popup popup--icon -success js_success-popup popup--visible">
<div class="popup__background"></div>
<div class="popup__content">
<h3 class="popup__content__title">
Success
</h1>
<p><?php echo $_SESSION['success']; ?></p>
<p>
<button class="button button--success" data-for="js_success-
popup">Close</button>
</p>
</div>
</div>
<?php unset($_SESSION["success"]);
} ?>
<?php if(!empty($_SESSION['error'])) {  ?>
<div class="popup popup--icon -error js_error-popup popup--visible">
<div class="popup__background"></div>
<div class="popup__content">
<h3 class="popup__content__title">
Error
</h1>
<p><?php echo $_SESSION['error']; ?></p>
<p>
<button class="button button--error" data-for="js_error-popup">Close</button>
</p>
</div>
</div>
<?php unset($_SESSION["error"]);  } ?>
<script>
var addButtonTrigger = function addButtonTrigger(el) {
el.addEventListener('click', function () {
var popupEl = document.querySelector('.' + el.dataset.for);
popupEl.classList.toggle('popup--visible');
});
};

Array.from(document.querySelectorAll('button[data-for]')).
forEach(addButtonTrigger);
```

```
</script>


<?php include('footer.php');?>
Teacher.php

<?php include('head.php');?>

<?php include('header.php');?>
<?php include('sidebar.php');?>

<?php
include('connect.php');
date_default_timezone_set('Asia/Kolkata');
$current_date = date('Y-m-d');

?>

<div class="page-wrapper">

<div class="row page-titles">
<div class="col-md-5 align-self-center">
<h3 class="text-primary">Teacher Management</h3> </div>
<div class="col-md-7 align-self-center">
<ol class="breadcrumb">
<li class="breadcrumb-item"><a href="javascript:void(0)">Home</a></li>
<li class="breadcrumb-item active">Add Teacher Management</li>
</ol>
</div>
</div>

<div class="container-fluid">

<div class="row">
<div class="col-lg-8" style="margin-left: 10%;">
<div class="card">
<div class="card-title">

</div>
<div class="card-body">
```

```html
<div class="input-states">
<form class="form-horizontal" method="POST" action="pages/save_teacher.php"
name="teacherform" enctype="multipart/form-data">

<input type="hidden" name="currnt_date" class="form-control" value="<?php
echo $currnt_date;?>">

<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">First Name</label>
<div class="col-sm-9">
<input type="text" name="tfname" class="form-control" placeholder="First
Name" id="event" onkeydown="return alphaOnly(event);" required="">
</div>
</div>
</div>

<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Last Name</label>
<div class="col-sm-9">
<input type="text"  name="tlname" id="lname" class="form-control" id="event"
onkeydown="return alphaOnly(event);" placeholder="Last Name" required="">
</div>
</div>
</div>




<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Class</label>
<div class="col-sm-9">
<select type="text" name="classname" id="class_id" class="form-control"
placeholder="Class" required="">
<option value="">--Select Class--</option>
<?php
$c1 = "SELECT * FROM `tbl_class`";
$result = $conn->query($c1);
```

```php
if ($result->num_rows > 0) {
while ($row = mysqli_fetch_array($result)) {?>
<option value="<?php echo $row["id"];?>">
<?php echo $row['classname'];?>
</option>
<?php
}
} else {
echo "0 results";
}
?>
</select>
</div>
</div>
</div>

<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Subject</label>
<div class="col-sm-9">
<select type="text" name="subjectname" id="subject_id" class="form-control"
placeholder="Subject" required="">
<option value="">--Select Subject--</option>
<?php
$c1 = "SELECT * FROM `tbl_subject`";
$result = $conn->query($c1);

if ($result->num_rows > 0) {
while ($row = mysqli_fetch_array($result)) {?>
<option value="<?php echo $row["id"];?>" style="display: none;" data-id="<?php
echo $row["class_id"];?>">
<?php echo $row['subjectname'];?>
</option>
<?php
}
} else {
echo "0 results";
}
?>
```

```html
</select>
</div>
</div>

<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Email</label>
<div class="col-sm-9">
<input type="text" name="temail" class="form-control" pattern="[a-z0-9._%+-
]+@[a-z0-9.-]+\.[a-z]{2,4}$"  placeholder="Email" required>
</div>
</div>
</div>
<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Password</label>
<div class="col-sm-9">
<input type="password" name="password" id="password"
placeholder="Password"  onkeyup='check();' class="form-control" required>
</div>
</div>
</div>
<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Confirm Password</label>
<div class="col-sm-9">
<input type="password" name="cpassword" id="confirm_password"
placeholder="Confirm Password"  onkeyup='check();' class="form-control"
required>
<span id="message"></span>
</div>
</div>
</div>


<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Gender</label>
<div class="col-sm-9">
```

```html
<select name="tgender" id="gender" class="form-control" required="">
<option value="">--Select Gender--</option>
<option value="Male">Male</option>
<option value="Female">Female</option>
</select>
</div>
</div>
</div>

<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Date Of Birth</label>
<div class="col-sm-9">
<input type="date" name="tdob" class="form-control" placeholder="Birth Date">
</div>
</div>
</div>

<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Contact</label>
<div class="col-sm-9">
<input type="text" name="tcontact" class="form-control" placeholder="Contact
Number" id="tbNumbers" minlength="10" maxlength="10"
onkeypress="javascript:return isNumber(event)" required="">
</div>
</div>
</div>

<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Address</label>
<div class="col-sm-9">
<textarea class="form-control" rows="4" name="taddress" placeholder="Address"
style="height: 120px;"></textarea>
</div>
</div>
</div>
```

```html
<button type="submit" name="btn_save" class="btn btn-primary btn-flat m-b-30 m-t-30">Submit</button>
</form>
</div>
</div>
</div>
</div>

</div>
```

```php
<?php include('footer.php');?>
```
```html
<script>
var check = function() {
if (document.getElementById('password').value ==
document.getElementById('confirm_password').value) {
document.getElementById('message').style.color = 'green';
document.getElementById('message').innerHTML = 'Matching';
} else {
document.getElementById('message').style.color = 'red';
document.getElementById('message').innerHTML = 'NOT Matching';
}
}
</script>
<script type="text/javascript">
$('#class_id').change(function(){
$("#subject_id").val('');
$("#subject_id").children('option').hide();
var class_id=$(this).val();
$("#subject_id").children("option[data-id="+class_id+ "]").show();

});
</script>
```
Assignrole.php
```php
<?php include('head.php');?>
<?php include('header.php');?>

<?php include('sidebar.php');?>
<?php
```

```php
include('connect.php');
date_default_timezone_set('Asia/Kolkata');
$current_date = date('Y-m-d');


if(isset($_POST["btn_submit"]))
{
extract($_POST);
$sql="insert into
tbl_group(name,description)values('$assign_name','$description')";
$query=$conn->query($sql);
$last_id =  mysqli_insert_id($conn);
$id=$last_id;
$checkItem = $_POST["checkItem"];

$a = count($checkItem);
for($i=0;$i<$a;$i++){

$sql="insert into
tbl_permission_role(permission_id,role_id)values('$checkItem[$i]','$id')";
$query=$conn->query($sql);


}
}

?>

<div class="page-wrapper">

<div class="row page-titles">
<div class="col-md-5 align-self-center">
<h3 class="text-primary">Assign Role</h3> </div>
<div class="col-md-7 align-self-center">
<ol class="breadcrumb">
<li class="breadcrumb-item"><a href="javascript:void(0)">Home</a></li>
<li class="breadcrumb-item active">Assign Role</li>
</ol>
</div>
</div>
```

```html
<div class="container-fluid">


<form  method="POST">

<div class="form-group"  style="margin-left: 10%;margin-right: 10%;">
<label for="exampleInputEmail1">Name</label>
<input type="text" class="form-control" placeholder="Enter Name"
name="assign_name" required autocomplete="off">
</div>

<div class="form-group"  style="margin-left: 10%;margin-right: 10%;">
<label for="exampleInputEmail1">Description</label>
<input type="text" class="form-control" placeholder="Enter  Description"
name="description" required autocomplete="off">
</div>


<div class="form-group">
<u><h3 style="margin-left: 3%;">Permissions</h3></u>
<h5 style="color:red;">( While selecting any sub roles like add,edit,delete you
must require to select Main roles named with Manage Name. )</h5>
<br><br>
</div>
<div class="row">

<?php
$q ="SELECT * FROM  tbl_permission ";
$result =$conn->query($q);
while($row = mysqli_fetch_array($result)){

$id = $row["id"];
?>
<div class="checkbox col-md-3">
<label>
<input type="checkbox" id="checkItem" name="checkItem[]" value="<?php echo
$id; ?>"> <b><?php echo $row["display_name"]; ?></b>
</div>

<?php } ?>
```

```
</div>


<div class="form-group">

</div>


<div class="form-group col-md-12">
<button  type="submit" name="btn_submit" class="btn btn-
primary">Submit</button>
</div>
</form>

</div>

</div>

<?php include('footer.php');?>
```

Connection.php

```php
<?php


$servername = "localhost";
$username = "root";
$password = "";
$dbname = "ehms";


$conn = mysqli_connect($servername, $username, $password, $dbname);

if (!$conn) {
die("Connection failed: " . mysqli_connect_error());
}
?>
```

Footer.php

```html
<footer class="footer" style="  position: fixed;right: 0;bottom: 0;width: 100%;text-align: center;"><marquee>ALL THE BEST STUDENTS</marquee></b></footer>

</div>

</div>

<script src="js/lib/jquery/jquery.min.js"></script>

<script src="js/lib/bootstrap/js/popper.min.js"></script>
<script src="js/lib/bootstrap/js/bootstrap.min.js"></script>

<script src="js/jquery.slimscroll.js"></script>

<script src="js/sidebarmenu.js"></script>

<script src="js/lib/sticky-kit-master/dist/sticky-kit.min.js"></script>


<script src="js/lib/sweetalert/sweetalert.min.js"></script>

<script src="js/lib/sweetalert/sweetalert.init.js"></script>

<script src="js/lib/weather/jquery.simpleWeather.min.js"></script>
<script src="js/lib/weather/weather-init.js"></script>
<script src="js/lib/owl-carousel/owl.carousel.min.js"></script>
<script src="js/lib/owl-carousel/owl.carousel-init.js"></script>




<script src="js/custom.min.js"></script>


<script src="js/lib/datatables/datatables.min.js"></script>
<script
src="js/lib/datatables/cdn.datatables.net/buttons/1.2.2/js/dataTables.buttons.min.js"
></script>
```

```html
<script
src="js/lib/datatables/cdn.datatables.net/buttons/1.2.2/js/buttons.flash.min.js"></script>
<script
src="js/lib/datatables/cdnjs.cloudflare.com/ajax/libs/jszip/2.5.0/jszip.min.js"></script>
<script
src="js/lib/datatables/cdn.rawgit.com/bpampuch/pdfmake/0.1.18/build/pdfmake.min.js"></script>
<script
src="js/lib/datatables/cdn.rawgit.com/bpampuch/pdfmake/0.1.18/build/vfs_fonts.js"></script>
<script
src="js/lib/datatables/cdn.datatables.net/buttons/1.2.2/js/buttons.html5.min.js"></script>
<script
src="js/lib/datatables/cdn.datatables.net/buttons/1.2.2/js/buttons.print.min.js"></script>
<script src="js/lib/datatables/datatables-init.js"></script>

<script src="js/lib/calendar-2/moment.latest.min.js"></script>

<script src="js/lib/calendar-2/semantic.ui.min.js"></script>

<script src="js/lib/calendar-2/prism.min.js"></script>

<script src="js/lib/calendar-2/pignose.calendar.min.js"></script>

<script src="js/lib/calendar-2/pignose.init.js"></script>


<script src="js/lib/html5-editor/wysihtml5-0.3.0.js"></script>
<script src="js/lib/html5-editor/bootstrap-wysihtml5.js"></script>
<script src="js/lib/html5-editor/wysihtml5-init.js"></script>
</body>

</html>
<script>
function alphaOnly(event) {
var key = event.keyCode;
```

```
return ((key >= 65 && key <= 90) || key == 8);
};
</script>
<script>

function isNumber(evt) {
var iKeyCode = (evt.which) ? evt.which : evt.keyCode
if (iKeyCode != 46 && iKeyCode > 31 && (iKeyCode < 48 || iKeyCode > 57))
return false;

return true;
}
</script>
Header.php
<?php session_start();
include('connect.php');
if(!isset($_SESSION["email"])){
?>
<script>
window.location="login.php";
</script>
<?php

} else {


?>

<div id="main-wrapper">

<div class="header">
<nav class="navbar top-navbar navbar-expand-md navbar-light">

<div class="navbar-header">
<a class="navbar-brand" href="index.php">

<?php
$sql_header_logo = "select * from manage_website";
$result_header_logo = $conn->query($sql_header_logo);
$row_header_logo = mysqli_fetch_array($result_header_logo);
```

```php
?>
<b><img src="uploadImage/Logo/<?php echo $row_header_logo['logo'];?>"
alt="HOMEPAGE" class="dark-logo" style="width:75%;height:75%;"/></b>
</a>
</div>

<div class="navbar-collapse">

<ul class="navbar-nav mr-auto mt-md-0">

<li class="nav-item"> <a class="nav-link nav-toggler hidden-md-up text-muted  "
href="javascript:void(0)"><i class="mdi mdi-menu"></i></a> </li>
<li class="nav-item m-l-10"> <a class="nav-link sidebartoggler hidden-sm-down
text-muted  " href="javascript:void(0)"><i class="ti-menu"></i></a> </li>

</ul>

<ul class="navbar-nav my-lg-0">


<li class="nav-item dropdown">
<a class="nav-link dropdown-toggle text-muted  " href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false">
<?php
$sql = "select * from admin where id = '".$_SESSION["id"]."'";
$query=$conn->query($sql);
while($row=mysqli_fetch_array($query))
{

extract($row);
$fname = $row['fname'];
$lname = $row['lname'];
$email = $row['email'];
$contact = $row['contact'];
$dob1 = $row['dob'];
$gender = $row['gender'];
$image = $row['image'];
}
?>
```

```
<img src="uploadImage/profile/admin.png<?=$image?>" alt="user"
class="profile-pic" /></a>
<div class="dropdown-menu dropdown-menu-right animated zoomIn">
<ul class="dropdown-user">
<li><a href="profile.php"><i class="ti-user"></i> Profile</a></li>

<li><a href="changepassword.php"><i class="ti-key"></i> Changed
Password</a></li>

<li><a href="logout.php"><i class="fa fa-power-off"></i> Logout</a></li>
</ul>
</div>
</li>
</ul>
</div>
</nav>
</div>

<?php } ?>
Index.php
<?php include('head.php');?>
<?php include('header.php');?>

<?php include('sidebar.php');?>
<?php
date_default_timezone_set('Asia/Kolkata');
$current_date = date('Y-m-d');

$sql_currency = "select * from manage_website";
$result_currency = $conn->query($sql_currency);
$row_currency = mysqli_fetch_array($result_currency);
?>

<div class="page-wrapper">
<h1><center><i>WELCOME TO EXAM HALL
MANAGEMENT</i></center></h1>
<div class="row page-titles">
<div class="col-md-5 align-self-center">
<h3 class="text-primary">Dashboard</h3> </div>
<div class="col-md-7 align-self-center">
```

```html
<ol class="breadcrumb">
<li class="breadcrumb-item"><a href="javascript:void(0)">Home</a></li>
<li class="breadcrumb-item active">Dashboard</li>
</ol>
</div>
</div>

<div class="container-fluid">
<div class="container-fluid"  style="background-image:
url('uploadImage/Logo/<?php echo $row_login['background_login_image'];?>');
background-image: url('uploadImage/exam.png ">


<div class="row">
<div class="col-md-4">
<div class="card bg-info p-20">
<div class="media widget-ten">
<div class="media-left meida media-middle">
<span><i class="ti-bag f-s-40"></i></span>
</div>
<div class="media-body media-text-right">
<?php $sql="SELECT COUNT(*) FROM `tbl_teacher`";
$res = $conn->query($sql);
$row=mysqli_fetch_array($res);?>
<h2 class="color-white"><?php echo $row[0];?></h2>
<p class="m-b-0">Total Staff</p>
</div>
</div>
</div>
</div>
<div class="col-md-4">
<div class="card bg-pink p-20">
<div class="media widget-ten">
<div class="media-left meida media-middle">
<span><i class="ti-comment f-s-40"></i></span>
</div>
<div class="media-body media-text-right">
<?php $sql="SELECT COUNT(*) FROM `tbl_student`";
$res = $conn->query($sql);
$row=mysqli_fetch_array($res);?>
```

```php
<h2 class="color-white"><?php echo $row[0];?></h2>
<p class="m-b-0">Total Student</p>
</div>
</div>
</div>
</div>
<div class="col-md-4">
<div class="card bg-danger p-20">
<div class="media widget-ten">
<div class="media-left meida media-middle">
<span><i class="ti-vector f-s-40"></i></span>
</div>
<div class="media-body media-text-right">
<?php $sql="SELECT COUNT(*) FROM `tbl_class`";
$res = $conn->query($sql);
$row=mysqli_fetch_array($res);?>
<h2 class="color-white"><?php echo $row[0];?></h2>
<p class="m-b-0">Total Class</p>
</div>
</div>
</div>
</div>
<div class="col-md-4">
<div class="card bg-dark p-20">
<div class="media widget-ten">
<div class="media-left meida media-middle">
<span><i class="ti-location-pin f-s-40"></i></span>
</div>
<div class="media-body media-text-right">
<?php $sql="SELECT COUNT(*) FROM `tbl_subject`";
$res = $conn->query($sql);
$row=mysqli_fetch_array($res);?>
<h2 class="color-white"><?php echo $row[0];?></h2>
<p class="m-b-0">Total Subject</p>
</div>
</div>
</div>
</div>
</div>
<div class="row page-titles">
```

```php
<div class="col-md-5 align-self-center">
<h3 class="text-primary">View Exam</h3> </div>

</div>
<div class="card">
<div class="card-body">

<div class="table-responsive m-t-40">
<table id="myTable" class="table table-bordered table-striped">
<thead>
<tr>
<th>Exam Name</th>
<th>Action</th>
</tr>
</thead>
<tbody>
<?php
include 'connect.php';
$sql1 = "SELECT * FROM `exam` GROUP BY name";
$result1 = $conn->query($sql1);
while($row = $result1->fetch_assoc()) {
?>
<tr>
<td><?php echo $row['name']; ?></td>
<td>
<a href="view_exam.php?id=<?=$row['id'];?>"><button type="button" class="btn
btn-xs btn-danger" ><i class="fa fa-trash"></i></button></a>
</td>
</tr>
<?php } ?>
</tbody>
</table>
</div>
</div>
</div>

</div>

<?php include('footer.php');?>
Login.php
```

```php
<?php session_start();?>
<?php include('head.php');?>
<link rel="stylesheet" href="popup_style.css">

<?php
include('connect.php');
if(isset($_POST['btn_login']))
{
$unm = $_POST['email'];

$passw = hash('sha256', $_POST['password']);

function createSalt()
{
return '2123293dsj2hu2nikhiljdsd';
}
$salt = createSalt();
$pass = hash('sha256', $salt . $passw);

$sql = "SELECT * FROM admin WHERE email='" .$unm . "' and password = '".
$pass."'";
$result = mysqli_query($conn,$sql);
$row  = mysqli_fetch_array($result);

$_SESSION["id"] = $row['id'];
$_SESSION["username"] = $row['username'];
$_SESSION["password"] = $row['password'];
$_SESSION["email"] = $row['email'];
$_SESSION["fname"] = $row['fname'];
$_SESSION["lname"] = $row['lname'];
$_SESSION["image"] = $row['image'];
$count=mysqli_num_rows($result);
if($count==1 && isset($_SESSION["email"]) &&
isset($_SESSION["password"])) {
{
?>
<div class="popup popup--icon -success js_success-popup popup--visible">
<div class="popup__background"></div>
<div class="popup__content">
<h3 class="popup__content__title">
```

Success
</h1>
<p>Login Successfully</p>
<p>

<?php echo "<script>setTimeout(\"location.href = 'index.php';\",1500);</script>";
?>
</p>
</div>
</div>

<?php
}
}
else {?>
<div class="popup popup--icon -error js_error-popup popup--visible">
<div class="popup__background"></div>
<div class="popup__content">
<h3 class="popup__content__title">
Error
</h1>
<p>Invalid Email or Password</p>
<p>
<button class="button button--error" data-for="js_error-popup">Close</button>
</p>
</div>
</div>

<?php

}

}
?>

<div id="main-wrapper">
<div class="unix-login">
<?php
$sql_login = "select * from manage_website";

```php
$result_login = $conn->query($sql_login);
$row_login = mysqli_fetch_array($result_login);
?>
<div class="container-fluid"  style="background-image:
url('uploadImage/Logo/<?php echo $row_login['background_login_image'];?>');
background-image: url('uploadImage/exam.png ">
<div class="row justify-content-center" >
<div class="col-lg-4">
<div class="login-content card">
<div class="login-form">
<center><img src="uploadImage/Logo/1.png" style="width:50%;"></center><br>
<form method="POST">
<div class="form-group">
<label>Email address</label>
<input type="email" name="email" class="form-control" placeholder="Email"
required="">
</div>
<div class="form-group">
<label>Password</label>
<input type="password" name="password" class="form-control" value=""
id="myInput" placeholder="Password" required=""><br>
<input type="checkbox" onclick="myFunction()"> Show Password
</div>
<div class="checkbox">
<label class="pull-right">
<a href="forgot_password.php">Forgotten Password?</a>
</label>
</div>
<button type="submit" name="btn_login" class="btn btn-primary btn-flat m-b-30
m-t-30">Sign in</button>

</form>
</div>
</div>
</div>
</div>
</div>

</div>
```

```
<script>
function myFunction() {
var x = document.getElementById("myInput");
if (x.type === "password") {
x.type = "text";
} else {
x.type = "password";
}
}
</script>

<script src="js/lib/jquery/jquery.min.js"></script>

<script src="js/lib/bootstrap/js/popper.min.js"></script>
<script src="js/lib/bootstrap/js/bootstrap.min.js"></script>

<script src="js/jquery.slimscroll.js"></script>

<script src="js/sidebarmenu.js"></script>

<script src="js/lib/sticky-kit-master/dist/sticky-kit.min.js"></script>

<script src="js/custom.min.js"></script>

</body>

</html>
```

Logout.php
```
<?php
session_start();
$f=0;
if(isset($_SESSION["semail"]))
{
$f=1;
}
else if(isset($_SESSION["temail"]))
{
$f=2;
}
```

```php
else
{
$f=0;
}
session_destroy();
if($f==0)
{
?>
<script>
window.location="login.php";
</script>
<?php
}
if($f==1)
{
?>
<script>
window.location="student.php";
</script>
<?php
}
if($f==2)
{
?>
<script>
window.location="teacher.php";
</script>
<?php
}
exit;
?>
```

Managewebsite.php

```php
<?php include('head.php');?>
<?php include('header.php');?>
<?php include('sidebar.php');?>

<?php
include('connect.php');
if(isset($_POST["btn_web"]))
```

```php
{
extract($_POST);
$target_dir = "uploadImage/Logo/";
$website_logo = basename($_FILES["website_image"]["name"]);
if($_FILES["website_image"]["tmp_name"]!=''){
$image = $target_dir . basename($_FILES["website_image"]["name"]);
if (move_uploaded_file($_FILES["website_image"]["tmp_name"], $image)) {

@unlink("uploadImage/Logo/".$_POST['old_website_image']);

} else {
echo "Sorry, there was an error uploading your file.";
}
}
else {
$website_logo =$_POST['old_website_image'];
}

$login_logo = basename($_FILES["login_image"]["name"]);
if($_FILES["login_image"]["tmp_name"]!=''){
$image = $target_dir . basename($_FILES["login_image"]["name"]);
if (move_uploaded_file($_FILES["login_image"]["tmp_name"], $image)) {

@unlink("uploadImage/Logo/".$_POST['old_login_image']);

} else {
echo "Sorry, there was an error uploading your file.";
}

}
else {
$login_logo =$_POST['old_login_image'];
}



$background_login_image = basename($_FILES["back_login_image"]["name"]);
if($_FILES["back_login_image"]["tmp_name"]!=''){
$image = $target_dir . basename($_FILES["back_login_image"]["name"]);
if (move_uploaded_file($_FILES["back_login_image"]["tmp_name"], $image)) {
```

```php
@unlink("uploadImage/Logo/".$_POST['old_back_login_image']);

} else {
echo "Sorry, there was an error uploading your file.";
}

}
else {
$background_login_image =$_POST['old_back_login_image'];
}

$q1="UPDATE `manage_website` SET
`title`='$title',`short_title`='$short_title',`logo`='$website_logo',`currency_code`=
'$currency_code',`currency_symbol`=
'$currency_symbol',`login_logo`='$login_logo',`invoice_logo`='$invoice_logo' ,
`background_login_image` = '$background_login_image'";
if ($conn->query($q1) === TRUE) {

$_SESSION['success']='Record Successfully Updated';
?>
<script type="text/javascript">
window.location = "manage_website.php";
</script>
<?php

} else {

$_SESSION['error']='Something Went Wrong';
}
?>
<script>

</script>
<?php
}

?>
```

```php
<?php
$que="select * from manage_website";
$query=$conn->query($que);
while($row=mysqli_fetch_array($query))
{

extract($row);
$title = $row['title'];
$short_title = $row['short_title'];
$currency_code = $row['currency_code'];
$currency_symbol = $row['currency_symbol'];
$website_logo = $row['logo'];
$login_logo = $row['login_logo'];
$invoice_logo = $row['invoice_logo'];
}

?>


?>


<div class="page-wrapper">

<div class="row page-titles">
<div class="col-md-5 align-self-center">
<h3 class="text-primary">Website Management</h3> </div>
<div class="col-md-7 align-self-center">
<ol class="breadcrumb">
<li class="breadcrumb-item"><a href="javascript:void(0)">Home</a></li>
<li class="breadcrumb-item active">Website Management</li>
</ol>
</div>
</div>

<div class="container-fluid">

<div class="row">
<div class="col-lg-8" style="    margin-left: 10%;">
<div class="card">
<div class="card-title">
```

```html
</div>
<div class="card-body">
<div class="input-states">
<form class="form-horizontal" method="POST" enctype="multipart/form-data">
<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Title</label>
<div class="col-sm-9">
<input type="text"  value="<?php echo $title;?>"  name="title" class="form-control">
</div>
</div>
</div>

<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Short Title</label>
<div class="col-sm-9">
<input type="text"  value="<?php echo $short_title;?>"  name="short_title" class="form-control">
</div>
</div>
</div>




<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Currency Code</label>
<div class="col-sm-9">
<input type="text" value="<?php echo $currency_code;?>" name="currency_code" class="form-control">
</div>
</div>
</div>

<div class="form-group">
```

```
<div class="row">
<label class="col-sm-3 control-label">Currency Symbol</label>
<div class="col-sm-9">
<input type="text" value="<?php echo $currency_symbol;?>"
name="currency_symbol" class="form-control">
</div>
</div>
</div>

<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Website Logo</label>
<div class="col-sm-9">
<image class="profile-img" src="uploadImage/Logo/<?=$website_logo?>"
style="height:35%;width:25%;">
<input type="hidden" value="<?=$website_logo?>" name="old_website_image">
<input type="file" class="form-control" name="website_image">
</div>
</div>
</div>

<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Login Page Logo</label>
<div class="col-sm-9">
<image class="profile-img" src="uploadImage/Logo/<?=$login_logo?>"
style="height:35%;width:35%;">
<input type="hidden" value="<?=$login_logo?>" name="old_login_image">
<input type="file" class="form-control" name="login_image">
</div>
</div>
</div>

<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Background Image For Login Page</label>
<div class="col-sm-9">
```

```
<image class="profile-img"
src="uploadImage/Logo/<?=$background_login_image?>"
style="height:35%;width:35%;">
<input type="hidden" value="<?=$background_login_image?>"
name="old_back_login_image">
<input type="file" class="form-control" name="back_login_image">
</div>
</div>
</div>




<button type="submit" name="btn_web" class="btn btn-primary btn-flat m-b-30
m-t-30">Update</button>
</form>
</div>
</div>
</div>
</div>


</div>




<?php include('footer.php');?>

<link rel="stylesheet" href="popup_style.css">
<?php if(!empty($_SESSION['success'])) {  ?>
<div class="popup popup--icon -success js_success-popup popup--visible">
<div class="popup__background"></div>
<div class="popup__content">
<h3 class="popup__content__title">
Success
</h1>
<p><?php echo $_SESSION['success']; ?></p>
<p>
<button class="button button--success"  data-for="js_success-
popup">Close</button>
</p>
</div>
```

```php
</div>
<?php unset($_SESSION["success"]);
} ?>
<?php if(!empty($_SESSION['error'])) {  ?>
<div class="popup popup--icon -error js_error-popup popup--visible">
<div class="popup__background"></div>
<div class="popup__content">
<h3 class="popup__content__title">
Error
</h1>
<p><?php echo $_SESSION['error']; ?></p>
<p>
<button class="button button--error" data-for="js_error-popup">Close</button>
</p>
</div>
</div>
<?php unset($_SESSION["error"];  } ?>
<script>
var addButtonTrigger = function addButtonTrigger(el) {
el.addEventListener('click', function () {
var popupEl = document.querySelector('.' + el.dataset.for);
popupEl.classList.toggle('popup--visible');
});
};

Array.from(document.querySelectorAll('button[data-for]')).
forEach(addButtonTrigger);
</script>

<script type="text/javascript">
function refresh_cls() {

setTimeout(function(){
location.reload();
}, 1000);
}
</script>
Profile.php

<?php include('head.php');?>
```

```php
<?php include('header.php');?>
<?php include('sidebar.php');?>

<?php
include('connect.php');
if(isset($_POST["btn_update"]))
{
extract($_POST);

$target_dir = "uploadImage/Profile/";
$image1 = basename($_FILES["image"]["name"]);
if($_FILES["image"]["tmp_name"]!=''){
$image = $target_dir . basename($_FILES["image"]["name"]);
if (move_uploaded_file($_FILES["image"]["tmp_name"], $image)) {

@unlink("uploadImage/Profile/".$_POST['old_image']);

} else {
echo "Sorry, there was an error uploading your file.";
}

}
else {
$image1 =$_POST['old_image'];
}

$q1="UPDATE `admin` SET
`fname`='$fname',`lname`='$lname',`email`='$email',`contact`='$contact',`dob`='$d
ob',`gender`='$gender',`image`='$image1' where id = '".$_SESSION["id"]."'";


if ($conn->query($q1) === TRUE) {

$_SESSION['success']='Record Successfully Updated';
?>
<script type="text/javascript">
window.location = "profile.php";
</script>
<?php
```

```php
} else {

$_SESSION['error']='Something Went Wrong';
}


?>
<script>

</script>
<?php
}

?>


<?php
$que="select * from  admin where id = '".$_SESSION["id"]."'";
$query=$conn->query($que);
while($row=mysqli_fetch_array($query))
{

extract($row);
$fname = $row['fname'];
$lname = $row['lname'];
$email = $row['email'];
$contact = $row['contact'];
$dob1 = $row['dob'];
$gender = $row['gender'];
}

?>
```

```html
<div class="page-wrapper">

<div class="row page-titles">
<div class="col-md-5 align-self-center">
<h3 class="text-primary"> Profile</h3> </div>
<div class="col-md-7 align-self-center">
<ol class="breadcrumb">
```

```html
<li class="breadcrumb-item"><a href="javascript:void(0)">Home</a></li>
<li class="breadcrumb-item active">Profile</li>
</ol>
</div>
</div>

<div class="container-fluid">

<div class="row">
<div class="col-lg-8" style="margin-left: 10%;">
<div class="card">
<div class="card-title">

</div>
<div class="card-body">
<div class="input-states">
<form class="form-horizontal" method="POST" enctype="multipart/form-data">
<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">First Name</label>
<div class="col-sm-9">
<input type="text"  value="<?php echo $fname;?>"  name="fname" class="form-control" id="event" onkeydown="return alphaOnly(event);" required>
</div>
</div>
</div>

<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Last Name</label>
<div class="col-sm-9">
<input type="text"  value="<?php echo $lname;?>"  name="lname" class="form-control" id="event" onkeydown="return alphaOnly(event);" required>
</div>
</div>
</div>

<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Email</label>
```

```html
<div class="col-sm-9">
<input type="text" value="<?php echo $email;?>"  name="email" pattern="[a-z0-9._%+-]+@[a-z0-9.-]+\.[a-z]{2,4}$"   class="form-control" required>
</div>
</div>
</div>

<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Gender</label>
<div class="col-sm-9">
<select name="gender" class="form-control" required>
<option value="Male"  <?php if($gender=="Male"){ echo "selected";}?>>Male</option>
<option value="Female" <?php if($gender=="Female"){ echo "selected";}?>>Female</option>
</select>
</div>
</div>
</div>

<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Date Of Birth</label>
<div class="col-sm-9">
<input type="date" value="<?php echo $dob1;?>" name="dob" class="form-control">
</div>
</div>
</div>

<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Contact</label>
<div class="col-sm-9">
<input type="text" value="<?php echo $contact;?>"  name="contact" class="form-control" id="tbNumbers" minlength="10" maxlength="10" onkeypress="javascript:return isNumber(event)" required>
</div>
</div>
```

```html
</div>

<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Image</label>
<div class="col-sm-9">
<image class="profile-img" src="uploadImage/Profile/<?=$image?>"
style="height:30%;width:50%;">
<input type="hidden" value="<?=$image?>" name="old_image">
<input type="file" class="form-control" name="image">
</div>
</div>
</div>

<button type="submit" name="btn_update" class="btn btn-primary btn-flat m-b-30
m-t-30">Update</button>
</form>
</div>
</div>
</div>
</div>

</div>

<?php include('footer.php');?>

<link rel="stylesheet" href="popup_style.css">
<?php if(!empty($_SESSION['success'])) {  ?>
<div class="popup popup--icon -success js_success-popup popup--visible">
<div class="popup__background"></div>
<div class="popup__content">
<h3 class="popup__content__title">
Success
</h1>
<p><?php echo $_SESSION['success']; ?></p>
<p>
<button class="button button--success" data-for="js_success-
popup">Close</button>
</p>
</div>
```

```php
</div>
<?php unset($_SESSION["success"]);
} ?>
<?php if(!empty($_SESSION['error'])) {   ?>
<div class="popup popup--icon -error js_error-popup popup--visible">
<div class="popup__background"></div>
<div class="popup__content">
<h3 class="popup__content__title">
Error
</h1>
<p><?php echo $_SESSION['error']; ?></p>
<p>
<button class="button button--error" data-for="js_error-popup">Close</button>
</p>
</div>
</div>
<?php unset($_SESSION["error"]);  } ?>
<script>
var addButtonTrigger = function addButtonTrigger(el) {
el.addEventListener('click', function () {
var popupEl = document.querySelector('.' + el.dataset.for);
popupEl.classList.toggle('popup--visible');
});
};

Array.from(document.querySelectorAll('button[data-for]')).
forEach(addButtonTrigger);
</script>
Sidebar.php
<?php
include('connect.php');
$sql = "select * from admin where id = '".$_SESSION["id"]."'";
$result=$conn->query($sql);
$row1=mysqli_fetch_array($result);

$q = "select * from tbl_permission_role where role_id='".$row1['group_id']."'";
$ress=$conn->query($q);

$name = array();
while($row=mysqli_fetch_array($ress)){
```

```php
$sql = "select * from tbl_permission where id = '".$row['permission_id']."'";
$result=$conn->query($sql);
if(mysqli_num_rows($result) > 0){
$row2=mysqli_fetch_array($result);
array_push($name,$row2[1]);
}
}
$_SESSION['name']=$name;
$useroles=$_SESSION['name'];

?>


<div class="left-sidebar">

<div class="scroll-sidebar">

<nav class="sidebar-nav">
<ul id="sidebarnav">
<li class="nav-devider"></li>
<li class="nav-label">Home</li>
<li> <a href="index.php" aria-expanded="false"><i class="fa fa-window-
maximize"></i>DASHBOARD</a>
</li>

<?php if(isset($useroles)){  if(in_array("manage_attendence",$useroles)){  ?>
<!-- <li class="nav-label">Attendence</li> -->
<li> <a class="has-arrow" href="#" aria-expanded="false"><i class="fa fa-clock-
o"></i><span class="hide-menu">ATTENDANCE MANAGEMENT</span></a>
<ul aria-expanded="false" class="collapse">
<?php if(isset($useroles)){  if(in_array("add_attendence",$useroles)){  ?>
<li><a href="add_attendence.php">Add Attendence</a></li>
<?php } } ?>
<li><a href="view_attendence.php">View Attendence</a></li>

</ul>
</li>
<?php } } ?>

<?php if(isset($useroles)){  if(in_array("manage_teacher",$useroles)){  ?>
```

```php
<!-- <li class="nav-label">Teacher</li> -->
<li> <a class="has-arrow" href="#" aria-expanded="false"><i class="fa fa-user"></i><span class="hide-menu">STAFF MANAGEMENT</span></a>
<ul aria-expanded="false" class="collapse">
<?php if(isset($useroles)){ if(in_array("add_teacher",$useroles)){ ?>
<li><a href="add_teacher.php">Add staff</a></li>
<?php } } ?>
<li><a href="view_teacher.php">View staff</a></li>
</ul>
</li>
<?php } } ?>

<?php if(isset($useroles)){ if(in_array("manage_student",$useroles)){ ?>
<!-- <li class="nav-label">Student</li> -->
<li> <a class="has-arrow" href="#" aria-expanded="false"><i class="fa fa-users"></i><span class="hide-menu">STUDENT MANAGEMENT</span></a>
<ul aria-expanded="false" class="collapse">
<?php if(isset($useroles)){ if(in_array("add_student",$useroles)){ ?>
<li><a href="add_student.php">Add Student</a></li>
<?php } } ?>
<li><a href="view_student.php">View Student</a></li>
</ul>
</li>
<?php } } ?>

<?php if(isset($useroles)){ if(in_array("manage_subject",$useroles)){ ?>
<!-- <li class="nav-label">Subject</li> -->
<li> <a class="has-arrow" href="#" aria-expanded="false"><i class="fa fa-newspaper-o"></i><span class="hide-menu">SUBJECT MANAGEMENT</span></a>
<ul aria-expanded="false" class="collapse">
<?php if(isset($useroles)){ if(in_array("add_subject",$useroles)){ ?>
<li><a href="add_subject.php">Add Subject</a></li>
<?php } } ?>
<li><a href="view_subject.php">View Subject</a></li>
</ul>
</li>
<?php } } ?>
```

```php
<?php if(isset($useroles)){ if(in_array("manage_class",$useroles)){ ?>
<!-- <li class="nav-label">Class</li> -->
<li> <a class="has-arrow" href="#" aria-expanded="false"><i class="fa fa-home"></i><span class="hide-menu">CLASS MANAGEMENT</span></a>
<ul aria-expanded="false" class="collapse">
<?php if(isset($useroles)){ if(in_array("add_class",$useroles)){ ?>
<li><a href="add_class.php">Add Class</a></li>
<?php } } ?>
<li><a href="view_class.php">View Class</a></li>
</ul>
</li>
<?php } } ?>
<?php if(isset($useroles)){ if(in_array("manage_exam",$useroles)){ ?>
<!-- <li class="nav-label">Class</li> -->
<li> <a class="has-arrow" href="#" aria-expanded="false"><i class="fa fa-home"></i><span class="hide-menu">EXAM MANAGEMENT</span></a>
<ul aria-expanded="false" class="collapse">
<li><a href="add_roomtype.php">Add Room Type</a></li>
<li><a href="view_roomtype.php">View Room Type</a></li>
<li><a href="add_room.php">Add Room</a></li>
<li><a href="view_room.php">View Room</a></li>
<li><a href="add_exam.php">Add Exam</a></li>
<li><a href="view_exam.php">View Exam</a></li>
<li><a href="view_timetable.php">View Exam Time Table</a></li>
<li><a href="add_allotment.php">Add Allotment</a></li>
<li><a href="view_allotment.php">View Allotment</a></li>
</ul>
</li>
<?php } } ?>




<?php if(isset($useroles)){ if(in_array("manage_user",$useroles)){ ?>
<li class="nav-label">FOR USERS</li>
```

```php
<li> <a class="has-arrow" href="#" aria-expanded="false"><i class="fa fa-user-
plus"></i><span class="hide-menu">USER MANAGEMENT</span></a>
<ul aria-expanded="false" class="collapse">
<?php if(isset($useroles)){  if(in_array("add_user",$useroles)){ ?>
<li><a href="add_user.php">Add Users</a></li>
<?php } } ?>
<li><a href="view_user.php">View Users</a></li>
</ul>
</li>
<?php } } ?>

<?php if($_SESSION["username"]=='admin') { ?>
<li> <a class="has-arrow" href="#" aria-expanded="false"><i class="fa fa-
lock"></i><span class="hide-menu">USER PERMISSION</span></a>
<ul aria-expanded="false" class="collapse">
<li><a href="assign_role.php">assign role</a></li>
<li><a href="view_role.php">View Role</a></li>
</ul>
</li>

<li> <a class="has-arrow" href="#" aria-expanded="false"><i class="fa fa-
cog"></i><span class="hide-menu">SETTINGS</span></a>
<ul aria-expanded="false" class="collapse">
<li><a href="manage_website.php">Appearance Settings</a></li>
<li><a href="email_config.php">Email Settings</a></li>
</ul>
</li>
<li class="nav-label">REPORTS</li>
<li>  <a class="has-arrow" href="#" aria-expanded="false"><i class="fa fa-
file"></i><span class="hide-menu">REPORT MANAGEMENT</span></a>
<ul aria-expanded="false" class="collapse">
<li><a href="today_exam.php">Today's Exam</a></li>
<li><a href="report_exam.php">Exam Report</a></li>
</ul>
</li>
<?php } ?>
```

```php
</ul>
</nav>
</div>
</div>
Studentlogin.php
<?php session_start();?>
<?php include('head.php');?>
<link rel="stylesheet" href="popup_style.css">

<?php
include('connect.php');
if(isset($_POST['btn_login']))
{
$unm = $_POST['email'];

$passw = hash('sha256', $_POST['password']);

function createSalt()
{
return '2123293dsj2hu2nikhiljdsd';
}
$salt = createSalt();
$pass = hash('sha256', $salt . $passw);

$sql = "SELECT * FROM tbl_student WHERE semail='" .$unm . "' and password
= '". $pass."'";
$result = mysqli_query($conn,$sql);
$row  = mysqli_fetch_array($result);

$_SESSION["id"] = $row['id'];
// $_SESSION["username"] = $row['username'];
$_SESSION["password"] = $row['password'];
$_SESSION["semail"] = $row['semail'];
// $_SESSION["fname"] = $row['fname'];
// $_SESSION["lname"] = $row['lname'];
// $_SESSION["image"] = $row['image'];
$count=mysqli_num_rows($result);
if($count==1 && isset($_SESSION["semail"]) &&
isset($_SESSION["password"])) {
```

```php
{
?>
<div class="popup popup--icon -success js_success-popup popup--visible">
<div class="popup__background"></div>
<div class="popup__content">
<h3 class="popup__content__title">
Success
</h1>
<p>Login Successfully</p>
<p>

<?php echo "<script>setTimeout(\"location.href =
'student_panel.php';\",1500);</script>"; ?>
</p>
</div>
</div>

<?php
}
}
else {?>
<div class="popup popup--icon -error js_error-popup popup--visible">
<div class="popup__background"></div>
<div class="popup__content">
<h3 class="popup__content__title">
Error
</h1>
<p>Invalid Email or Password</p>
<p>
<a href="student.php"><button class="button button--error" data-for="js_error-
popup">Close</button></a>
</p>
</div>
</div>

<?php

}

}
```

```php
?>

<div id="main-wrapper">
<div class="unix-login">
<?php
$sql_login = "select * from manage_website";
$result_login = $conn->query($sql_login);
$row_login = mysqli_fetch_array($result_login);
?>
<div class="container-fluid"  style="background-image:
url('uploadImage/Logo/<?php echo $row_login['background_login_image'];?>');
background-color:#87CEEB">
<div class="row justify-content-center">
<div class="col-lg-4">
<div class="login-content card">
<div class="login-form">
<center><img src="uploadImage/Logo/images.png"
style="width:50%;"></center><br>
<h3><center>Student Login</center></h3>
<form method="POST">
<div class="form-group">
<label>Email address</label>
<input type="email" name="email" class="form-control" placeholder="Email"
required="">
</div>
<div class="form-group">
<label>Password</label>
<input type="password" name="password" class="form-control" value=""
id="myInput" placeholder="Password" required=""><br>
<input type="checkbox" onclick="myFunction()"> Show Password
</div>
<button type="submit" name="btn_login" class="btn btn-primary btn-flat m-b-30
m-t-30">Sign in</button>

</form>
</div>
</div>
</div>
</div>
</div>
```

```
</div>

</div>

<script>
function myFunction() {
var x = document.getElementById("myInput");
if (x.type === "password") {
x.type = "text";
} else {
x.type = "password";
}
}
</script>


<script src="js/lib/jquery/jquery.min.js"></script>

<script src="js/lib/bootstrap/js/popper.min.js"></script>
<script src="js/lib/bootstrap/js/bootstrap.min.js"></script>

<script src="js/jquery.slimscroll.js"></script>

<script src="js/sidebarmenu.js"></script>

<script src="js/lib/sticky-kit-master/dist/sticky-kit.min.js"></script>

<script src="js/custom.min.js"></script>

</body>

</html>
Studentpanel.php
<?php include('head.php');?>
<?php include('header1.php');?>

<?php include('stud_sidebar.php');?>
<?php
date_default_timezone_set('Asia/Kolkata');
$current_date = date('Y-m-d');
```

```php
$sql_currency = "select * from manage_website";
$result_currency = $conn->query($sql_currency);
$row_currency = mysqli_fetch_array($result_currency);
?>

<div class="page-wrapper">

<div class="row page-titles">
<div class="col-md-5 align-self-center">
<h3 class="text-primary">Dashboard</h3> </div>
<div class="col-md-7 align-self-center">
<ol class="breadcrumb">
<li class="breadcrumb-item"><a href="javascript:void(0)">Home</a></li>
<li class="breadcrumb-item active">Dashboard</li>
</ol>
</div>
</div>

<div class="container-fluid">
<div class="card">
<div class="card-body">
<div class="table-responsive m-t-40">
<table id="myTable" class="table table-bordered table-striped">
<thead>
<tr>
<th>Exam Name</th>
<th>Subject</th>
<th>Exam Date</th>
<th>Time</th>
<th>Room No</th>
</tr>
</thead>
<tbody>
<?php
include 'connect.php';
$sql1 = "SELECT e.name as examName, sb.subjectname, sm.sem_name,
e.exam_date, e.start_time, e.end_time, rm.name as roomName, rt.roomname as
roomTyp FROM `allot_student` sa, exam e, tbl_semester sm, tbl_subject sb,
tbl_student ts, room rm, room_type rt WHERE
```

```php
sa.student_id='".$_SESSION['id']."' and sa.exam_id=e.id and e.subject_id= sb.id
and sa.stud_id=ts.stud_id and e.exam_semid=sm.sem_id and sa.room_id= rm.id
and rm.type_id= rt.id";
$result1 = $conn->query($sql1);
while($row = $result1->fetch_assoc()) {
?>
<tr>
<td><?php echo $row['examName'].' - '.$row['sem_name']; ?></td>
<td><?php echo $row['subjectname']; ?></td>
<td><?php echo $row['exam_date']; ?></td>
<td><?php echo $row['start_time'].' - '.$row['end_time']; ?></td>
<td><?php echo $row['roomTyp'].' - '.$row['roomName']; ?></td>
</tr>
<?php } ?>
</tbody>
</table>
</div>
</div>
</div>
</div>

<?php include('footer.php');?>
```

Teacherlogin.php

```php
<?php session_start();?>
<?php include('head.php');?>
<link rel="stylesheet" href="popup_style.css">

<?php
include('connect.php');
if(isset($_POST['btn_login']))
{
$unm = $_POST['email'];

$passw = hash('sha256', $_POST['password']);

function createSalt()
{
return '2123293dsj2hu2nikhiljdsd';
}
$salt = createSalt();
```

```php
$pass = hash('sha256', $salt . $passw);

$sql = "SELECT * FROM tbl_teacher WHERE temail='" .$unm . "' and password
= '". $pass."'";
$result = mysqli_query($conn,$sql);
$row  = mysqli_fetch_array($result);

$_SESSION["id"] = $row['id'];
$_SESSION["password"] = $row['password'];
$_SESSION["temail"] = $row['temail'];
$_SESSION["fname"] = $row['tfname'];
$_SESSION["lname"] = $row['tlname'];
$count=mysqli_num_rows($result);
if($count==1 && isset($_SESSION["temail"]) &&
isset($_SESSION["password"])) {
{
?>
<div class="popup popup--icon -success js_success-popup popup--visible">
<div class="popup__background"></div>
<div class="popup__content">
<h3 class="popup__content__title">
Success
</h1>
<p>Login Successfully</p>
<p>

<?php echo "<script>setTimeout(\"location.href =
'teacher_panel.php';\",1500);</script>"; ?>
</p>
</div>
</div>

<?php
}
}
else {?>
<div class="popup popup--icon -error js_error-popup popup--visible">
<div class="popup__background"></div>
<div class="popup__content">
<h3 class="popup__content__title">
```

```
Error
</h1>
<p>Invalid Email or Password</p>
<p>
<a href="teacher.php"><button class="button button--error" data-for="js_error-
popup">Close</button></a>
</p>
</div>
</div>

<?php

}

}
?>

<div id="main-wrapper">
<div class="unix-login">
<?php
$sql_login = "select * from manage_website";
$result_login = $conn->query($sql_login);
$row_login = mysqli_fetch_array($result_login);
?>
<div class="container-fluid"  style="background-image:
url('uploadImage/Logo/<?php echo $row_login['background_login_image'];?>');
background-color:#90EE90">
<div class="row justify-content-center">
<div class="col-lg-4">
<div class="login-content card">
<div class="login-form">
<center><img src="uploadImage/Logo/download.png"
style="width:50%;"></center><br>
<h3><center>Teacher Login</center></h3>
<form method="POST">
<div class="form-group">
<label>Email address</label>
<input type="email" name="email" class="form-control" placeholder="Email"
required="">
</div>
```

```html
<div class="form-group">
<label>Password</label>
<input type="password" name="password" class="form-control" value=""
id="myInput" placeholder="Password" required=""><br>
<input type="checkbox" onclick="myFunction()"> Show Password
</div>
<button type="submit" name="btn_login" class="btn btn-primary btn-flat m-b-30
m-t-30">Sign in</button>

</form>
</div>
</div>
</div>
</div>
</div>
</div>

</div>
<script>
function myFunction() {
var x = document.getElementById("myInput");
if (x.type === "password") {
x.type = "text";
} else {
x.type = "password";
}
}
</script>


<script src="js/lib/jquery/jquery.min.js"></script>

<script src="js/lib/bootstrap/js/popper.min.js"></script>
<script src="js/lib/bootstrap/js/bootstrap.min.js"></script>

<script src="js/jquery.slimscroll.js"></script>

<script src="js/sidebarmenu.js"></script>

<script src="js/lib/sticky-kit-master/dist/sticky-kit.min.js"></script>
```

```html
<script src="js/custom.min.js"></script>

</body>

</html>
```

Teacherpanel.php

```php
<?php include('head.php');?>
<?php include('header2.php');?>

<?php include('teacher_sidebar.php');?>
<?php
date_default_timezone_set('Asia/Kolkata');
$current_date = date('Y-m-d');

$sql_currency = "select * from manage_website";
$result_currency = $conn->query($sql_currency);
$row_currency = mysqli_fetch_array($result_currency);
?>
```

```html
<div class="page-wrapper">

<div class="row page-titles">
<div class="col-md-5 align-self-center">
<h3 class="text-primary">Dashboard</h3> </div>
<div class="col-md-7 align-self-center">
<ol class="breadcrumb">
<li class="breadcrumb-item"><a href="javascript:void(0)">Home</a></li>
<li class="breadcrumb-item active">Dashboard</li>
</ol>
</div>
</div>

<div class="container-fluid">
<div class="card">
<div class="card-body">
<div class="table-responsive m-t-40">
<table id="myTable" class="table table-bordered table-striped">
<thead>
<tr>
```

```php
<th>Exam Name</th>
<th>Exam Date</th>
<th>Time</th>
<th>Room Name</th>
</tr>
</thead>
<tbody>
<?php
include 'connect.php';
$sql1 = "SELECT e.name as examName, sb.subjectname, sm.sem_name,
e.exam_date, e.start_time, e.end_time, rm.name as roomName, rt.roomname as
roomTyp FROM `allot_student` sa, exam e, tbl_semester sm, tbl_subject sb,
tbl_teacher tc, room rm, room_type rt WHERE
sa.teacher_id='".$_SESSION['id']."' and sa.exam_id=e.id and e.subject_id= sb.id
and sa.teacher_id=tc.id and e.exam_semid=sm.sem_id and sa.room_id= rm.id and
rm.type_id= rt.id group by roomName";
$result1 = $conn->query($sql1);
while($row = $result1->fetch_assoc()) {

?>
<tr>
<td><?php echo $row['examName'].' - '.$row['sem_name']; ?></td>
<td><?php echo $row['exam_date']; ?></td>
<td><?php echo $row['start_time'].'-'.$row['end_time']; ?></td>
<td><?php echo $row['roomTyp'].'-'.$row['roomName']; ?></td>
</tr>
<?php } ?>
</tbody>
</table>
</div>
</div>
</div>

<div class="card">
<div class="card-body">
<div class="table-responsive m-t-40">
<table id="myTable" class="table table-bordered table-striped">
<thead>
<tr>
<th>Exam Seat No</th>
```

```php
<th>Student Name</th>
<th>Class</th>


</tr>
</thead>
<tbody>
<?php
include 'connect.php';
$sql2 = "SELECT ts.stud_id as studid, ts.sfname, ts.slname, tc.classname  FROM
`allot_student` sa, tbl_student ts, tbl_class tc WHERE  ts.classname= tc.cl_id and
teacher_id='".$_SESSION['id']."' and sa.stud_id=ts.stud_id";
$result = $conn->query($sql2);
while($row = $result->fetch_assoc()) {

?>
<tr>
<td><?php echo $row['studid']; ?></td>
<td><?php echo $row['sfname']; ?></td>
<td><?php echo $row['classname']; ?></td>
</tr>
<?php } ?>
</tbody>
</table>
</div>
</div>
</div>
</div>

<?php include('footer.php');?>
Timetable.php

<?php include('head.php');?>

<?php include('header.php');?>
<?php include('sidebar.php');?>
<?php include('stud_sidebar.php');?>
<?php include('teacher_sidebar.php');?>

<?php
```

```php
include('connect.php');
date_default_timezone_set('Asia/Kolkata');
$current_date = date('Y-m-d');

?>

<div class="page-wrapper">

<div class="row page-titles">
<div class="col-md-5 align-self-center">
<h3 class="text-primary">TIME TABLE</h3> </div>
</div>
</div>

<div class="container-fluid">

<div class="row">
<div class="col-lg-8" style="    margin-left: 10%;">
<div class="card">
<div class="card-title">

</div>
<div class="card-body">
<div class="input-states">
<form class="form-horizontal" method="POST" action="pages/save_student.php"
name="studentform" enctype="multipart/form-data">

<input type="hidden" name="currnt_date" class="form-control" value="<?php
echo $currnt_date;?>">
<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">CLASS NAME</label>
<div class="col-sm-9">
<select type="text" name="classname" class="form-control"   placeholder="Class"
required="">
<option value="">--Select Class--</option>
<?php
$c1 = "SELECT * FROM `tbl_class`";
$result = $conn->query($c1);
```

```php
if ($result->num_rows > 0) {
while ($row = mysqli_fetch_array($result)) {?>
<option value="<?php echo $row["id"];?>">
<?php echo $row['classname'];?>
</option>
<?php
}
} else {
echo "0 results";
}
?>
</select>

</div>
</div>
</div>
<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">SUBJECT NAME</label>
<div class="col-sm-9">
<input type="text" name="sfname" class="form-control" placeholder="SUBJECT
NAME" id="event" onkeydown="return alphaOnly(event);" required="">
</div>
</div>
</div>

<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">DATE</label>
<div class="col-sm-9">
<input type="date"  name="slname" id="lname" class="form-control" id="event"
onkeydown="return alphaOnly(event);" placeholder="DATE" required="">
</div>
</div>
</div>



<div class="form-group">
```

```
<div class="row">
<label class="col-sm-3 control-label">TIME</label>
<div class="col-sm-9">
<input type="text" name="semail" class="form-control"  placeholder="time"
required>
</div>
</div>
</div>

<button type="submit" name="btn_save" class="btn btn-primary btn-flat m-b-30
m-t-30">Submit</button>
</form>
</div>
</div>
</div>
</div>

</div>

<?php include('footer.php');?>
<script>
var check = function() {
if (document.getElementById('password').value ==
document.getElementById('confirm_password').value) {
document.getElementById('message').style.color = 'green';
document.getElementById('message').innerHTML = 'Matching';
} else {
document.getElementById('message').style.color = 'red';
document.getElementById('message').innerHTML = 'NOT Matching';
}
}
</script>
Todayexam.php

<?php include('head.php');?>
<?php include('header.php');?>
<?php include('sidebar.php');
date_default_timezone_set('Asia/Kolkata');
$current_date = date('Y-m-d');
?>
```

```
<div class="page-wrapper">

<div class="row page-titles">
<div class="col-md-5 align-self-center">
<h3 class="text-primary"> Today's Exam</h3> </div>
<div class="col-md-7 align-self-center">
<ol class="breadcrumb">
<li class="breadcrumb-item"><a href="javascript:void(0)">Home</a></li>
<li class="breadcrumb-item active">Today's Exam</li>
</ol>
</div>
</div>

<div class="container-fluid">
<div class="card">
<div class="card-body">
<div class="table-responsive m-t-40">
<table id="myTable" class="table table-bordered table-striped">
<thead>
<tr>
<th>Exam Name</th>
<th>Time</th>
<th>Class Name</th>
<th>Subject Name</th>
</tr>
</thead>
<tbody>
<?php
include 'connect.php';
$sql1 = "SELECT * FROM  exam WHERE exam_date='".date('Y-m-d')."' ";
$result1 = $conn->query($sql1);
while($row = $result1->fetch_assoc()) {

$s2 = "SELECT * FROM `tbl_class` WHERE id='".$row['class_id']."'";
$sr1 = $conn->query($s2);
$sres1 = mysqli_fetch_array($sr1);

$s3 = "SELECT * FROM `tbl_subject` WHERE id='".$row['subject_id']."'";
$sr2 = $conn->query($s3);
$sres2 = mysqli_fetch_array($sr2);
```

```php
?>
<tr>
<td><?php echo $row['name']; ?></td>
<td><?php echo $row['start_time'].'-'.$row['end_time']; ?></td>
<td><?php echo $sres1['classname']; ?></td>
<td><?php echo $sres2['subjectname']; ?></td>
</tr>
<?php } ?>
</tbody>
</table>
</div>
</div>
</div>
</div>


<?php include('footer.php');?>

<link rel="stylesheet" href="popup_style.css">
<?php if(!empty($_SESSION['success'])) {  ?>
<div class="popup popup--icon -success js_success-popup popup--visible">
<div class="popup__background"></div>
<div class="popup__content">
<h3 class="popup__content__title">
Success
</h1>
<p><?php echo $_SESSION['success']; ?></p>
<p>
<button class="button button--success" data-for="js_success-
popup">Close</button>
</p>
</div>
</div>
<?php unset($_SESSION["success"]);
} ?>
<?php if(!empty($_SESSION['error'])) {  ?>
<div class="popup popup--icon -error js_error-popup popup--visible">
<div class="popup__background"></div>
<div class="popup__content">
```

```html
<h3 class="popup__content__title">
Error
</h1>
<p><?php echo $_SESSION['error']; ?></p>
<p>
<button class="button button--error" data-for="js_error-popup">Close</button>
</p>
</div>
</div>
<?php unset($_SESSION["error"]);  } ?>
<script>
var addButtonTrigger = function addButtonTrigger(el) {
el.addEventListener('click', function () {
var popupEl = document.querySelector('.' + el.dataset.for);
popupEl.classList.toggle('popup--visible');
});
};

Array.from(document.querySelectorAll('button[data-for]')).
forEach(addButtonTrigger);
</script>
```

Saveclass.php

```php
<?php
date_default_timezone_set('Asia/Kolkata');
$current_date = date('Y-m-d');
include('../connect.php');
extract($_POST);
$sql = "INSERT INTO `tbl_class` (`classname`) VALUES ('$classname')";
if ($conn->query($sql) === TRUE) {
$_SESSION['success']=' Record Successfully Added';
?>
<script type="text/javascript">
window.location="../view_class.php";
</script>
<?php
} else {
$_SESSION['error']='Something Went Wrong';
?>
<script type="text/javascript">
window.location="../view_class.php";
```

```php
</script>
<?php } ?>
Exam.php

<?php
date_default_timezone_set('Asia/Kolkata');
$current_date = date('Y-m-d');
include('../connect.php');
extract($_POST);
$sql = "INSERT INTO `exam`
(`class_id`,`subject_id`,`exam_date`,`start_time`,`end_time`,`name`,`added_date`,exam_semid ) VALUES
('$class_id','$subject_id','$exam_date','$start_time','$end_time','$name','".date('Y-m-d')."','$sub_semid')";
if ($conn->query($sql) === TRUE) {
$_SESSION['success']=' Record Successfully Added';
?>
<script type="text/javascript">
window.location="../view_exam.php";
</script>
<?php
} else {
$_SESSION['error']='Something Went Wrong';
?>
<script type="text/javascript">
window.location="../view_exam.php";
</script>
<?php } ?>
Viewroom.php

<?php include('head.php');?>
<?php include('header.php');?>
<?php include('sidebar.php');

if(isset($_GET['id']))
{ ?>
<div class="popup popup--icon -question js_question-popup popup--visible">
<div class="popup__background"></div>
<div class="popup__content">
<h3 class="popup__content__title">
```

Sure
</h1>
<p>Are You Sure To Delete This Record?</p>
<p>
<a href="del_room.php?id=<?php echo $_GET['id']; ?>" class="button button--success" data-for="js_success-popup">Yes
No
</p>
</div>
</div>
<?php } ?>

<div class="page-wrapper">

<div class="row page-titles">
<div class="col-md-5 align-self-center">
<h3 class="text-primary"> View Room</h3> </div>
<div class="col-md-7 align-self-center">
<ol class="breadcrumb">
<li class="breadcrumb-item">Home
<li class="breadcrumb-item active">View Room

</div>
</div>

<div class="container-fluid">

<div class="card">
<div class="card-body">
<button class="btn btn-primary">Add Room</button>
<div class="table-responsive m-t-40">
<table id="myTable" class="table table-bordered table-striped">
<thead>
<tr>
<th>Subject Name</th>

```php
<th>Action</th>
</tr>
</thead>
<tbody>
<?php
include 'connect.php';

$sql1 = "SELECT * FROM  `room`";
$result1 = $conn->query($sql1);
while($row = $result1->fetch_assoc()) {


?>
<tr>
<td><?php echo $row['name']; ?></td>

<td>
<a href="edit_room.php?id=<?=$row['id'];?>"><button type="button" class="btn
btn-xs btn-primary" ><i class="fa fa-plus-square"></i></button></a>
<a href="view_room.php?id=<?=$row['id'];?>"><button type="button" class="btn
btn-xs btn-danger" ><i class="fa fa-trash"></i></button></a>

</td>
</tr>
<?php } ?>
</tbody>
</table>
</div>
</div>
</div>


<?php include('footer.php');?>

<link rel="stylesheet" href="popup_style.css">
<?php if(!empty($_SESSION['success'])) {  ?>
<div class="popup popup--icon -success js_success-popup popup--visible">
<div class="popup__background"></div>
<div class="popup__content">
<h3 class="popup__content__title">
```

Success
</h1>
<p><?php echo $_SESSION['success']; ?></p>
<p>
<button class="button button--success" data-for="js_success-popup">Close</button>
</p>
</div>
</div>
<?php unset($_SESSION["success"]);
} ?>
<?php if(!empty($_SESSION['error'])) { ?>
<div class="popup popup--icon -error js_error-popup popup--visible">
<div class="popup__background"></div>
<div class="popup__content">
<h3 class="popup__content__title">
Error
</h1>
<p><?php echo $_SESSION['error']; ?></p>
<p>
<button class="button button--error" data-for="js_error-popup">Close</button>
</p>
</div>
</div>
<?php unset($_SESSION["error"]); } ?>
<script>
var addButtonTrigger = function addButtonTrigger(el) {
el.addEventListener('click', function () {
var popupEl = document.querySelector('.' + el.dataset.for);
popupEl.classList.toggle('popup--visible');
});
};

Array.from(document.querySelectorAll('button[data-for]')).
forEach(addButtonTrigger);
</script>
Viewstudentlist.php
<?php include('head.php');?>
<?php include('header.php');?>
<?php include('sidebar.php');?>

```php
<?php
date_default_timezone_set('Asia/Kolkata');
$current_date = date('Y-m-d');

$sql_currency = "select * from manage_website";
$result_currency = $conn->query($sql_currency);
$row_currency = mysqli_fetch_array($result_currency);
?>

<div class="page-wrapper">

<div class="row page-titles">
<div class="col-md-5 align-self-center">
<h3 class="text-primary">Exam List</h3> </div>
<div class="col-md-7 align-self-center">
<ol class="breadcrumb">
<li class="breadcrumb-item"><a href="javascript:void(0)">Home</a></li>
<li class="breadcrumb-item active">Exam List</li>
</ol>
</div>
</div>

<div class="container-fluid">
<div class="card">
<div class="card-body">
<div class="table-responsive m-t-40">
<table id="myTable" class="table table-bordered table-striped">
<thead>
<tr>
<th>Student Regiter No</th>
<th>Student Name</th>
<th>Date</th>
<th>Time</th>
<th>Room Name</th>
</tr>
</thead>
<tbody>
<?php
include 'connect.php';
```

```php
$sql1 = "SELECT * FROM `allot_student` sa, tbl_student s WHERE
allot_id="'.$_GET['id']."' and sa.stud_id=s.stud_id";
$result1 = $conn->query($sql1);
while($row = $result1->fetch_assoc()) {
$s1 = "SELECT * FROM `exam` WHERE id="'.$row['exam_id']."'";
$sr = $conn->query($s1);
$sres = mysqli_fetch_array($sr);

$s2 = "SELECT * FROM `room` WHERE id="'.$row['room_id']."'";
$sr1 = $conn->query($s2);
$sres1 = mysqli_fetch_array($sr1);
?>
<tr>
<td><?php echo $row['stud_id']; ?></td>
<td><?php echo $row['sfname']; ?></td>
<td><?php echo $row['exam_date']; ?></td>
<td><?php echo $row['start_time'].'-'.$row['end_time']; ?></td>
<td><?php echo $sres1['name']; ?></td>
</tr>
<?php } ?>
</tbody>
</table>
</div>
</div>
</div>
</div>

<?php include('footer.php');?>
Emailconfig.php

<?php include('head.php');?>
<?php include('header.php');?>
<?php include('sidebar.php');?>

<?php
include('connect.php');
if(isset($_POST["btn_mail"]))
{
extract($_POST);
```

```php
$q1="UPDATE `tbl_email_config` SET
`name`='$name',`mail_driver_host`='$mail_driver',`mail_port`='$mail_port'
,`mail_username`='$mail_username',`mail_password`='$mail_password',`mail_enc
rypt`='$mail_encryption'";
$q2=$conn->query($q1);
?>
<script>
window.location = "email_config.php";
</script>
<?php
}

?>

<?php
$que="select *from tbl_email_config";
$query=$conn->query($que);
while($row=mysqli_fetch_array($query))
{
//print_r($row);
extract($row);
$mail_password = $row['mail_password'];
$mail_driver = $row['mail_driver_host'];
$name = $row['name'];
$mail_port = $row['mail_port'];
$mail_username = $row['mail_username'];
$mail_encryption = $row['mail_encrypt'];
}

?>

?>

<div class="page-wrapper">

<div class="row page-titles">
<div class="col-md-5 align-self-center">
<h3 class="text-primary">Email Management</h3> </div>
```

```html
<div class="col-md-7 align-self-center">
<ol class="breadcrumb">
<li class="breadcrumb-item"><a href="javascript:void(0)">Home</a></li>
<li class="breadcrumb-item active">Email Management</li>
</ol>
</div>
</div>

<div class="container-fluid">


<div class="row">
<div class="col-lg-8" style="    margin-left: 10%;">
<div class="card">
<div class="card-title">

</div>
<div class="card-body">
<div class="input-states">
<form class="form-horizontal" method="POST">
<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Name</label>
<div class="col-sm-9">
<input type="text"  value="<?php echo $name;?>" name="name" class="form-control">
</div>
</div>
</div>

<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Mail Driver Mail Host</label>
<div class="col-sm-9">
<input type="text"  value="<?php echo $mail_driver;?>"  name="mail_driver" class="form-control">
</div>
</div>
</div>
```

```html
<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Mail Port</label>
<div class="col-sm-9">
<input type="text" value="<?php echo $mail_port;?>"  name="mail_port"
class="form-control">
</div>
</div>
</div>

<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Mail Username</label>
<div class="col-sm-9">
<input type="text" value="<?php echo $mail_username;?>"
name="mail_username" class="form-control">
</div>
</div>
</div>

<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Mail Password</label>
<div class="col-sm-9">
<input type="password"  value="<?php echo $mail_password;?>"
name="mail_password" class="form-control">
</div>
</div>
</div>

<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Mail Encryption</label>
<div class="col-sm-9">
<input type="text" value="<?php echo $mail_encryption;?>"
name="mail_encryption" class="form-control">
</div>
</div>
</div>
```

```
<button type="submit" name="btn_mail" class="btn btn-primary btn-flat m-b-30
m-t-30">Update</button>
</form>
</div>
</div>
</div>
</div>

</div>


<?php include('footer.php');?>


Forgotpassword.php
<?php session_start();?>
<?php include('head.php');?>

<?php
include('connect.php');
if(isset($_POST['btn_forgot']))
{
$otp = substr(str_shuffle(str_repeat("0123456789abcdefghijklmnopqrstuvwxyz",
8)), 0, 8);
$text_email=$_POST['email'];

$sql = "SELECT * FROM admin where email ='".$text_email."' " ;
$ans = $conn->query($sql);
$res=mysqli_fetch_array($ans);
$realemail=$res['email'];
$person_fname=$res['fname'];
$person_lname=$res['lname'];
$personname=$person_fname.$person_lname;
$user_name = $res['username'];


$msg = "Your Password is :'".$otp."'";
$subject='Remind password';
```

```php
$otp1 = hash('sha256', $otp);
function createSalt()
{
return '2123293dsj2hu2nikhiljdsd';
}
$salt = createSalt();
$otp_pass =  hash('sha256', $salt . $otp1);

if($text_email == $realemail){
$sql = "UPDATE admin SET password ='$otp_pass' WHERE
email='$text_email'";
$ans1 = $conn->query($sql);



$s = "select * from tbl_email_config";
$r = $conn->query($s);
$rr = mysqli_fetch_array($r);

$mail_host = $rr['mail_driver_host'];
$mail_name = $rr['name'];
$mail_username = $rr['mail_username'];
$mail_password = $rr['mail_password'];
$mail_port = $rr['mail_port'];

require_once('PHPMailer/PHPMailerAutoload.php');
$mail = new PHPMailer;
$mail->isSMTP();

$mail->Host = $mail_host;
$mail->SMTPAuth = true;
$mail->Username = $mail_username;
$mail->Password = $mail_password;

$mail->SMTPSecure = 'tls';
$mail->Port = $mail_port;
$mail->setFrom($mail_username, $mail_name);
$mail->addAddress($text_email, $personname);

$mail->Subject = 'Forget Password';
```

```php
$mail->Body    = "Hello, Your New Password is :'".$otp."' ";

if ($mail->send()) {

?>
<link rel="stylesheet" href="popup_style.css">
<div class="popup popup--icon -success js_success-popup popup--visible">
<div class="popup__background"></div>
<div class="popup__content">
<h3 class="popup__content__title">
Success
</h1>
<p>Send Email Successfully.....Please check Your Email</p>
<p>
<a href="login.php"><button class="button button--success" data-for="js_success-popup">OK</button></a>
</p>
</div>
</div>
<?php } } else { ?>
<link rel="stylesheet" href="popup_style.css">
<div class="popup popup--icon -error js_error-popup popup--visible">
<div class="popup__background"></div>
<div class="popup__content">
<h3 class="popup__content__title">
Error
</h1>
<p>Email not exists.....Enter valid Email</p>
<p>
<button class="button button--error" data-for="js_error-popup">Close</button>
</p>
</div>
</div>
<?php } ?>
<script>
var addButtonTrigger = function addButtonTrigger(el) {
el.addEventListener('click', function () {
var popupEl = document.querySelector('.' + el.dataset.for);
popupEl.classList.toggle('popup--visible');
});
```

```
};

Array.from(document.querySelectorAll('button[data-for]')).
forEach(addButtonTrigger);
</script>



<?php




}

?>



<div id="main-wrapper">

<div class="unix-login">
<div class="container-fluid">
<div class="row justify-content-center">
<div class="col-lg-4">
<div class="login-content card">
<div class="login-form">
<h4>Forgot Password</h4>
<form method="POST">
<div class="form-group">
<label>Email address</label>
<input type="email" name="email" class="form-control" placeholder="Email"
required="">
</div>


<button type="submit" name="btn_forgot" class="btn btn-primary btn-flat m-b-30
m-t-30">Submit</button>
</form>
</div>
```

```
</div>
</div>
</div>
</div>
</div>

</div>

<script src="js/lib/jquery/jquery.min.js"></script>

<script src="js/lib/bootstrap/js/popper.min.js"></script>
<script src="js/lib/bootstrap/js/bootstrap.min.js"></script>

<script src="js/jquery.slimscroll.js"></script>

<script src="js/sidebarmenu.js"></script>

<script src="js/lib/sticky-kit-master/dist/sticky-kit.min.js"></script>

<script src="js/custom.min.js"></script>

</body>

</html>

Deleteclass.php
<?php
include 'connect.php';
session_start();

$sql = "DELETE FROM `tbl_class` WHERE id='".$_GET["id"]."'";
$res = $conn->query($sql) ;
 $_SESSION['success']=' Record Successfully Deleted';
?>
<script>

window.location = "view_class.php";
</script>

Editsubject.php
```

```php
<?php include('head.php');?>

<?php include('header.php');?>
<?php include('sidebar.php');?>

<?php
include('connect.php');
date_default_timezone_set('Asia/Kolkata');
$current_date = date('Y-m-d');
if(isset($_POST["btn_update"]))
{
extract($_POST);

$q1="UPDATE `tbl_subject` SET
`subjectname`='$subjectname',`class_id`='$class_id', sub_semid='$semester',
sub_code='$subcode' WHERE `id`='".$_GET['id']."'";

if ($conn->query($q1) === TRUE) {
$_SESSION['success']=' Record Successfully Updated';
?>
<script type="text/javascript">
window.location="view_subject.php";
</script>
<?php
} else {
$_SESSION['error']='Something Went Wrong';
?>
<script type="text/javascript">
window.location="view_subject.php";
</script>
<?php
}

}
?>

<?php
$que="SELECT * from `tbl_subject` WHERE id='".$_GET["id"]."'";
```

```php
$query=$conn->query($que);
while($row=mysqli_fetch_array($query))
{

extract($row);
$fname = $row['subjectname'];
$class_id = $row['class_id'];
$semid = $row['sub_semid'];
$subcode = $row['sub_code'];
}

?>
```

```html
<div class="page-wrapper">

<div class="row page-titles">
<div class="col-md-5 align-self-center">
<h3 class="text-primary">Subject Management</h3> </div>
<div class="col-md-7 align-self-center">
<ol class="breadcrumb">
<li class="breadcrumb-item"><a href="javascript:void(0)">Home</a></li>
<li class="breadcrumb-item active">Add Subject Management</li>
</ol>
</div>
</div>

<div class="container-fluid">

<div class="row">
<div class="col-lg-8" style="    margin-left: 10%;">
<div class="card">
<div class="card-title">

</div>
<div class="card-body">
```

```html
<div class="input-states">
<form class="form-horizontal" method="POST" enctype="multipart/form-data"
name="subjectform">

<input type="hidden" name="currnt_date" class="form-control" value="<?php
echo $currnt_date;?>">
<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Class</label>
<div class="col-sm-9">
<select type="text" name="class_id" class="form-control"   placeholder="Class"
required="">
<option value="">--Select Class--</option>
<?php
$c1 = "SELECT * FROM `tbl_class`";
$result = $conn->query($c1);

if ($result->num_rows > 0) {
while ($row = mysqli_fetch_array($result)) {?>
<option value="<?php echo $row["cl_id"];?>" <?php
if($row["cl_id"]==$class_id){ echo "selected"; } ?>>
<?php echo $row['classname'];?>
</option>
<?php
}
} else {
echo "0 results";
}
?>
</select>
</div>
</div>
</div>

<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Semester</label>
<div class="col-sm-9">
<select type="text" name="semester" class="form-control"
placeholder="Semester" required="">
```

```php
<option value="">--Select Semester--</option>
<?php
$c1 = "SELECT * FROM `tbl_semester`";
$result = $conn->query($c1);

if ($result->num_rows > 0) {
while ($row = mysqli_fetch_array($result)) {?>
<option value="<?php echo $row["sem_id"];?>" <?php
if($row["sem_id"]==$semid){ echo "selected"; } ?>>
<?php echo $row['sem_name'];?>
</option>
<?php
}
} else {
echo "0 results";
}
?>
</select>
</div>
</div>
</div>

<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Subject Name</label>
<div class="col-sm-9">
<input type="text" name="subjectname" class="form-control"
placeholder="Subject Name" id="event" value="<?php echo $subjectname; ?>"
required="">
</div>
</div>
</div>

<div class="form-group">
<div class="row">
<label class="col-sm-3 control-label">Subject Code</label>
<div class="col-sm-9">
<input type="text" name="subcode" class="form-control" placeholder="Subject
Code" id="event" value="<?php echo $subcode; ?>" required="">
</div>
```

```
</div>
</div>


<button type="submit" name="btn_update" class="btn btn-primary btn-flat m-b-30
m-t-30">Submit</button>
</form>
</div>
</div>
</div>
</div>

</div>

<?php include('footer.php');?>
```