

Example

Consider the following Quality Attribute Scenarios for the Quality Attribute **Usability**.

QAS Usability

Stimulus - viewing malicious tasks and jobs

Stimulus source - the end user (system administrator)

Response - The system provides the sys admin with details about flagged events

Response measure - the system shows the total malicious tasks

Environment - runtime


Artifact - the system (firewall)

Question: Identify at least 2 tactics that could be applied for this scenario.

Hint: take a look at the **Usability tactics** presented in Appendix.



FIGURE 11.2 The goal of runtime usability tactics



Usability Tactics

Support System Initiative

- **Maintain task model:** to determine context so the system can have some idea of what the user is attempting and provide assistance.
- **Maintain user model:** explicitly represents the user's knowledge of the system, the user's behavior in terms of expected response time, and other aspects specific to a user or a class of users. Example: user interface customization for individual users.
- **Maintain system model:** maintain an explicit model of itself, to determine expected system behavior, so that appropriate feedback can be given to the user. Example: system progress bar.

Example answer for Usability:

QAS Usability

Stimulus - viewing malicious tasks and jobs

Stimulus source - the end user (system administrator)

Response - The system provides the sys admin with details about flagged events

Response measure - the system shows the total malicious tasks

Environment - runtime

Artifact - the system (firewall)

Answer:

Tactics

Maintaining system model

The system is always maintaining its model with security whilst the admin views and edits the firewall and security issues

Support user initiative

The system will allow rule breaking jobs if the system admin decides to allow the jobs, it only creates an exception and does not define new rules.