



TRIAD ER diagram, page 1: clinical core and authorship








A message without an issuer has Origin = Patient: the patient sent it through the app.



















Legend
Box: entity. Double box: weak entity.
Diamond: relationship. Double diamond: identifying relationship.
Oval: attribute. Double oval: multivalued attribute.
Ovals on an oval: composite attribute.
Solid underline: key, Dashed underline: partial key.
Triangle (ISA): subtypes; it points toward the subtypes.
Crow's feet: two bars = exactly one; circle and bar = zero or one;
circle and crow's foot = zero or many; bar and crow's foot = one or many.
Grey: TRIAD contribution (authorship, revision, agent layer).
Identifier = System + Value (composite, the FHIR Identifier).
Address = Street, City, Region, PostalCode, Country (composite).
The diagram is a tree: one path between any two entity sets.
Page 2 shows the agent layer, the audit log and the lineage store.

TRIAD ER diagram, page 2: agent layer, audit log and lineage store



Lineage store (physical layer). It keeps every source FHIR resource as it came in, so TRIAD can link to any FHIR server with almost no data loss. Each mapped row keeps the value FhirRef (ResourceType/LogicalId/VersionId) of its source resource.



Legend
Box: entity. Double box: weak entity.
Diamond: relationship. Double diamond: identifying relationship.
Oval: attribute. Double oval: multivalued attribute.
Ovals on an oval: composite attribute.
Solid underline: key. Dashed underline: partial key.
Triangle (ISA): subtypes; it points toward the subtypes.
Crow's feet: two bars = exactly one; circle and bar = zero or one;
circle and crow's foot = zero or many; bar and crow's foot = one or many.
Grey: TRIAD contribution (authorship, revision, agent layer).
Identifier = System + Value (composite, the FHIR Identifier).
Address = Street, City, Region, PostalCode, Country (composite).
The diagram is a tree: one path between any two entity sets.
Dashed box: a copy of an entity from page 1.

Chat sessions and audit records are logs. They keep the user and the patient as values (User, Actor, Subject). The values stay correct when a row changes, and they add no loop.